



**USA Dealer Price List**



**1.888.383.4883**  
**[www.cablefactory.com](http://www.cablefactory.com)**

## About Us

For over 20 years, Cable Factory has provided and assembled the best products for the music, live sound and AV install markets. We achieve this through our highly skilled technicians and sophisticated equipment where we are proud to assemble all products in Vancouver Canada. From our durable and flexible cabling, to our high-end audio devices and our state of the art custom metal-work department, we are committed to our innovations for all stakeholders.

## Our Mission

At Cable Factory, our mission is to deliver the highest quality cables, devices and custom metal work solutions for our customers in the entertainment industry. We only use the most trusted products and components, all assembled in-house by our own technicians in Vancouver.

# Cable Factory Terms and Conditions

## **WHAT IS COVERED**

1. The limited warranty covers defective cable, devices and connectors.
2. The limited warranty covers the workmanship in the product assembled by Cable Factory.

## **WHAT IS NOT COVERED**

1. The limited warranty does not cover any damage caused by the purchaser modifying, attempting to fix, or otherwise altering the product.

## **DURATION OF COVERAGE**

1. The limited warranty lasts for five years from the date of original purchase of the product.

## **WHO IS COVERED**

1. This limited warranty covers only the original purchaser of the product. The limited warranty is not transferrable to subsequent owners or purchasers of this product.

## **HOW TO OBTAIN SERVICES**

1. To obtain the benefit of this warranty, please contact Cable Factory at [sales@cablefactory.com](mailto:sales@cablefactory.com)

## **RETURN POLICY**

1. All custom orders are covered by the limited warranty but cannot be returned for a refund.

# TABLE OF CONTENTS

## 1. CABLE ASSEMBLIES: 6-54

Guitar Cables: 8  
Microphone Cables: 9  
Speaker Cables: 12  
Patch Cables: 21  
Patch/Insert Cables: 27  
Digital Audio Cables: 32  
DMX and Network Cables: 33  
Video Cables: 38  
Bantam and Longframe Patch Cables: 46  
Lighting and Power Cables: 47

## 2. SNAKES: 55-73

Multitrack Anal. and Dig. Recording Snakes: 56  
Multi-track Recording Snakes: 57  
Standard Series Snakes: 60  
Sub Snakes: 63  
Concert Snake Heads: 66  
Multi Pin Cables: 67  
DT-12 Broadcast Snakes: 72  
Digital etherCON Snakes: 73

## 3. DEVICES: 74-77

Di-Pro-P1 Passive Direct Box Single Channel: 75  
Di-Pro-P4 4 Channel Passive Rack Mount: 75  
Di-Pro-PC Direct Box Left / Right: 75  
Di-Pro-ST Passive Stereo Direct Box: 75  
LSPLIT-2 Single Channel Splitter: 76  
ISO-2 2 Channel Isolation Box: 76  
ISO-4 R/Mount 4 ch. Splitter Isolation Box: 76  
AES to SPDIF converter: 76  
AES Isolation XLR: 76  
Ground Lifter: 76  
General Purpose Problem Solvers: 77  
Phase Reverse: 77  
Pads 10, 20, 30, 40dB: 77

## 4. BULK WIRE: 78-83

Bulk Audio Install: 79  
Bulk Speaker Install: 79  
Bulk Network Cable: 80  
Bulk Guitar-Instrument: 80

Bulk Mic Cable: 81  
Bulk Snake Cable: 81  
Bulk Speaker Cable: 82  
Bulk DMX Cable: 82  
Bulk Video Cable: 82  
Bulk Power Cable: 83

## 5. CONNECTORS: 84-95

1/4" Connectors: 85  
XLR Connectors: 87  
Speakon Connectors: 88  
PowerCON connectors: 89  
Power Connectors: 90  
EtherCON connectors: 91  
Video Connectors: 92  
Multipin Connectors: 93

## 6. CUSTOM METALWORK: 96-97

## 7. STANDARD METALWORK: 98-102

Wall Plates: 99  
Rack Boxes: 100  
Electrical Box Rack Adapter: 101  
Floor Boxes: 102  
Snake Boxes: 102


## 8. TRANSFORMERS: 103-104

Direct Box Transformers: 104  
Mic Level Isolation Transformer: 104  
Line Level 10k:10k Iso Transformer: 104  
Split Transformer 2 Isolated Outputs: 104  
Mic Pre-Amp Transformer: 104  
Split Transformer 1 Isolated Output: 104

## 9. PATCH BAYS: 105-106

96 Point Bantam Patch Bay: 106  
48 Point Longframe Hardwire: 106  
48 Point to Punch Down Rack Box: 106  
96 Point Bantam Patch 4ft Punch Down: 106  
48 Point Longframe to PD 4ft : 106  
Video Patch Bay: 106

# INPUTS




1-12



13-24



25-36



FOH

MONITOR

BROADCAST



# Cable Assemblies

1.888.383.4883 [www.cablefactory.com](http://www.cablefactory.com)



# Cable Assemblies

*Cable Factory is a proud supplier of cable assemblies for the music, broadcast, lighting and entertainment industries. We assemble all our products in-house at our factory in Vancouver, Canada. Our audio assemblies feature Cable Factory's own Live Link Series cable for robust, high output performance. Our video and network assemblies rely on the highest quality Belden cables and deliver the latest in 4k video and streaming technology. CAT6A flexible etherCON cables and CUL Power Cables are assembled with industry leading Neutrik connectors, ADC BNC, and Cable Factory's veam-style multi-pin connectors.*



# Guitar Cables

PART ID LENGTH



<b>Silent Guitar Cables</b>		<b>DLR</b>	<b>LIST</b>
<b>LPH-010</b>	Live Link LLGT-120 braided guitar cable with Neutrik NP2X and NP2X silent 1/4" connectors	18.36	26.23
<b>LPH-015</b>	Live Link LLGT-120 braided guitar cable with Neutrik NP2X and NP2X silent 1/4" connectors	19.42	27.74
<b>LPH-025</b>	Live Link LLGT-120 braided guitar cable with Neutrik NP2X and NP2X silent 1/4" connectors	21.51	30.74
<b>Touring Guitar Cables</b>		<b>DLR</b>	<b>LIST</b>
<b>LPPT-001</b>	Live Link LLGT-120 braided guitar cable with Neutrik NP2X 1/4" connectors	9.36	13.38
<b>LPPT-002</b>	Live Link LLGT-120 braided guitar cable with Neutrik NP2X 1/4" connectors	9.58	13.67
<b>LPPT-003</b>	Live Link LLGT-120 braided guitar cable with Neutrik NP2X 1/4" connectors	9.78	13.98
<b>LPPT-005</b>	Live Link LLGT-120 braided guitar cable with Neutrik NP2X 1/4" connectors	10.20	14.58
<b>LPPT-010</b>	Live Link LLGT-120 braided guitar cable with Neutrik NP2X 1/4" connectors	11.26	16.07
<b>LPPT-015</b>	Live Link LLGT-120 braided guitar cable with Neutrik NP2X 1/4" connectors	12.30	17.58
<b>LPPT-018</b>	Live Link LLGT-120 braided guitar cable with Neutrik NP2X 1/4" connectors	12.94	18.47
<b>LPPT-020</b>	Live Link LLGT-120 braided guitar cable with Neutrik NP2X 1/4" connectors	13.35	19.07
<b>LPPT-025</b>	Live Link LLGT-120 braided guitar cable with Neutrik NP2X 1/4" connectors	14.40	20.58
<b>LPPT-030</b>	Live Link LLGT-120 braided guitar cable with Neutrik NP2X 1/4" connectors	15.46	22.07
<b>LPPT-050</b>	Live Link LLGT-120 braided guitar cable with Neutrik NP2X 1/4" connectors	19.66	28.07
<b>1/4" to 1/4" Right Angle Touring Guitar Cables</b>		<b>DLR</b>	<b>LIST</b>
<b>LPRA-010</b>	Live Link LLGT-120 braided guitar cable with Neutrik right angle NP2RX 1/4" and NP2X 1/4" connectors	12.24	17.49
<b>LPRA-015</b>	Live Link LLGT-120 braided guitar cable with Neutrik right angle NP2RX 1/4" and NP2X 1/4" connectors	13.30	18.99
<b>LPRA-025</b>	Live Link LLGT-120 braided guitar cable with Neutrik right angle NP2RX 1/4" and NP2X 1/4" connectors	15.39	21.99





# Microphone Cables

PART ID LENGTH

		DLR	LIST		
<b>Standard Mic Cables</b>					
<b>LMXD-001</b>	Live Link LLMS-224 mic cable with Neutrik NC3MX and NC3FX XLR's	8.84	12.63		
<b>LMXD-002</b>	Live Link LLMS-224 mic cable with Neutrik NC3MX and NC3FX XLR's	9.00	12.86		
<b>LMXD-003</b>	Live Link LLMS-224 mic cable with Neutrik NC3MX and NC3FX XLR's	9.16	13.09		
<b>LMXD-006</b>	Live Link LLMS-224 mic cable with Neutrik NC3MX and NC3FX XLR's	9.63	13.76		
<b>LMXD-010</b>	Live Link LLMS-224 mic cable with Neutrik NC3MX and NC3FX XLR's	10.26	14.66		
<b>LMXD-015</b>	Live Link LLMS-224 mic cable with Neutrik NC3MX and NC3FX XLR's	11.05	15.78		
<b>LMXD-020</b>	Live Link LLMS-224 mic cable with Neutrik NC3MX and NC3FX XLR's	11.84	16.91		
<b>LMXD-025</b>	Live Link LLMS-224 mic cable with Neutrik NC3MX and NC3FX XLR's	12.62	18.03		
<b>LMXD-030</b>	Live Link LLMS-224 mic cable with Neutrik NC3MX and NC3FX XLR's	13.41	19.15		
<b>LMXD-040</b>	Live Link LLMS-224 mic cable with Neutrik NC3MX and NC3FX XLR's	14.98	21.41		
<b>LMXD-050</b>	Live Link LLMS-224 mic cable with Neutrik NC3MX and NC3FX XLR's	16.56	23.66		
<b>LMXD-075</b>	Live Link LLMS-224 mic cable with Neutrik NC3MX and NC3FX XLR's	20.50	29.28		
<b>LMXD-100</b>	Live Link LLMS-224 mic cable with Neutrik NC3MX and NC3FX XLR's	24.44	34.91		
<b>Mic Cable W/Right Angle XLR</b>		<b>DLR</b>	<b>LIST</b>		
<b>LMXDRA-015</b>	Live Link LLMS-224 mic cable with Neutrik NC3FRX right angle female and NC3MX male XLRs	15.14	21.63		
<b>LMXDRA-025</b>	Live Link LLMS-224 mic cable w/ Neutrik NC3FRX right angle female & NC3MX male XLRs	16.71	23.88		
<b>Touring Mic Cable</b>		<b>DLR</b>	<b>LIST</b>		
<b>LMXT-001</b>	Live Link LLMT-224 braided mic cable with Neutrik NC3MX AND NC3FX XLR's	8.88	12.69		
<b>LMXT-002</b>	Live Link LLMT-224 braided mic cable with Neutrik NC3MX AND NC3FX XLR's	9.08	12.97		
<b>LMXT-003</b>	Live Link LLMT-224 braided mic cable with Neutrik NC3MX AND NC3FX XLR's	9.28	13.26		
<b>LMXT-006</b>	Live Link LLMT-224 braided mic cable with Neutrik NC3MX AND NC3FX XLR's	9.86	14.09		
<b>LMXT-010</b>	Live Link LLMT-224 braided mic cable with Neutrik NC3MX AND NC3FX XLR's	10.66	15.22		

# Microphone Cables

PART ID	LENGTH		DLR	LIST
		<b>Touring Mic Cable</b>		
<b>LMXT-015</b>		Live Link LLMT-224 braided mic cable with Neutrik NC3MX AND NC3FX XLR's	11.64	16.63
<b>LMXT-020</b>		Live Link LLMT-224 braided mic cable with Neutrik NC3MX AND NC3FX XLR's	12.62	18.03
<b>LMXT-025</b>		Live Link LLMT-224 braided mic cable with Neutrik NC3MX AND NC3FX XLR's	13.61	19.44
<b>LMXT-030</b>		Live Link LLMT-224 braided mic cable with Neutrik NC3MX AND NC3FX XLR's	14.59	20.85
<b>LMXT-040</b>		Live Link LLMT-224 braided mic cable with Neutrik NC3MX AND NC3FX XLR's	16.56	23.66
<b>LMXT-050</b>		Live Link LLMT-224 braided mic cable with Neutrik NC3MX AND NC3FX XLR's	18.53	26.47
<b>LMXT-075</b>		Live Link LLMT-224 braided mic cable with Neutrik NC3MX AND NC3FX XLR's	23.45	33.50
<b>LMXT-100</b>		Live Link LLMT-224 braided mic cable with Neutrik NC3MX AND NC3FX XLR's	28.38	40.54
		<b>Quad Mic Cable</b>	<b>DLR</b>	<b>LIST</b>
<b>LQMX-001</b>		Live Link LQMX braided quad cable with Neutrik NC3MX and NC3FX XLR's	8.95	12.79
<b>LQMX-002</b>		Live Link LQMX braided quad cable with Neutrik NC3MX and NC3FX XLR's	9.21	13.15
<b>LQMX-003</b>		Live Link LQMX braided quad cable with Neutrik NC3MX and NC3FX XLR's	9.47	13.53
<b>LQMX-006</b>		Live Link LQMX braided quad cable with Neutrik NC3MX and NC3FX XLR's	10.26	14.66
<b>LQMX-010</b>		Live Link LQMX braided quad cable with Neutrik NC3MX and NC3FX XLR's	11.54	16.49
<b>LQMX-015</b>		Live Link LQMX braided quad cable with Neutrik NC3MX and NC3FX XLR's	12.62	18.03
<b>LQMX-020</b>		Live Link LQMX braided quad cable with Neutrik NC3MX and NC3FX XLR's	13.94	19.91
<b>LQMX-025</b>		Live Link LQMX braided quad cable with Neutrik NC3MX and NC3FX XLR's	15.25	21.78
<b>LQMX-030</b>		Live Link LQMX braided quad cable with Neutrik NC3MX and NC3FX XLR's	16.56	23.66



# Microphone Cables

PART ID LENGTH

PART ID LENGTH			
		<b>Quad Mic Cable</b>	<b>DLR LIST</b>
<b>LQMX-040</b>	Live Link LQMX braided quad cable with Neutrik NC3MX and NC3FX XLR's	19.18	27.41
<b>LQMX-050</b>	Live Link LQMX braided quad cable with Neutrik NC3MX and NC3FX XLR's	21.81	31.15
<b>LQMX-075</b>	Live Link LQMX braided quad cable with Neutrik NC3MX and NC3FX XLR's	28.38	40.54
<b>LQMX-100</b>	Live Link LQMX braided quad cable with Neutrik NC3MX and NC3FX XLR's	34.94	49.91



# Speaker Cables

PART ID LENGTH

PART ID LENGTH			
		<b>Speaker Cable - speakON - Banana 2C/12awg</b>	<b>DLR LIST</b>
<b>LSB-212-003</b>	Live Link LLSC-212 2C/12awg cable with Neutrik NL2FC speakON to banana connector	10.19	14.56
<b>LSB-212-005</b>	Live Link LLSC-212 2C/12awg cable with Neutrik NL2FC speakON to banana connector	11.04	15.77
<b>LSB-212-010</b>	Live Link LLSC-212 2C/12awg cable with Neutrik NL2FC speakON to banana connector	13.17	18.81
<b>LSB-212-015</b>	Live Link LLSC-212 2C/12awg cable with Neutrik NL2FC speakON to banana connector	15.29	21.84
<b>LSB-212-020</b>	Live Link LLSC-212 2C/12awg cable with Neutrik NL2FC speakON to banana connector	17.41	24.87
<b>LSB-212-025</b>	Live Link LLSC-212 2C/12awg cable with Neutrik NL2FC speakON to banana connector	19.53	27.90
<b>LSB-212-030</b>	Live Link LLSC-212 2C/12awg cable with Neutrik NL2FC speakON to banana connector	21.66	30.94
<b>LSB-212-040</b>	Live Link LLSC-212 2C/12awg cable with Neutrik NL2FC speakON to banana connector	25.90	36.99
<b>LSB-212-050</b>	Live Link LLSC-212 2C/12awg cable with Neutrik NL2FC speakON to banana connector	30.14	43.06
<b>LSB-212-075</b>	Live Link LLSC-212 2C/12awg cable with Neutrik NL2FC speakON to banana connector	40.76	58.23
<b>LSB-212-100</b>	Live Link LLSC-212 2C/12awg cable with Neutrik NL2FC speakON to banana connector	51.37	73.38
		<b>Speaker Cable - speakON - Banana 2C/14awg</b>	<b>DLR LIST</b>
<b>LSB-214-003</b>	Live Link LLSC-214 2C/14awg cable with Neutrik NL2FC speakON to banana connector	9.74	13.91
<b>LSB-214-005</b>	Live Link LLSC-214 2C/14awg cable with Neutrik NL2FC speakON to banana connector	10.28	14.69
<b>LSB-214-010</b>	Live Link LLSC-214 2C/14awg cable with Neutrik NL2FC speakON to banana connector	11.63	16.62
<b>LSB-214-015</b>	Live Link LLSC-214 2C/14awg cable with Neutrik NL2FC speakON to banana connector	12.99	18.56
<b>LSB-214-020</b>	Live Link LLSC-214 2C/14awg cable with Neutrik NL2FC speakON to banana connector	14.35	20.50
<b>LSB-214-025</b>	Live Link LLSC-214 2C/14awg cable with Neutrik NL2FC speakON to banana connector	15.70	22.43



# Speaker Cables


PART ID LENGTH

		DLR	LIST
<b>Speaker Cable - speakON - Banana 2C/14awg</b>			
<b>LSB-214-030</b>	Live Link LLSC-214 2C/14awg cable with Neutrik NL2FC speakON to banana connector	17.06	24.38
<b>LSB-214-040</b>	Live Link LLSC-214 2C/14awg cable with Neutrik NL2FC speakON to banana connector	19.78	28.25
<b>LSB-214-050</b>	Live Link LLSC-214 2C/14awg cable with Neutrik NL2FC speakON to banana connector	22.50	32.14
<b>LSB-214-075</b>	Live Link LLSC-214 2C/14awg cable with Neutrik NL2FC speakON to banana connector	29.28	41.83
<b>LSB-214-100</b>	Live Link LLSC-214 2C/14awg cable with Neutrik NL2FC speakON to banana connector	36.07	51.53
<b>Speaker Cable - speakON - speakON 2C/12awg</b>			
<b>LSK-212-003</b>	Live Link LLSC-212 2C/12awg cable with Neutrik NL2FC speakON connectors	10.94	15.62
<b>LSK-212-005</b>	Live Link LLSC-212 2C/12awg cable with Neutrik NL2FC speakON connectors	11.78	16.83
<b>LSK-212-010</b>	Live Link LLSC-212 2C/12awg cable with Neutrik NL2FC speakON connectors	13.91	19.87
<b>LSK-212-015</b>	Live Link LLSC-212 2C/12awg cable with Neutrik NL2FC speakON connectors	16.03	22.90
<b>LSK-212-020</b>	Live Link LLSC-212 2C/12awg cable with Neutrik NL2FC speakON connectors	18.15	25.93
<b>LSK-212-025</b>	Live Link LLSC-212 2C/12awg cable with Neutrik NL2FC speakON connectors	20.28	28.97
<b>LSK-212-030</b>	Live Link LLSC-212 2C/12awg cable with Neutrik NL2FC speakON connectors	22.40	32.00
<b>LSK-212-040</b>	Live Link LLSC-212 2C/12awg cable with Neutrik NL2FC speakON connectors	26.65	38.07
<b>LSK-212-050</b>	Live Link LLSC-212 2C/12awg cable with Neutrik NL2FC speakON connectors	30.89	44.13
<b>LSK-212-075</b>	Live Link LLSC-212 2C/12awg cable with Neutrik NL2FC speakON connectors	41.50	59.29
<b>LSK-212-100</b>	Live Link LLSC-212 2C/12awg cable with Neutrik NL2FC speakON connectors	52.11	74.45



# Speaker Cables

PART ID    LENGTH



Speaker Cable - speakON - speakON 2C/14awg		DLR	LIST
<b>LSK-214-003</b>	Live Link LLSC-214 2C/14awg cable with Neutrik NL2FC speakON connectors	10.48	14.97
<b>LSK-214-005</b>	Live Link LLSC-214 2C/14awg cable with Neutrik NL2FC speakON connectors	11.02	15.75
<b>LSK-214-010</b>	Live Link LLSC-214 2C/14awg cable with Neutrik NL2FC speakON connectors	12.38	17.69
<b>LSK-214-015</b>	Live Link LLSC-214 2C/14awg cable with Neutrik NL2FC speakON connectors	13.74	19.62
<b>LSK-214-020</b>	Live Link LLSC-214 2C/14awg cable with Neutrik NL2FC speakON connectors	15.10	21.57
<b>LSK-214-025</b>	Live Link LLSC-214 2C/14awg cable with Neutrik NL2FC speakON connectors	16.46	23.51
<b>LSK-214-030</b>	Live Link LLSC-214 2C/14awg cable with Neutrik NL2FC speakON connectors	17.81	25.44
<b>LSK-214-040</b>	Live Link LLSC-214 2C/14awg cable with Neutrik NL2FC speakON connectors	20.53	29.33
<b>LSK-214-050</b>	Live Link LLSC-214 2C/14awg cable with Neutrik NL2FC speakON connectors	23.24	33.20
<b>LSK-214-075</b>	Live Link LLSC-214 2C/14awg cable with Neutrik NL2FC speakON connectors	30.02	42.89
<b>LSK-214-100</b>	Live Link LLSC-214 2C/14awg cable with Neutrik NL2FC speakON connectors	36.82	52.59



Speaker Cable - speakON - speakON 2C/16awg		DLR	LIST
<b>LSK-216-003</b>	Live Link LLSC-216 2C/16awg cable with Neutrik NL2FC speakON connectors	10.28	14.69
<b>LSK-216-005</b>	Live Link LLSC-216 2C/16awg cable with Neutrik NL2FC speakON connectors	10.69	15.27
<b>LSK-216-010</b>	Live Link LLSC-216 2C/16awg cable with Neutrik NL2FC speakON connectors	11.72	16.74
<b>LSK-216-015</b>	Live Link LLSC-216 2C/16awg cable with Neutrik NL2FC speakON connectors	12.73	18.18
<b>LSK-216-020</b>	Live Link LLSC-216 2C/16awg cable with Neutrik NL2FC speakON connectors	13.74	19.63



# Speaker Cables

PART ID	LENGTH			
<b>LSK-216-025</b>	Live Link LLSC-216 2C/16awg cable with Neutrik NL2FC speakON connectors	14.77	21.10	
<b>LSK-216-030</b>	Live Link LLSC-216 2C/16awg cable with Neutrik NL2FC speakON connectors	15.78	22.55	
<b>LSK-216-040</b>	Live Link LLSC-216 2C/16awg cable with Neutrik NL2FC speakON connectors	17.82	25.46	
<b>LSK-216-050</b>	Live Link LLSC-216 2C/16awg cable with Neutrik NL2FC speakON connectors	19.86	28.38	
<b>LSK-216-075</b>	Live Link LLSC-216 2C/16awg cable with Neutrik NL2FC speakON connectors	24.97	35.67	
<b>LSK-216-100</b>	Live Link LLSC-216 2C/16awg cable with Neutrik NL2FC speakON connectors	30.06	42.95	
<b>Speaker Cable - speakON - speakON 4C/12awg</b>		<b>DLR</b>	<b>LIST</b>	
<b>LSK-412-003</b>	Live Link LLSC-412 4C/12awg cable with Neutrik NL4FX speakON connectors	16.24	23.20	
<b>LSK-412-005</b>	Live Link LLSC-412 4C/12awg cable with Neutrik NL4FX speakON connectors	17.78	25.41	
<b>LSK-412-010</b>	Live Link LLSC-412 4C/12awg cable with Neutrik NL4FX speakON connectors	21.64	30.91	
<b>LSK-412-015</b>	Live Link LLSC-412 4C/12awg cable with Neutrik NL4FX speakON connectors	25.49	36.41	
<b>LSK-412-020</b>	Live Link LLSC-412 4C/12awg cable with Neutrik NL4FX speakON connectors	29.34	41.92	
<b>LSK-412-025</b>	Live Link LLSC-412 4C/12awg cable with Neutrik NL4FX speakON connectors	33.20	47.43	
<b>LSK-412-030</b>	Live Link LLSC-412 4C/12awg cable with Neutrik NL4FX speakON connectors	37.06	52.94	
<b>LSK-412-040</b>	Live Link LLSC-412 4C/12awg cable with Neutrik NL4FX speakON connectors	44.77	63.95	
<b>LSK-412-050</b>	Live Link LLSC-412 4C/12awg cable with Neutrik NL4FX speakON connectors	52.48	74.97	
<b>LSK-412-075</b>	Live Link LLSC-412 4C/12awg cable with Neutrik NL4FX speakON connectors	71.75	102.50	
<b>LSK-412-100</b>	Live Link LLSC-412 4C/12awg cable with Neutrik NL4FX speakON connectors	91.02	130.03	

# Speaker Cables

PART ID LENGTH

Speaker Cable - speakON - speakON 8C/12awg		DLR	LIST
<b>LSK-812-003</b>	Live Link LLSC-812 8C/12awg cable with Neutrik NL8FC speakON connectors	35.10	50.15
<b>LSK-812-005</b>	Live Link LLSC-812 8C/12awg cable with Neutrik NL8FC speakON connectors	38.08	54.40
<b>LSK-812-010</b>	Live Link LLSC-812 8C/12awg cable with Neutrik NL8FC speakON connectors	45.53	65.04
<b>LSK-812-015</b>	Live Link LLSC-812 8C/12awg cable with Neutrik NL8FC speakON connectors	52.98	75.68
<b>LSK-812-020</b>	Live Link LLSC-812 8C/12awg cable with Neutrik NL8FC speakON connectors	60.42	86.32
<b>LSK-812-025</b>	Live Link LLSC-812 8C/12awg cable with Neutrik NL8FC speakON connectors	67.87	96.96
<b>LSK-812-030</b>	Live Link LLSC-812 8C/12awg cable with Neutrik NL8FC speakON connectors	75.32	107.60
<b>LSK-812-040</b>	Live Link LLSC-812 8C/12awg cable with Neutrik NL8FC speakON connectors	90.22	128.88
<b>LSK-812-050</b>	Live Link LLSC-812 8C/12awg cable with Neutrik NL8FC speakON connectors	105.11	150.16
<b>LSK-812-075</b>	Live Link LLSC-812 8C/12awg cable with Neutrik NL8FC speakON connectors	142.34	203.35
<b>LSK-812-100</b>	Live Link LLSC-812 8C/12awg cable with Neutrik NL8FC speakON connectors	179.58	256.55



Speaker Cable - speakON - 1/4" 2C/12awg		DLR	LIST
<b>LSP-212-003</b>	Live Link LLSC-212 2C/12awg cable with Neutrik NL2FC speakON to 1/4" connector	12.78	18.26
<b>LSP-212-005</b>	Live Link LLSC-212 2C/12awg cable with Neutrik NL2FC speakON to 1/4" connector	13.63	19.47
<b>LSP-212-010</b>	Live Link LLSC-212 2C/12awg cable with Neutrik NL2FC speakON to 1/4" connector	15.75	22.50
<b>LSP-212-015</b>	Live Link LLSC-212 2C/12awg cable with Neutrik NL2FC speakON to 1/4" connector	17.87	25.53
<b>LSP-212-020</b>	Live Link LLSC-212 2C/12awg cable with Neutrik NL2FC speakON to 1/4" connector	20.00	28.57
<b>LSP-212-025</b>	Live Link LLSC-212 2C/12awg cable with Neutrik NL2FC speakON to 1/4" connector	22.12	31.60





# Speaker Cables

PART ID LENGTH

PART ID	LENGTH		
<b>LSP-212-030</b>	Live Link LLSC-212 2C/12awg cable with Neutrik NL2FC speakON to 1/4" connector	24.24	34.63
<b>LSP-212-040</b>	Live Link LLSC-212 2C/12awg cable with Neutrik NL2FC speakON to 1/4" connector	28.49	40.70
<b>LSP-212-050</b>	Live Link LLSC-212 2C/12awg cable with Neutrik NL2FC speakON to 1/4" connector	32.74	46.77
<b>LSP-212-075</b>	Live Link LLSC-212 2C/12awg cable with Neutrik NL2FC speakON to 1/4" connector	43.34	61.92
<b>LSP-212-100</b>	Live Link LLSC-212 2C/12awg cable with Neutrik NL2FC speakON to 1/4" connector	53.96	77.09
<b>Speaker Cable - speakON - 1/4" 2C/14awg</b>		<b>DLR</b>	<b>LIST</b>
<b>LSP-214-003</b>	Live Link LLSC-214 2C/14awg cable with Neutrik NL2FC speakON to 1/4" connector	9.89	14.13
<b>LSP-214-005</b>	Live Link LLSC-214 2C/14awg cable with Neutrik NL2FC speakON to 1/4" connector	10.43	14.90
<b>LSP-214-010</b>	Live Link LLSC-214 2C/14awg cable with Neutrik NL2FC speakON to 1/4" connector	11.78	16.83
<b>LSP-214-015</b>	Live Link LLSC-214 2C/14awg cable with Neutrik NL2FC speakON to 1/4" connector	13.14	18.78
<b>LSP-214-020</b>	Live Link LLSC-214 2C/14awg cable with Neutrik NL2FC speakON to 1/4" connector	14.50	20.72
<b>LSP-214-025</b>	Live Link LLSC-214 2C/14awg cable with Neutrik NL2FC speakON to 1/4" connector	15.86	22.65
<b>LSP-214-030</b>	Live Link LLSC-214 2C/14awg cable with Neutrik NL2FC speakON to 1/4" connector	17.22	24.59
<b>LSP-214-040</b>	Live Link LLSC-214 2C/14awg cable with Neutrik NL2FC speakON to 1/4" connector	19.93	28.47
<b>LSP-214-050</b>	Live Link LLSC-214 2C/14awg cable with Neutrik NL2FC speakON to 1/4" connector	22.65	32.35
<b>LSP-214-075</b>	Live Link LLSC-214 2C/14awg cable with Neutrik NL2FC speakON to 1/4" connector	29.43	42.05
<b>LSP-214-100</b>	Live Link LLSC-214 2C/14awg cable with Neutrik NL2FC speakON to 1/4" connector	36.22	51.75



# Speaker Cables

PART ID LENGTH

Speaker Cable - Banana - 1/4" 2C/12awg		DLR	LIST
<b>LSPB-212-003</b>	Live Link LLSC-212 2C/12awg cable with 1/4"- banana connectors	12.03	17.19
<b>LSPB-212-005</b>	Live Link LLSC-212 2C/12awg cable with 1/4"- banana connectors	12.88	18.40
<b>LSPB-212-010</b>	Live Link LLSC-212 2C/12awg cable with 1/4"- banana connectors	15.01	21.44
<b>LSPB-212-015</b>	Live Link LLSC-212 2C/12awg cable with 1/4"- banana connectors	17.13	24.47
<b>LSPB-212-020</b>	Live Link LLSC-212 2C/12awg cable with 1/4"- banana connectors	19.25	27.50
<b>LSPB-212-025</b>	Live Link LLSC-212 2C/12awg cable with 1/4"- banana connectors	21.38	30.54
<b>LSPB-212-030</b>	Live Link LLSC-212 2C/12awg cable with 1/4"- banana connectors	23.50	33.57
<b>LSPB-212-040</b>	Live Link LLSC-212 2C/12awg cable with 1/4"- banana connectors	27.74	39.63
<b>LSPB-212-050</b>	Live Link LLSC-212 2C/12awg cable with 1/4"- banana connectors	31.98	45.69
<b>LSPB-212-075</b>	Live Link LLSC-212 2C/12awg cable with 1/4"- banana connectors	42.60	60.86
<b>LSPB-212-100</b>	Live Link LLSC-212 2C/12awg cable with 1/4"- banana connectors	53.21	76.01
<b>Speaker Cable - Banana - 1/4" 2C/14awg</b>		<b>DLR</b>	<b>LIST</b>
<b>LSPB-214-003</b>	Live Link LLSC-214 2C/14awg cable with 1/4"- banana connectors	9.14	13.05
<b>LSPB-214-005</b>	Live Link LLSC-214 2C/14awg cable with 1/4"- banana connectors	9.68	13.83
<b>LSPB-214-010</b>	Live Link LLSC-214 2C/14awg cable with 1/4"- banana connectors	11.04	15.77
<b>LSPB-214-015</b>	Live Link LLSC-214 2C/14awg cable with 1/4"- banana connectors	12.40	17.71
<b>LSPB-214-020</b>	Live Link LLSC-214 2C/14awg cable with 1/4"- banana connectors	13.75	19.65
<b>LSPB-214-025</b>	Live Link LLSC-214 2C/14awg cable with 1/4"- banana connectors	15.11	21.59
<b>LSPB-214-030</b>	Live Link LLSC-214 2C/14awg cable with 1/4"- banana connectors	16.47	23.53
<b>LSPB-214-040</b>	Live Link LLSC-214 2C/14awg cable with 1/4"- banana connectors	19.18	27.41
<b>LSPB-214-050</b>	Live Link LLSC-214 2C/14awg cable with 1/4"- banana connectors	21.90	31.28
<b>LSPB-214-075</b>	Live Link LLSC-214 2C/14awg cable with 1/4"- banana connectors	28.69	40.98
<b>LSPB-214-100</b>	Live Link LLSC-214 2C/14awg cable with 1/4"- banana connectors	35.47	50.67



# Speaker Cables

PART ID LENGTH

Speaker Cable - Banana - 1/4" 2C/16awg		DLR	LIST
<b>LSPB-216-003</b>	Live Link LLSC-216 2C/16awg cable with 1/4"- banana connectors	8.63	12.33
<b>LSPB-216-005</b>	Live Link LLSC-216 2C/16awg cable with 1/4"- banana connectors	9.04	12.91
<b>LSPB-216-010</b>	Live Link LLSC-216 2C/16awg cable with 1/4"- banana connectors	10.06	14.38
<b>LSPB-216-015</b>	Live Link LLSC-216 2C/16awg cable with 1/4"- banana connectors	11.08	15.83
<b>LSPB-216-020</b>	Live Link LLSC-216 2C/16awg cable with 1/4"- banana connectors	12.10	17.29
<b>LSPB-216-025</b>	Live Link LLSC-216 2C/16awg cable with 1/4"- banana connectors	13.12	18.74
<b>LSPB-216-030</b>	Live Link LLSC-216 2C/16awg cable with 1/4"- banana connectors	14.14	20.21
<b>LSPB-216-040</b>	Live Link LLSC-216 2C/16awg cable with 1/4"- banana connectors	16.18	23.12
<b>LSPB-216-050</b>	Live Link LLSC-216 2C/16awg cable with 1/4"- banana connectors	18.22	26.03
<b>LSPB-216-075</b>	Live Link LLSC-216 2C/16awg cable with 1/4"- banana connectors	23.32	33.31
<b>LSPB-216-100</b>	Live Link LLSC-216 2C/16awg cable with 1/4"- banana connectors	28.42	40.61
Speaker Cable - 1/4" - 1/4" 2C/12awg		DLR	LIST
<b>LSPP-212-003</b>	Live Link LLSC-212 2C/12awg cable with 1/4" connectors	14.62	20.89
<b>LSPP-212-005</b>	Live Link LLSC-212 2C/12awg cable with 1/4" connectors	15.47	22.10
<b>LSPP-212-010</b>	Live Link LLSC-212 2C/12awg cable with 1/4" connectors	17.59	25.13
<b>LSPP-212-015</b>	Live Link LLSC-212 2C/12awg cable with 1/4" connectors	19.72	28.17
<b>LSPP-212-020</b>	Live Link LLSC-212 2C/12awg cable with 1/4" connectors	21.84	31.20
<b>LSPP-212-025</b>	Live Link LLSC-212 2C/12awg cable with 1/4" connectors	23.96	34.23
<b>LSPP-212-030</b>	Live Link LLSC-212 2C/12awg cable with 1/4" connectors	26.09	37.27
<b>LSPP-212-040</b>	Live Link LLSC-212 2C/12awg cable with 1/4" connectors	30.33	43.33
<b>LSPP-212-050</b>	Live Link LLSC-212 2C/12awg cable with 1/4" connectors	34.58	49.39
<b>LSPP-212-075</b>	Live Link LLSC-212 2C/12awg cable with 1/4" connectors	45.18	64.55
<b>LSPP-212-100</b>	Live Link LLSC-212 2C/12awg cable with 1/4" connectors	55.80	79.71



# Speaker Cables

PART ID LENGTH




Speaker Cable - 1/4" - 1/4" 2C/14awg		DLR	LIST
<b>LSPP-214-003</b>	Live Link LLSC-214 2C/14awg cable with 1/4" connectors	9.29	13.27
<b>LSPP-214-005</b>	Live Link LLSC-214 2C/14awg cable with 1/4" connectors	9.83	14.05
<b>LSPP-214-010</b>	Live Link LLSC-214 2C/14awg cable with 1/4" connectors	11.19	15.99
<b>LSPP-214-015</b>	Live Link LLSC-214 2C/14awg cable with 1/4" connectors	12.55	17.93
<b>LSPP-214-020</b>	Live Link LLSC-214 2C/14awg cable with 1/4" connectors	13.90	19.86
<b>LSPP-214-025</b>	Live Link LLSC-214 2C/14awg cable with 1/4" connectors	15.26	21.81
<b>LSPP-214-030</b>	Live Link LLSC-214 2C/14awg cable with 1/4" connectors	16.62	23.75
<b>LSPP-214-040</b>	Live Link LLSC-214 2C/14awg cable with 1/4" connectors	19.34	27.62
<b>LSPP-214-050</b>	Live Link LLSC-214 2C/14awg cable with 1/4" connectors	22.05	31.50
<b>LSPP-214-075</b>	Live Link LLSC-214 2C/14awg cable with 1/4" connectors	28.84	41.20
<b>LSPP-214-100</b>	Live Link LLSC-214 2C/14awg cable with 1/4" connectors	35.62	50.89




Speaker Cable - 1/4" - 1/4" 2C/16awg		DLR	LIST
<b>LSPP-216-003</b>	Live Link LLSC-216 2C/16awg cable with 1/4" connectors	8.00	11.43
<b>LSPP-216-005</b>	Live Link LLSC-216 2C/16awg cable with 1/4" connectors	8.89	12.70
<b>LSPP-216-010</b>	Live Link LLSC-216 2C/16awg cable with 1/4" connectors	9.91	14.16
<b>LSPP-216-015</b>	Live Link LLSC-216 2C/16awg cable with 1/4" connectors	10.93	15.61
<b>LSPP-216-020</b>	Live Link LLSC-216 2C/16awg cable with 1/4" connectors	11.95	17.07
<b>LSPP-216-025</b>	Live Link LLSC-216 2C/16awg cable with 1/4" connectors	12.97	18.53
<b>LSPP-216-030</b>	Live Link LLSC-216 2C/16awg cable with 1/4" connectors	13.99	19.99
<b>LSPP-216-040</b>	Live Link LLSC-216 2C/16awg cable with 1/4" connectors	16.03	22.90
<b>LSPP-216-050</b>	Live Link LLSC-216 2C/16awg cable with 1/4" connectors	18.07	25.82
<b>LSPP-216-075</b>	Live Link LLSC-216 2C/16awg cable with 1/4" connectors	23.17	33.10
<b>LSPP-216-100</b>	Live Link LLSC-216 2C/16awg cable with 1/4" connectors	28.27	40.39



# Patch Cables

PART ID    LENGTH  


<b>Mini 3.5 Male-Male Patch Cable</b>		<b>DLR</b>	<b>LIST</b>
<b>LMIN-003</b>	Live Link mini mic cable with Neutrik 3.5 mini male to male connectors	7.90	11.28
<b>LMIN-005</b>	Live Link mini mic cable with Neutrik 3.5 mini male to male connectors	8.22	11.74
<b>LMIN-010</b>	Live Link mini mic cable with Neutrik 3.5 mini male to male connectors	9.00	12.86
<b>LMIN-015</b>	Live Link mini mic cable with Neutrik 3.5 mini male to male connectors	9.79	13.99
<b>LMIN-020</b>	Live Link mini mic cable with Neutrik 3.5 mini male to male connectors	10.58	15.11
<b>LMIN-025</b>	Live Link mini mic cable with Neutrik 3.5 mini male to male connectors	11.37	16.24
<b>Mini 3.5-Dual XLRF Patch Cable</b>		<b>DLR</b>	<b>LIST</b>
<b>LMIN2XF-001</b>	Live Link mini mic cable with Neutrik 3.5 mini female and dual female NC3FX XLR connectors	13.23	18.90
<b>LMIN2XF-006</b>	Live Link mini mic cable with Neutrik 3.5 mini female and dual female NC3FX XLR connectors	14.22	20.31
<b>LMIN2XM-001</b>	Live Link mini mic cable with Neutrik 3.5 mini male and dual male NC3MX XLR connectors	12.77	18.23
<b>LMIN2XM-006</b>	Live Link mini mic cable with Neutrik 3.5 mini male and dual male NC3MX XLR connectors	13.75	19.65
<b>Mini 3.5 Male-Female Extension Cable</b>		<b>DLR</b>	<b>LIST</b>
<b>LMINF-003</b>	Live Link mini mic extension cable with Neutrik 3.5 male and female connectors	7.02	10.03
<b>LMINF-005</b>	Live Link mini mic extension cable with Neutrik 3.5 male and female connectors	7.34	10.49
<b>LMINF-010</b>	Live Link mini mic extension cable with Neutrik 3.5 male and female connectors	8.13	11.61
<b>LMINF-015</b>	Live Link mini mic extension cable with Neutrik 3.5 male and female connectors	8.91	12.73
<b>LMINF-020</b>	Live Link mini mic extension cable with Neutrik 3.5 male and female connectors	9.70	13.86
<b>LMINF-025</b>	Live Link mini mic extension cable with Neutrik 3.5 male and female connectors	10.49	14.98






# Patch Cables

PART ID	LENGTH		DLR	LIST
		<b>Mini 3.5 - 1/4" TRS Plug</b>		
<b>LMINS-003</b>		Live Link mini mic cable with Neutrik 3.5 mini male and NP3X TRS connectors	10.05	14.35
<b>LMINS-005</b>		Live Link mini mic cable with Neutrik 3.5 mini male and NP3X TRS connectors	10.36	14.80
<b>LMINS-010</b>		Live Link mini mic cable with Neutrik 3.5 mini male and NP3X TRS connectors	11.14	15.92
<b>LMINS-015</b>		Live Link mini mic cable with Neutrik 3.5 mini male and NP3X TRS connectors	11.94	17.05
<b>1/4" - XLRF Patch Cable</b>			<b>DLR</b>	<b>LIST</b>
<b>LPF-003</b>		Live Link LLMS-224 mic cable with Neutrik NP2X 1/4" and NC3FX female XLR connectors	9.51	13.59
<b>LPF-004</b>		Live Link LLMS-224 mic cable with Neutrik NP2X 1/4" and NC3FX female XLR connectors	9.66	13.81
<b>LPF-006</b>		Live Link LLMS-224 mic cable with Neutrik NP2X 1/4" and NC3FX female XLR connectors	9.98	14.26
<b>LPF-010</b>		Live Link LLMS-224 mic cable with Neutrik NP2X 1/4" and NC3FX female XLR connectors	10.61	15.15
<b>LPF-015</b>		Live Link LLMS-224 mic cable with Neutrik NP2X 1/4" and NC3FX female XLR connectors	11.40	16.29
<b>LPF-020</b>		Live Link LLMS-224 mic cable with Neutrik NP2X 1/4" and NC3FX female XLR connectors	12.18	17.41
<b>LPF-025</b>		Live Link LLMS-224 mic cable with Neutrik NP2X 1/4" and NC3FX female XLR connectors	12.98	18.54
<b>LPF-050</b>		Live Link LLMS-224 mic cable with Neutrik NP2X 1/4" and NC3FX female XLR connectors	16.91	24.16
<b>1/4" - XLRM Patch Cable</b>			<b>DLR</b>	<b>LIST</b>
<b>LPM-003</b>		Live Link LLMS-224 mic cable with Neutrik NP2X 1/4" and NC3MX male XLR connectors	9.27	13.25
<b>LPM-004</b>		Live Link LLMS-224 mic cable with Neutrik NP2X 1/4" and NC3MX male XLR connectors	9.43	13.47
<b>LPM-006</b>		Live Link LLMS-224 mic cable with Neutrik NP2X 1/4" and NC3MX male XLR connectors	9.74	13.92
<b>LPM-010</b>		Live Link LLMS-224 mic cable with Neutrik NP2X 1/4" and NC3MX male XLR connectors	10.38	14.82
<b>LPM-015</b>		Live Link LLMS-224 mic cable with Neutrik NP2X 1/4" and NC3MX male XLR connectors	11.17	15.95



# Patch Cables

PART ID		LENGTH			
<b>LPM-020</b>	Live Link LLMS-224 mic cable with Neutrik NP2X 1/4" and NC3MX male XLR connectors	11.95	17.07		
<b>LPM-025</b>	Live Link LLMS-224 mic cable with Neutrik NP2X 1/4" and NC3MX male XLR connectors	12.74	18.21		
<b>LPM-050</b>	Live Link LLMS-224 mic cable with Neutrik NP2X 1/4" and NC3MX male XLR connectors	16.68	23.83		
<b>1/4" - RCA Patch Cable</b>		<b>DLR</b>	<b>LIST</b>		
<b>LPR-001</b>	Live Link LLGT-120 Instrument cable with Neutrik RCA and NP2X 1/4" connectors	10.12	14.46		
<b>LPR-002</b>	Live Link LLGT-120 Instrument cable with Neutrik RCA and NP2X 1/4" connectors	10.33	14.75		
<b>LPR-003</b>	Live Link LLGT-120 Instrument cable with Neutrik RCA and NP2X 1/4" connectors	10.54	15.06		
<b>LPR-004</b>	Live Link LLGT-120 Instrument cable with Neutrik RCA and NP2X 1/4" connectors	10.75	15.35		
<b>LPR-006</b>	Live Link LLGT-120 Instrument cable with Neutrik RCA and NP2X 1/4" connectors	11.17	15.95		
<b>LPR-010</b>	Live Link LLGT-120 Instrument cable with Neutrik RCA and NP2X 1/4" connectors	12.01	17.15		
<b>LPR-015</b>	Live Link LLGT-120 Instrument cable with Neutrik RCA and NP2X 1/4" connectors	13.06	18.66		
<b>LPR-020</b>	Live Link LLGT-120 Instrument cable with Neutrik RCA and NP2X 1/4" connectors	14.11	20.15		
<b>LPR-025</b>	Live Link LLGT-120 Instrument cable with Neutrik RCA and NP2X 1/4" connectors	15.16	21.66		
<b>RCA - XLR Patch Cable</b>		<b>DLR</b>	<b>LIST</b>		
<b>LRF-003</b>	Live Link LLMS-224 mic cable with Neutrik RCA and NC3FX female XLR connectors	8.31	11.87		
<b>LRF-004</b>	Live Link LLMS-224 mic cable with Neutrik RCA and NC3FX female XLR connectors	8.47	12.10		
<b>LRF-006</b>	Live Link LLMS-224 mic cable with Neutrik RCA and NC3FX female XLR connectors	8.78	12.55		
<b>LRF-010</b>	Live Link LLMS-224 mic cable with Neutrik RCA and NC3FX female XLR connectors	9.42	13.45		
<b>LRF-015</b>	Live Link LLMS-224 mic cable with Neutrik RCA and NC3FX female XLR connectors	10.21	14.58		

# Patch Cables

PART ID		LENGTH				
	-					
<b>LRF-020</b>	Live Link LLMS-224 mic cable with Neutrik RCA and NC3FX female XLR connectors	10.99	15.70			
<b>LRF-025</b>	Live Link LLMS-224 mic cable with Neutrik RCA and NC3FX female XLR connectors	11.78	16.83			
<b>RCA - XLRM Patch Cable</b>			<b>DLR</b>	<b>LIST</b>		
<b>LRM-003</b>	Live Link LLMS-224 mic cable with Neutrik RCA and NC3MX Male XLR connectors	8.08	20.27			
<b>LRM-004</b>	Live Link LLMS-224 mic cable with Neutrik RCA and NC3MX Male XLR connectors	8.24	23.41			
<b>LRM-006</b>	Live Link LLMS-224 mic cable with Neutrik RCA and NC3MX Male XLR connectors	8.55	29.68			
<b>LRM-010</b>	Live Link LLMS-224 mic cable with Neutrik RCA and NC3MX Male XLR connectors	9.18	13.12			
<b>LRM-015</b>	Live Link LLMS-224 mic cable with Neutrik RCA and NC3MX Male XLR connectors	9.97	14.24			
<b>LRM-020</b>	Live Link LLMS-224 mic cable with Neutrik RCA and NC3MX Male XLR connectors	10.76	15.37			
<b>LRM-025</b>	Live Link LLMS-224 mic cable with Neutrik RCA and NC3MX Male XLR connectors	11.54	16.49			
<b>RCA - RCA Patch Cable</b>			<b>DLR</b>		<b>LIST</b>	
<b>LRR-003</b>	Live Link LLGT-120 instrument cable with Neutrik RCA connectors	6.19	9.82			
<b>LRR-004</b>	Live Link LLGT-120 instrument cable with Neutrik RCA connectors	6.41	10.43			
<b>LRR-006</b>	Live Link LLGT-120 instrument cable with Neutrik RCA connectors	6.82	9.75			
<b>LRR-010</b>	Live Link LLGT-120 instrument cable with Neutrik RCA connectors	7.66	10.95			
<b>LRR-015</b>	Live Link LLGT-120 instrument cable with Neutrik RCA connectors	8.71	12.45			
<b>LRR-020</b>	Live Link LLGT-120 instrument cable with Neutrik RCA connectors	9.77	13.95			
<b>LRR-025</b>	Live Link LLGT-120 instrument cable with Neutrik RCA connectors	10.82	15.45			



# Patch Cables

PART ID    LENGTH

TRS - XLR Female Patch Cable		DLR	LIST
<b>LSF-003</b>	Live Link LLMS-224 mic cable with Neutrik NP3X TRS and female XLR connectors	10.79	15.42
<b>LSF-004</b>	Live Link LLMS-224 mic cable with Neutrik NP3X TRS and female XLR connectors	10.95	15.65
<b>LSF-006</b>	Live Link LLMS-224 mic cable with Neutrik NP3X TRS and female XLR connectors	11.26	16.09
<b>LSF-010</b>	Live Link LLMS-224 mic cable with Neutrik NP3X TRS and female XLR connectors	11.90	16.99
<b>LSF-015</b>	Live Link LLMS-224 mic cable with Neutrik NP3X TRS and female XLR connectors	12.68	18.11
<b>LSF-020</b>	Live Link LLMS-224 mic cable with Neutrik NP3X TRS and female XLR connectors	13.47	19.25
<b>LSF-025</b>	Live Link LLMS-224 mic cable with Neutrik NP3X TRS and female XLR connectors	14.26	20.37
<b>LSF-050</b>	Live Link LLMS-224 mic cable with Neutrik NP3X TRS and female XLR connectors	18.19	25.99
<b>TRS - XLR Male Patch Cable</b>		<b>DLR</b>	<b>LIST</b>
<b>LSM-003</b>	Live Link LLMS-224 mic cable with Neutrik NP3X TRS and male NC3MX XLR connectors	10.56	15.09
<b>LSM-004</b>	Live Link LLMS-224 mic cable with Neutrik NP3X TRS and male NC3MX XLR connectors	10.71	15.30
<b>LSM-006</b>	Live Link LLMS-224 mic cable with Neutrik NP3X TRS and male NC3MX XLR connectors	11.03	15.76
<b>LSM-010</b>	Live Link LLMS-224 mic cable with Neutrik NP3X TRS and male NC3MX XLR connectors	11.66	16.66
<b>LSM-015</b>	Live Link LLMS-224 mic cable with Neutrik NP3X TRS and male NC3MX XLR connectors	12.45	17.78
<b>LSM-020</b>	Live Link LLMS-224 mic cable with Neutrik NP3X TRS and male NC3MX XLR connectors	13.23	18.90
<b>LSM-025</b>	Live Link LLMS-224 mic cable with Neutrik NP3X TRS and male NC3MX XLR connectors	14.02	20.03
<b>LSM-050</b>	Live Link LLMS-224 mic cable with Neutrik NP3X TRS and male NC3MX XLR connectors	17.96	25.66



# Patch Cables

PART ID    LENGTH



TRS - TRS Patch Cable		DLR	LIST
<b>LSS-001</b>	Live Link LLMS-224 mic cable with NP3X TRS connectors	11.87	16.96
<b>LSS-002</b>	Live Link LLMS-224 mic cable with NP3X TRS connectors	12.03	17.19
<b>LSS-003</b>	Live Link LLMS-224 mic cable with NP3X TRS connectors	12.19	17.42
<b>LSS-004</b>	Live Link LLMS-224 mic cable with NP3X TRS connectors	12.34	17.63
<b>LSS-006</b>	Live Link LLMS-224 mic cable with NP3X TRS connectors	12.66	18.09
<b>LSS-010</b>	Live Link LLMS-224 mic cable with NP3X TRS connectors	13.30	18.99
<b>LSS-015</b>	Live Link LLMS-224 mic cable with NP3X TRS connectors	14.08	20.11
<b>LSS-020</b>	Live Link LLMS-224 mic cable with NP3X TRS connectors	14.86	21.23
<b>LSS-025</b>	Live Link LLMS-224 mic cable with NP3X TRS connectors	15.66	22.37
<b>LSS-050</b>	Live Link LLMS-224 mic cable with NP3X TRS connectors	19.59	27.99



# Patch/Insert Cable

PART ID    LENGTH

3.5 mm to Dual 1/4" Mono Left/Right Cable		DLR	LIST
<b>LMIP-003</b>	Live Link LLMB-02 multi-pair cable with Neutrik NYS231LBG to 2 NP2X connectors	15.46	22.09
<b>LMIP-005</b>	Live Link LLMB-02 multi-pair cable with Neutrik NYS231LBG to 2 NP2X connectors	15.86	22.65
<b>LMIP-010</b>	Live Link LLMB-02 multi-pair cable with Neutrik NYS231LBG to 2 NP2X connectors	16.85	24.07
<b>LMIP-015</b>	Live Link LLMB-02 multi-pair cable with Neutrik NYS231LBG to 2 NP2X connectors	17.84	25.49
<b>LMIP-020</b>	Live Link LLMB-02 multi-pair cable with Neutrik NYS231LBG to 2 NP2X connectors	18.82	26.89
<b>LMIP-025</b>	Live Link LLMB-02 multi-pair cable with Neutrik NYS231LBG to 2 NP2X connectors	19.82	28.31
<b>LMIP-030</b>	Live Link LLMB-02 multi-pair cable with Neutrik NYS231LBG to 2 NP2X connectors	20.81	29.73
<b>LMIP-050</b>	Live Link LLMB-02 multi-pair cable with Neutrik NYS231LBG to 2 NP2X connectors	24.77	35.38





# Patch/Insert Cable

PART ID    LENGTH

		DLR	LIST
<b>3.5mm to Dual RCA Left/Right Cable</b>			
<b>LMIR-003</b>	Live Link LLMB-02 multi-pair cable with Neutrik NYS231LBG to 2 NYS373 connectors	13.07	18.67
<b>LMIR-005</b>	Live Link LLMB-02 multi-pair cable with Neutrik NYS231LBG to 2 NYS373 connectors	13.47	19.25
<b>LMIR-010</b>	Live Link LLMB-02 multi-pair cable with Neutrik NYS231LBG to 2 NYS373 connectors	14.46	20.65
<b>LMIR-015</b>	Live Link LLMB-02 multi-pair cable with Neutrik NYS231LBG to 2 NYS373 connectors	15.45	22.07
<b>LMIR-020</b>	Live Link LLMB-02 multi-pair cable with Neutrik NYS231LBG to 2 NYS373 connectors	16.44	23.49
<b>LMIR-025</b>	Live Link LLMB-02 multi-pair cable with Neutrik NYS231LBG to 2 NYS373 connectors	17.43	24.90
<b>LMIR-030</b>	Live Link LLMB-02 multi-pair cable with Neutrik NYS231LBG to 2 NYS373 connectors	18.42	26.31
<b>LMIR-050</b>	Live Link LLMB-02 multi-pair cable with Neutrik NYS231LBG to 2 NYS373 connectors	22.38	31.97
<b>TRS to XLRM/XLRF Insert Cable</b>		<b>DLR</b>	<b>LIST</b>
<b>LS2MF-001</b>	Insert cable with Neutrik NP3X to NC3MX/NC3FX XLR connectors	18.74	26.78
<b>LS2MF-006</b>	Insert cable with Neutrik NP3X to NC3MX/NC3FX XLR connectors	19.74	28.19
<b>LS2MF-012</b>	Insert cable with Neutrik NP3X to NC3MX/NC3FX XLR connectors	20.92	29.89
<b>TRS to 2 Mono 1/4" Insert Cable</b>		<b>DLR</b>	<b>LIST</b>
<b>LS2P-001</b>	Insert cable with Neutrik NP3X and 2 NP2X 1/4" connectors	19.21	27.44
<b>LS2P-006</b>	Insert cable with Neutrik NP3X and 2 NP2X 1/4" connectors	20.20	28.86
<b>LS2P-012</b>	Insert cable with Neutrik NP3X and 2 NP2X 1/4" connectors	21.38	30.55






# Patch / Insert Cables

1 XLR to 2 XLRM Y-Cable		DLR	LIST	
YC-001	Neutrik NC3FX to 2 NC3MX XLR's	15.11	21.59	
YC-002	Neutrik NC3FX to 2 NC3FX XLR's	15.58	22.25	
YC-003	Neutrik NC3MX to 2 NC3FX XLR's	15.34	21.92	
YC-004	Neutrik NC3MX to 2 NC3MX XLR's	14.88	21.26	
YC-008	Neutrik NP3X to 2 NJ3FC6 1/4" connectors	24.27	34.67	
YC-009	Neutrik NJ3FC6 to 2 NJ3FC6 1/4" connectors	26.52	37.89	

# Patch / Insert Cables

1 XLR to 2 XLRM Y-Cable		DLR	LIST	
<b>YC-010</b>	Neutrik NJ3FC6 TO 2 NP3X 1/4" connectors	20.93	29.90	
<b>YC-011</b>	Neutrik NP3X to 2 NP3X 1/4" connectors	15.93	22.75	
<b>YC-012</b>	Neutrik NP3X TRS to 2 NYS373 RCA connectors	13.54	19.34	
<b>YC-013</b>	Neutrik NP3X TRS to 2 NYS372P-BG RCA connectors	13.62	19.45	
<b>YC-023</b>	Neutrik NYS231LBG to 2 NC3MX XLR's	13.49	19.27	

# Patch / Insert Cables

<b>4 TRS - 4XLRM/4XLRF Insert Snake</b>		<b>DLR</b>	<b>LIST</b>	
<b>L4S4M4F-008</b>	Insert snake with 4 Neutrik NP3X TRS and 4 NC3FX/ 4 NC3MX XLR connectors	62.50	89.28	
<b>L4S4M4F-016</b>	Insert snake with 4 Neutrik NP3X TRS and 4 NC3FX/ 4 NC3MX XLR connectors	66.82	95.46	
<b>4 TRS to 8 1/4" Mono Insert Snake</b>		<b>DLR</b>	<b>LIST</b>	
<b>L4S8P-008</b>	Insert snake with Neutrik NP3X TRS to 8 NP2X 1/4" connectors	64.36	91.95	
<b>L4S8P-016</b>	Insert snake with Neutrik NP3X TRS to 8 NP2X 1/4" connectors	68.68	98.12	
<b>8 TRS to 8XLRM/8XLRF Insert Snake</b>		<b>DLR</b>	<b>LIST</b>	
<b>L8S8M8F-008</b>	Insert snake with Neutrik NP3X TRS to NC3MX/NC3FX XLR connectors	125.18	178.82	
<b>L8S8M8F-016</b>	Insert snake with Neutrik NP3X TRS to NC3MX/NC3FX XLR connectors	134.00	191.42	

# Digital Audio Cables

PART ID    LENGTH

AES Patch Cables		DLR	LIST
<b>EXAES-001</b>	Live Link AES cable with Neutrik XLR's	9.22	13.17
<b>EXAES-002</b>	Live Link AES cable with Neutrik XLR's	9.42	13.45
<b>EXAES-003</b>	Live Link AES cable with Neutrik XLR's	9.61	13.73
<b>EXAES-006</b>	Live Link AES cable with Neutrik XLR's	10.19	14.56
<b>EXAES-010</b>	Live Link AES cable with Neutrik XLR's	10.98	15.68
<b>EXAES-015</b>	Live Link AES cable with Neutrik XLR's	11.95	16.99
<b>EXAES-020</b>	Live Link AES cable with Neutrik XLR's	12.93	18.46
<b>EXAES-025</b>	Live Link AES cable with Neutrik XLR's	13.90	19.86
<b>EXAES-030</b>	Live Link AES cable with Neutrik XLR's	14.87	21.25
<b>EXAES-040</b>	Live Link AES cable with Neutrik XLR's	16.82	24.03
<b>EXAES-050</b>	Live Link AES cable with Neutrik XLR's	18.78	26.82
<b>EXAES-075</b>	Live Link AES cable with Neutrik XLR's	23.65	33.78
<b>EXAES-100</b>	Live Link AES cable with Neutrik XLR's	28.53	40.75





# DMX & Network Cables

PART ID LENGTH			
		<b>4 Channel etherCON Snake Cable</b>	<b>DLR LIST</b>
<b>LCAT6A4CH-025</b>	Live Link 4 channel CAT6A snake cable with Neutrik etherCON connectors	inquire for pricing	inquire for pricing
<b>LCAT6A4CH-050</b>	Live Link 4 channel CAT6A snake cable with Neutrik etherCON connectors	inquire for pricing	inquire for pricing
<b>LCAT6A4CH-075</b>	Live Link 4 channel CAT6A snake cable with Neutrik etherCON connectors	inquire for pricing	inquire for pricing
<b>LCAT6A4CH-100</b>	Live Link 4 channel CAT6A snake cable with Neutrik etherCON connectors	inquire for pricing	inquire for pricing
<b>LCAT6A4CH-150</b>	Live Link 4 channel CAT6A snake cable with Neutrik etherCON connectors	inquire for pricing	inquire for pricing
<b>LCAT6A4CH-200</b>	Live Link 4 channel CAT6A snake cable with Neutrik etherCON connectors	inquire for pricing	inquire for pricing
<b>LCAT6A4CH-300</b>	Live Link 4 channel CAT6A snake cable with Neutrik etherCON connectors	inquire for pricing	inquire for pricing
		<b>High Flex CAT5E etherCON Cable</b>	<b>DLR LIST</b>
<b>LCAT5EF-003</b>	Features Belden heavy duty and high flex CAT5E 1305A bonded pair ethernet cable with neutrik etherCON connectors	14.60	20.86
<b>LCAT5EF-005</b>	Features Belden heavy duty and high flex CAT5E 1305A bonded pair ethernet cable with neutrik etherCON connectors	15.57	22.24
<b>LCAT5EF-010</b>	Features Belden heavy duty and high flex CAT5E 1305A bonded pair ethernet cable with neutrik etherCON connectors	17.98	25.70
<b>LCAT5EF-015</b>	Features Belden heavy duty and high flex CAT5E 1305A bonded pair ethernet cable with neutrik etherCON connectors	20.40	29.15
<b>LCAT5EF-020</b>	Features Belden heavy duty and high flex CAT5E 1305A bonded pair ethernet cable with neutrik etherCON connectors	22.82	32.46
<b>LCAT5EF-025</b>	Features Belden heavy duty and high flex CAT5E 1305A bonded pair ethernet cable with neutrik etherCON connectors	25.24	36.06
<b>LCAT5EF-050</b>	Features Belden heavy duty and high flex CAT5E 1305A bonded pair ethernet cable with neutrik etherCON connectors	37.32	53.32



# DMX & Network Cables

PART ID	LENGTH			
<b>LCAT5EF-100</b>	Features Belden heavy duty and high flex CAT5E 1305A bonded pair ethernet cable with neutrik etherCON connectors	61.50	87.85	
<b>LCAT5EF-125</b>	Features Belden heavy duty and high flex CAT5E 1305A bonded pair ethernet cable with neutrik etherCON connectors	73.58	105.11	
<b>LCAT5EF-150</b>	Features Belden heavy duty and high flex CAT5E 1305A bonded pair ethernet cable with neutrik etherCON connectors	85.66	122.38	
<b>LCAT5EF-200</b>	Features Belden heavy duty and high flex CAT5E 1305A bonded pair ethernet cable with neutrik etherCON connectors	109.84	156.91	
<b>High Flex CAT6A etherCON Cable</b>		<b>DLR</b>	<b>LIST</b>	
<b>LCAT6AF-003</b>	Features Belden heavy duty and high flex CAT6A 1302E doubled shielded ethernet cable with Neutrik etherCON connectors	34.12	48.74	
<b>LCAT6AF-005</b>	Features Belden heavy duty and high flex CAT6A 1302E doubled shielded ethernet cable with Neutrik etherCON connectors	36.26	51.81	
<b>LCAT6AF-010</b>	Features Belden heavy duty and high flex CAT6A 1302E doubled shielded ethernet cable with Neutrik etherCON connectors	41.64	59.48	
<b>LCAT6AF-015</b>	Features Belden heavy duty and high flex CAT6A 1302E doubled shielded ethernet cable with Neutrik etherCON connectors	47.01	67.14	
<b>LCAT6AF-020</b>	Features Belden heavy duty and high flex CAT6A 1302E doubled shielded ethernet cable with Neutrik etherCON connectors	52.38	74.83	
<b>LCAT6AF-025</b>	Features Belden heavy duty and high flex CAT6A 1302E doubled shielded ethernet cable with Neutrik etherCON connectors	57.75	82.50	
<b>LCAT6AF-050</b>	Features Belden heavy duty and high flex CAT6A 1302E doubled shielded ethernet cable with Neutrik etherCON connectors	84.61	120.87	
<b>LCAT6AF-075</b>	Features Belden heavy duty and high flex CAT6A 1302E doubled shielded ethernet cable with Neutrik etherCON connectors	111.46	159.24	
<b>LCAT6AF-100</b>	Features Belden heavy duty and high flex CAT6A 1302E doubled shielded ethernet cable with Neutrik etherCON connectors	138.32	197.61	

# DMX & Network Cables

PART ID	LENGTH			
<b>LCAT6AF-125</b>		Features Belden heavy duty and high flex CAT6A 1302E doubled shielded ethernet cable with Neutrik etherCON connectors	165.18	235.97
<b>LCAT6AF-150</b>		Features Belden heavy duty and high flex CAT6A 1302E doubled shielded ethernet cable with Neutrik etherCON connectors	192.04	274.34
<b>LCAT6AF-200</b>		Features Belden heavy duty and high flex CAT6A 1302E doubled shielded ethernet cable with Neutrik etherCON connectors	245.75	351.07
<b>3 Pin DMX</b>			<b>DLR</b>	<b>LIST</b>
<b>LDMX3-003</b>		Live Link DMX high flex 1 pair 110ohm cable with Neutrik 3 pin XLR connectors	8.59	12.27
<b>LDMX3-005</b>		Live Link DMX high flex 1 pair 110ohm cable with Neutrik 3 pin XLR connectors	9.10	13.01
<b>LDMX3-010</b>		Live Link DMX high flex 1 pair 110ohm cable with Neutrik 3 pin XLR connectors	10.38	14.83
<b>LDMX3-015</b>		Live Link DMX high flex 1 pair 110ohm cable with Neutrik 3 pin XLR connectors	11.66	16.66
<b>LDMX3-020</b>		Live Link DMX high flex 1 pair 110ohm cable with Neutrik 3 pin XLR connectors	12.94	18.49
<b>LDMX3-025</b>		Live Link DMX high flex 1 pair 110ohm cable with Neutrik 3 pin XLR connectors	14.22	20.32
<b>LDMX3-050</b>		Live Link DMX high flex 1 pair 110ohm cable with Neutrik 3 pin XLR connectors	20.62	29.46
<b>LDMX3-075</b>		Live Link DMX high flex 1 pair 110ohm cable with Neutrik 3 pin XLR connectors	26.70	38.60
<b>LDMX3-100</b>		Live Link DMX high flex 1 pair 110ohm cable with Neutrik 3 pin XLR connectors	33.42	47.74
<b>LDMX3-125</b>		Live Link DMX high flex 1 pair 110ohm cable with Neutrik 3 pin XLR connectors	39.82	56.88
<b>LDMX3-150</b>		Live Link DMX high flex 1 pair 110ohm cable with Neutrik 3 pin XLR connectors	46.22	66.02
<b>LDMX3-200</b>		Live Link DMX high flex 1 pair 110ohm cable with Neutrik 3 pin XLR connectors	59.01	84.30



# DMX & Network Cables

PART ID    LENGTH			
	-		
5 Pin DMX		DLR	LIST
<b>LDMX5-003</b>	Live Link DMX high flex 2 Pair 110ohm Cable with Neutrik 5 pin XLR connectors	15.22	21.74
<b>LDMX5-005</b>	Live Link DMX high flex 2 Pair 110ohm Cable with Neutrik 5 pin XLR connectors	16.01	22.86
<b>LDMX5-010</b>	Live Link DMX high flex 2 Pair 110ohm Cable with Neutrik 5 pin XLR connectors	17.98	25.68
<b>LDMX5-015</b>	Live Link DMX high flex 2 Pair 110ohm Cable with Neutrik 5 pin XLR connectors	19.94	28.13
<b>LDMX5-020</b>	Live Link DMX high flex 2 Pair 110ohm Cable with Neutrik 5 pin XLR connectors	21.91	31.30
<b>LDMX5-025</b>	Live Link DMX high flex 2 Pair 110ohm Cable with Neutrik 5 pin XLR connectors	23.88	34.11
<b>LDMX5-050</b>	Live Link DMX high flex 2 Pair 110ohm Cable with Neutrik 5 pin XLR connectors	33.73	48.18
<b>LDMX5-075</b>	Live Link DMX high flex 2 Pair 110ohm Cable with Neutrik 5 pin XLR connectors	43.57	62.24
<b>LDMX5-100</b>	Live Link DMX high flex 2 Pair 110ohm Cable with Neutrik 5 pin XLR connectors	53.41	76.30
<b>LDMX5-125</b>	Live Link DMX high flex 2 Pair 110ohm Cable with Neutrik 5 pin XLR connectors	63.26	90.37
<b>LDMX5-150</b>	Live Link DMX high flex 2 Pair 110ohm Cable with Neutrik 5 pin XLR connectors	73.10	104.42
<b>LDMX5-200</b>	Live Link DMX high flex 2 Pair 110ohm Cable with Neutrik 5 pin XLR connectors	92.78	108.55



# DMX & Network Cables

PART ID LENGTH

4 Pin Scroller		DLR	LIST
<b>LSCROL-003</b>	Features Belden high flex 1502R cable with 1 pair DMX shielded and 1 pair 2C/16awg with Neutrik 4 pin XLR's	14.98	21.41
<b>LSCROL-005</b>	Features Belden high flex 1502R cable with 1 pair DMX shielded and 1 pair 2C/16awg with Neutrik 4 pin XLR's	16.31	23.30
<b>LSCROL-010</b>	Features Belden high flex 1502R cable with 1 pair DMX shielded and 1 pair 2C/16awg with Neutrik 4 pin XLR's	19.62	28.03
<b>LSCROL-015</b>	Features Belden high flex 1502R cable with 1 pair DMX shielded and 1 pair 2C/16awg with Neutrik 4 pin XLR's	22.94	32.77
<b>LSCROL-020</b>	Features Belden high flex 1502R cable with 1 pair DMX shielded and 1 pair 2C/16awg with Neutrik 4 pin XLR's	26.26	37.50
<b>LSCROL-025</b>	Features Belden high flex 1502R cable with 1 pair DMX shielded and 1 pair 2C/16awg with Neutrik 4 pin XLR's	29.57	42.24
<b>LSCROL-050</b>	Features Belden high flex 1502R cable with 1 pair DMX shielded and 1 pair 2C/16awg with Neutrik 4 pin XLR's	45.34	65.91
<b>LSCROL-075</b>	Features Belden high flex 1502R cable with 1 pair DMX shielded and 1 pair 2C/16awg with Neutrik 4 pin XLR's	62.71	89.58
<b>LSCROL-100</b>	Features Belden high flex 1502R cable with 1 pair DMX shielded and 1 pair 2C/16awg with Neutrik 4 pin XLR's	79.28	113.26
<b>LSCROL-125</b>	Features Belden high flex 1502R cable with 1 pair DMX shielded and 1 pair 2C/16awg with Neutrik 4 pin XLR's	95.86	136.93
<b>LSCROL-150</b>	Features Belden high flex 1502R cable with 1 pair DMX shielded and 1 pair 2C/16awg with Neutrik 4 pin XLR's	112.42	160.61
<b>LSCROL-200</b>	Features Belden high flex 1502R cable with 1 pair DMX shielded and 1 pair 2C/16awg with Neutrik 4 pin XLR's	145.57	207.95



# Video Cables

PART ID LENGTH

ADC WECO Video Patch Cable		DLR	LIST
<b>ADC-BK2V-ST5</b>	ADC WECO mid-sized HD video patch cable	Request Quote	Request Quote
<b>ADC-BK3V-ST5</b>	ADC WECO mid-sized HD video patch cable	Request Quote	Request Quote
<b>ADC-BK4V-ST5</b>	ADC WECO mid-sized HD video patch cable	Request Quote	Request Quote
<b>ADC-BK6V-ST5</b>	ADC WECO mid-sized HD video patch cable	Request Quote	Request Quote



Belden RG59 UHD 4K Video Cable - BNC - BNC		DLR	LIST
<b>VBB4K-003</b>	Features Belden 4505R Ultra HD 4K video cable with ADC BNC-1 connectors	11.34	16.19
<b>VBB4K-006</b>	Features Belden 4505R Ultra HD 4K video cable with ADC BNC-1 connectors	14.07	20.11
<b>VBB4K-010</b>	Features Belden 4505R Ultra HD 4K video cable with ADC BNC-1 connectors	17.74	25.34
<b>VBB4K-015</b>	Features Belden 4505R Ultra HD 4K video cable with ADC BNC-1 connectors	22.30	31.86
<b>VBB4K-020</b>	Features Belden 4505R Ultra HD 4K video cable with ADC BNC-1 connectors	26.87	38.39
<b>VBB4K-025</b>	Features Belden 4505R Ultra HD 4K video cable with ADC BNC-1 connectors	31.45	44.93
<b>VBB4K-050</b>	Features Belden 4505R Ultra HD 4K video cable with ADC BNC-1 connectors	54.30	77.58
<b>VBB4K-075</b>	Features Belden 4505R Ultra HD 4K video cable with ADC BNC-1 connectors	77.16	110.23
<b>VBB4K-100</b>	Features Belden 4505R Ultra HD 4K video cable with ADC BNC-1 connectors	100.02	142.88
<b>VBB4K-150</b>	Features Belden 4505R Ultra HD 4K video cable with ADC BNC-1 connectors	145.74	208.19
<b>VBB4K-200</b>	Features Belden 4505R Ultra HD 4K video cable with ADC BNC-1 connectors	191.45	273.50
<b>VBB4K-250</b>	Features Belden 4505R Ultra HD 4K video cable with ADC BNC-1 connectors	237.16	338.80
<b>VBB4K-300</b>	Features Belden 4505R Ultra HD 4K video cable with ADC BNC-1 connectors	282.87	404.11



# Video Cables

PART ID LENGTH

		DLR	LIST
<b>Belden RG6 High Flex HD-SDI Video Cable - BNC - BNC</b>			
<b>VBBDF-001</b>	Feature Belden 1694F high flex HD-SDI video cable with ADC BNC-8 connectors	9.90	14.15
<b>VBBDF-002</b>	Feature Belden 1694F high flex HD-SDI video cable with ADC BNC-8 connectors	10.69	15.27
<b>VBBDF-003</b>	Feature Belden 1694F high flex HD-SDI video cable with ADC BNC-8 connectors	11.46	16.38
<b>VBBDF-004</b>	Feature Belden 1694F high flex HD-SDI video cable with ADC BNC-8 connectors	12.24	17.49
<b>VBBDF-005</b>	Feature Belden 1694F high flex HD-SDI video cable with ADC BNC-8 connectors	13.02	18.59
<b>VBBDF-01.5</b>	Feature Belden 1694F high flex HD-SDI video cable with ADC BNC-8 connectors	10.30	14.71
<b>VBBDF-010</b>	Feature Belden 1694F high flex HD-SDI video cable with ADC BNC-8 connectors	16.90	24.15
<b>VBBDF-015</b>	Feature Belden 1694F high flex HD-SDI video cable with ADC BNC-8 connectors	20.78	29.69
<b>VBBDF-020</b>	Feature Belden 1694F high flex HD-SDI video cable with ADC BNC-8 connectors	24.67	35.25
<b>VBBDF-025</b>	Feature Belden 1694F high flex HD-SDI video cable with ADC BNC-8 connectors	28.56	40.80
<b>VBBDF-030</b>	Feature Belden 1694F high flex HD-SDI video cable with ADC BNC-8 connectors	32.45	46.35
<b>VBBDF-050</b>	Feature Belden 1694F high flex HD-SDI video cable with ADC BNC-8 connectors	47.98	68.55
<b>VBBDF-075</b>	Feature Belden 1694F high flex HD-SDI video cable with ADC BNC-8 connectors	67.42	96.31
<b>VBBDF-100</b>	Feature Belden 1694F high flex HD-SDI video cable with ADC BNC-8 connectors	86.85	124.07
<b>VBBDF-150</b>	Feature Belden 1694F high flex HD-SDI video cable with ADC BNC-8 connectors	125.70	179.58
<b>VBBDF-200</b>	Feature Belden 1694F high flex HD-SDI video cable with ADC BNC-8 connectors	164.56	235.09



# Video Cable

PART ID LENGTH


		DLR	LIST
<b>Belden RG6 HD-SDI Video Cable -BNC- BNC -CMR Rate</b>			
<b>VBBDI-001</b>	Features Belden 1694A HD-SDI video cable with ADC BNC-8 connectors - CMR Rated	9.57	13.67
<b>VBBDI-002</b>	Features Belden 1694A HD-SDI video cable with ADC BNC-8 connectors - CMR Rated	10.00	14.29
<b>VBBDI-003</b>	Features Belden 1694A HD-SDI video cable with ADC BNC-8 connectors - CMR Rated	10.43	14.90
<b>VBBDI-004</b>	Features Belden 1694A HD-SDI video cable with ADC BNC-8 connectors - CMR Rated	10.86	15.52
<b>VBBDI-005</b>	Features Belden 1694A HD-SDI video cable with ADC BNC-8 connectors - CMR Rated	11.30	16.15
<b>VBBDI-01.5</b>	Features Belden 1694A HD-SDI video cable with ADC BNC-8 connectors - CMR Rated	9.78	13.98
<b>VBBDI-010</b>	Features Belden 1694A HD-SDI video cable with ADC BNC-8 connectors - CMR Rated	13.47	19.25
<b>VBBDI-015</b>	Features Belden 1694A HD-SDI video cable with ADC BNC-8 connectors - CMR Rated	15.65	22.35
<b>VBBDI-020</b>	Features Belden 1694A HD-SDI video cable with ADC BNC-8 connectors - CMR Rated	17.82	25.45
<b>VBBDI-025</b>	Features Belden 1694A HD-SDI video cable with ADC BNC-8 connectors - CMR Rated	19.98	28.55
<b>VBBDI-030</b>	Features Belden 1694A HD-SDI video cable with ADC BNC-8 connectors - CMR Rated	22.16	31.66
<b>VBBDI-050</b>	Features Belden 1694A HD-SDI video cable with ADC BNC-8 connectors - CMR Rated	30.85	44.07
<b>VBBDI-075</b>	Features Belden 1694A HD-SDI video cable with ADC BNC-8 connectors - CMR Rated	41.70	59.58
<b>VBBDI-100</b>	Features Belden 1694A HD-SDI video cable with ADC BNC-8 connectors - CMR Rated	52.56	75.09
<b>VBBDI-150</b>	Features Belden 1694A HD-SDI video cable with ADC BNC-8 connectors - CMR Rated	74.27	106.10
<b>VBBDI-200</b>	Features Belden 1694A HD-SDI video cable with ADC BNC-8 connectors - CMR Rated	95.98	137.12





# Video Cable

PART ID LENGTH



<b>Belden RG 59 High Flex HD-SDI Vid Cable -BNC-BNC</b>		<b>DLR</b>	<b>LIST</b>
<b>VBBF-001</b>	Features Belden 1505F high flex HD-SDI video cable with ADC BNC-1 connectors	9.26	13.22
<b>VBBF-002</b>	Features Belden 1505F high flex HD-SDI video cable with ADC BNC-1 connectors	9.91	14.16
<b>VBBF-003</b>	Features Belden 1505F high flex HD-SDI video cable with ADC BNC-1 connectors	10.58	15.11
<b>VBBF-004</b>	Features Belden 1505F high flex HD-SDI video cable with ADC BNC-1 connectors	11.24	16.06
<b>VBBF-005</b>	Features Belden 1505F high flex HD-SDI video cable with ADC BNC-1 connectors	11.90	17.01
<b>VBBF-01.5</b>	Features Belden 1505F high flex HD-SDI video cable with ADC BNC-1 connectors	9.58	13.69
<b>VBBF-010</b>	Features Belden 1505F high flex HD-SDI video cable with ADC BNC-1 connectors	15.22	21.74
<b>VBBF-015</b>	Features Belden 1505F high flex HD-SDI video cable with ADC BNC-1 connectors	18.54	26.48
<b>VBBF-020</b>	Features Belden 1505F high flex HD-SDI video cable with ADC BNC-1 connectors	21.85	31.21
<b>VBBF-025</b>	Features Belden 1505F high flex HD-SDI video cable with ADC BNC-1 connectors	25.16	35.94
<b>VBBF-030</b>	Features Belden 1505F high flex HD-SDI video cable with ADC BNC-1 connectors	28.47	40.67
<b>VBBF-050</b>	Features Belden 1505F high flex HD-SDI video cable with ADC BNC-1 connectors	41.74	59.62
<b>VBBF-075</b>	Features Belden 1505F high flex HD-SDI video cable with ADC BNC-1 connectors	58.30	83.29
<b>VBBF-100</b>	Features Belden 1505F high flex HD-SDI video cable with ADC BNC-1 connectors	74.87	106.96
<b>VBBF-150</b>	Features Belden 1505F high flex HD-SDI video cable with ADC BNC-1 connectors	108.02	154.31
<b>VBBF-200</b>	Features Belden 1505F high flex HD-SDI video cable with ADC BNC-1 connectors	141.16	201.66



# Video Cable

PART ID LENGTH



<b>Belden RG 59 HD-SDI Vid Cable-BNC-BNC-CMR Rated</b>		<b>DLR</b>	<b>LIST</b>
<b>VBBI-001</b>	Features belden 1505A HD-SDI video cable with ADC BNC-1 connectors - CMR Rated	8.91	12.73
<b>VBBI-002</b>	Features belden 1505A HD-SDI video cable with ADC BNC-1 connectors - CMR Rated	9.23	13.19
<b>VBBI-003</b>	Features belden 1505A HD-SDI video cable with ADC BNC-1 connectors - CMR Rated	9.55	13.65
<b>VBBI-004</b>	Features belden 1505A HD-SDI video cable with ADC BNC-1 connectors - CMR Rated	9.87	14.10
<b>VBBI-005</b>	Features belden 1505A HD-SDI video cable with ADC BNC-1 connectors - CMR Rated	10.19	14.56
<b>VBBI-01.5</b>	Features belden 1505A HD-SDI video cable with ADC BNC-1 connectors - CMR Rated	9.07	12.96
<b>VBBI-010</b>	Features belden 1505A HD-SDI video cable with ADC BNC-1 connectors - CMR Rated	11.79	16.85
<b>VBBI-015</b>	Features belden 1505A HD-SDI video cable with ADC BNC-1 connectors - CMR Rated	13.39	19.13
<b>VBBI-020</b>	Features belden 1505A HD-SDI video cable with ADC BNC-1 connectors - CMR Rated	14.99	21.42
<b>VBBI-025</b>	Features belden 1505A HD-SDI video cable with ADC BNC-1 connectors - CMR Rated	16.59	23.70
<b>VBBI-030</b>	Features belden 1505A HD-SDI video cable with ADC BNC-1 connectors - CMR Rated	18.19	25.99
<b>VBBI-050</b>	Features belden 1505A HD-SDI video cable with ADC BNC-1 connectors - CMR Rated	24.59	35.13
<b>VBBI-075</b>	Features belden 1505A HD-SDI video cable with ADC BNC-1 connectors - CMR Rated	32.59	46.56
<b>VBBI-100</b>	Features belden 1505A HD-SDI video cable with ADC BNC-1 connectors - CMR Rated	40.59	57.99
<b>VBBI-150</b>	Features belden 1505A HD-SDI video cable with ADC BNC-1 connectors - CMR Rated	56.59	80.85
<b>VBBI-200</b>	Features belden 1505A HD-SDI video cable with ADC BNC-1 connectors - CMR Rated	72.59	103.70



# Video Cable

PART ID LENGTH

		DLR	LIST
<b>Belden Sub-Miniature HD-SDI Video Cable - BNC - BNC - CMR Rated</b>			
<b>VBBMIN-001</b>	Features Belden 1855A HD-SDI video cable with ADC BNC-13 connectors - CMR Rated	9.42	13.45
<b>VBBMIN-002</b>	Features Belden 1855A HD-SDI video cable with ADC BNC-13 connectors - CMR Rated	9.70	13.86
<b>VBBMIN-003</b>	Features Belden 1855A HD-SDI video cable with ADC BNC-13 connectors - CMR Rated	9.98	14.26
<b>VBBMIN-004</b>	Features Belden 1855A HD-SDI video cable with ADC BNC-13 connectors - CMR Rated	10.27	14.67
<b>VBBMIN-005</b>	Features Belden 1855A HD-SDI video cable with ADC BNC-13 connectors - CMR Rated	10.56	15.09
<b>VBBMIN-01.5</b>	Features Belden 1855A HD-SDI video cable with ADC BNC-13 connectors - CMR Rated	9.56	13.66
<b>VBBMIN-010</b>	Features Belden 1855A HD-SDI video cable with ADC BNC-13 connectors - CMR Rated	11.98	17.12
<b>VBBMIN-015</b>	Features Belden 1855A HD-SDI video cable with ADC BNC-13 connectors - CMR Rated	13.42	19.17
<b>VBBMIN-020</b>	Features Belden 1855A HD-SDI video cable with ADC BNC-13 connectors - CMR Rated	14.85	21.21
<b>VBBMIN-025</b>	Features Belden 1855A HD-SDI video cable with ADC BNC-13 connectors - CMR Rated	16.27	23.25
<b>VBBMIN-030</b>	Features Belden 1855A HD-SDI video cable with ADC BNC-13 connectors - CMR Rated	17.70	25.29
<b>VBBMIN-050</b>	Features Belden 1855A HD-SDI video cable with ADC BNC-13 connectors - CMR Rated	23.42	33.45
<b>VBBMIN-075</b>	Features Belden 1855A HD-SDI video cable with ADC BNC-13 connectors - CMR Rated	30.56	43.66
<b>VBBMIN-100</b>	Features Belden 1855A HD-SDI video cable with ADC BNC-13 connectors - CMR Rated	37.70	53.86
<b>VBBMIN-150</b>	Features Belden 1855A HD-SDI video cable with ADC BNC-13 connectors - CMR Rated	51.98	74.26
<b>VBBMIN-200</b>	Features Belden 1855A HD-SDI video cable with ADC BNC-13 connectors - CMR Rated	66.27	94.67



# Video Cable

PART ID LENGTH

		DLR	LIST
<b>Belden RG6 5C HD-SDI Video Cable - BNC - BNC</b>			
<b>VRGBBB-003</b>	Features Belden 7712A HD-SDI high flex video cable with ADC BNC-8 connectors	70.22	100.32
<b>VRGBBB-006</b>	Features Belden 7712A HD-SDI high flex video cable with ADC BNC-8 connectors	90.79	129.70
<b>VRGBBB-010</b>	Features Belden 7712A HD-SDI high flex video cable with ADC BNC-8 connectors	118.22	168.89
<b>VRGBBB-015</b>	Features Belden 7712A HD-SDI high flex video cable with ADC BNC-8 connectors	152.50	217.86
<b>VRGBBB-020</b>	Features Belden 7712A HD-SDI high flex video cable with ADC BNC-8 connectors	186.79	266.85
<b>VRGBBB-025</b>	Features Belden 7712A HD-SDI high flex video cable with ADC BNC-8 connectors	221.08	315.83
<b>VRGBBB-050</b>	Features Belden 7712A HD-SDI high flex video cable with ADC BNC-8 connectors	392.50	560.72
<b>VRGBBB-075</b>	Features Belden 7712A HD-SDI high flex video cable with ADC BNC-8 connectors	563.94	805.62
<b>VRGBBB-100</b>	Features Belden 7712A HD-SDI high flex video cable with ADC BNC-8 connectors	735.37	1,050.53
<b>VRGBBB-150</b>	Features Belden 7712A HD-SDI high flex video cable with ADC BNC-8 connectors	1,078.22	1,540.32
<b>VRGBBB-200</b>	Features Belden 7712A HD-SDI high flex video cable with ADC BNC-8 connectors	1,421.08	2,030.11
<b>VRGBBB-250</b>	Features Belden 7712A HD-SDI high flex video cable with ADC BNC-8 connectors	1,763.94	2,519.91
<b>VRGBBB-300</b>	Features Belden 7712A HD-SDI high flex video cable with ADC BNC-8 connectors	2,106.79	3,009.70







# Video Cable

PART ID LENGTH

		DLR	LIST
<b>Belden RG 59 High Flex Triax Video Cable</b>			
<b>VTRIAX-38-003</b>	Features Belden high flex RG59 triax cable with kings tri-loc connectors	250.32	357.60
<b>VTRIAX-38-005</b>	Features Belden high flex RG59 triax cable with kings tri-loc connectors	251.01	358.58
<b>VTRIAX-38-010</b>	Features Belden high flex RG59 triax cable with kings tri-loc connectors	252.74	361.05
<b>VTRIAX-38-015</b>	Features Belden high flex RG59 triax cable with kings tri-loc connectors	254.46	363.51
<b>VTRIAX-38-020</b>	Features Belden high flex RG59 triax cable with kings tri-loc connectors	256.18	365.98
<b>VTRIAX-38-025</b>	Features Belden high flex RG59 triax cable with kings tri-loc connectors	257.91	368.44
<b>VTRIAX-38-030</b>	Features Belden high flex RG59 triax cable with kings tri-loc connectors	259.63	370.91
<b>VTRIAX-38-050</b>	Features Belden high flex RG59 triax cable with kings tri-loc connectors	266.54	380.77
<b>VTRIAX-38-075</b>	Features Belden high flex RG59 triax cable with kings tri-loc connectors	275.16	393.09
<b>VTRIAX-38-100</b>	Features Belden high flex RG59 triax cable with kings tri-loc connectors	283.78	405.41
<b>Belden RG 11 High Flex Triax Video Cable</b>			
<b>VTRIAX-12-003</b>	Features Belden high flex RG11 triax cable and kings tri-loc connectors	263.30	376.14
<b>VTRIAX-12-005</b>	Features Belden high flex RG11 triax cable and kings tri-loc connectors	264.26	377.51
<b>VTRIAX-12-010</b>	Features Belden high flex RG11 triax cable and kings tri-loc connectors	266.66	380.94
<b>VTRIAX-12-015</b>	Features Belden high flex RG11 triax cable and kings tri-loc connectors	269.06	384.37
<b>VTRIAX-12-020</b>	Features Belden high flex RG11 triax cable and kings tri-loc connectors	271.46	387.79
<b>VTRIAX-12-025</b>	Features Belden high flex RG11 triax cable and kings tri-loc connectors	273.86	391.22
<b>VTRIAX-12-030</b>	Features Belden high flex RG11 triax cable and kings tri-loc connectors	276.26	394.66
<b>VTRIAX-12-050</b>	Features Belden high flex RG11 triax cable and kings tri-loc connectors	285.86	408.37
<b>VTRIAX-12-075</b>	Features Belden high flex RG11 triax cable and kings tri-loc connectors	297.86	425.51
<b>VTRIAX-12-100</b>	Features Belden high flex RG11 triax cable and kings tri-loc connectors	309.86	442.66







# Bantam & Longframe Patch Cables

PART ID		LENGTH					
<b>Bantam to Bantam Patch Cable</b>				<b>DLR</b>	<b>LIST</b>		
<b>ETT-012</b>	Live Link quad mini bantam cable with Neutrik NP3TT connectors		17.03	24.33			
<b>ETT-018</b>	Live Link quad mini bantam cable with Neutrik NP3TT connectors		18.29	26.13			
<b>ETT-024</b>	Live Link quad mini bantam cable with Neutrik NP3TT connectors		19.55	27.93			
<b>ETT-036</b>	Live Link quad mini bantam cable with Neutrik NP3TT connectors		22.07	31.53			
<b>ETT-048</b>	Live Link quad mini bantam cable with Neutrik NP3TT connectors		24.59	35.13			
<b>Bantam to XX Patch Cables</b>				<b>DLR</b>	<b>LIST</b>	   	
<b>ETF-010</b>	Live Link quad mini bantam cable with Neutrik NP3TT and NC3FX XLR connectors		14.82	21.16			
<b>ETM-010</b>	Live Link quad mini bantam cable with Neutrik NP3TT and NC3MX XLR connectors		14.58	20.83			
<b>ETP-010</b>	Live Link quad mini bantam cable with Neutrik NP3TT and NP2X 1/4" mono connectors		14.93	21.33			
<b>ETS-010</b>	Live Link quad mini bantam cable with Neutrik NP3TT and NP3X TRS connectors		16.22	23.16			
<b>Longframe Patch Cable</b>				<b>DLR</b>	<b>LIST</b>		
<b>ELL-012</b>	Live Link quad cable with Neutrik NP3TB longframe connectors		19.29	27.56			
<b>ELL-018</b>	Live Link quad cable with Neutrik NP3TB longframe connectors		20.55	29.36			
<b>ELL-024</b>	Live Link quad cable with Neutrik NP3TB longframe connectors		21.81	31.16			
<b>ELL-036</b>	Live Link quad cable with Neutrik NP3TB longframe connectors		24.33	34.76			
<b>ELL-048</b>	Live Link quad cable with Neutrik NP3TB longframe connectors		26.85	38.36			

# Lighting & Power Cables

PART ID LENGTH

		DLR	LIST	
<b>Camlock Feeder Cable 2awg</b>				
<b>LCL2A-010</b>	Rubber 2awg power cable with Hubbell camlock connectors	54.26	77.51	
<b>LCL2A-015</b>	Rubber 2awg power cable with Hubbell camlock connectors	64.76	92.51	
<b>LCL2A-025</b>	Rubber 2awg power cable with Hubbell camlock connectors	85.76	122.51	
<b>LCL2A-050</b>	Rubber 2awg power cable with Hubbell camlock connectors	138.26	197.51	
<b>LCL2A-075</b>	Rubber 2awg power cable with Hubbell camlock connectors	190.76	272.51	
<b>LCL2A-100</b>	Rubber 2awg power cable with Hubbell camlock connectors	243.26	347.51	
<b>Camlock Feeder Cable 2/0</b>		<b>DLR</b>	<b>LIST</b>	
<b>LCL20-015</b>	Rubber 2/0 power cable with Hubbell camlock connectors	84.71	121.02	
<b>LCL20-025</b>	Rubber 2/0 power cable with Hubbell camlock connectors	119.01	174.02	
<b>LCL20-050</b>	Rubber 2/0 power cable with Hubbell camlock connectors	204.76	292.51	
<b>LCL20-075</b>	Rubber 2/0 power cable with Hubbell camlock connectors	290.51	415.02	
<b>LCL20-100</b>	Rubber 2/0 power cable with Hubbell camlock connectors	376.26	537.51	
<b>Camlock Feeder Cable 4/0</b>		<b>DLR</b>	<b>LIST</b>	
<b>LCL40-010</b>	Rubber 4/0 power cable with Hubbell camlock connectors	97.27	138.95	
<b>LCL40-015</b>	Rubber 4/0 power cable with Hubbell camlock connectors	126.90	181.28	
<b>LCL40-025</b>	Rubber 4/0 power cable with Hubbell camlock connectors	186.15	265.94	
<b>LCL40-050</b>	Rubber 4/0 power cable with Hubbell camlock connectors	334.30	477.57	
<b>LCL40-075</b>	Rubber 4/0 power cable with Hubbell camlock connectors	482.44	689.20	
<b>LCL40-100</b>	Rubber 4/0 power cable with Hubbell camlock connectors	630.58	900.83	
<b>Power Extension Cable 12awg Twistlock</b>		<b>DLR</b>	<b>LIST</b>	
<b>LG123MFTL-005</b>	Power extension SJOOW cable 3C/12awg with Hubbell twistlock connectors	28.17	40.24	
<b>LG123MFTL-010</b>	Power extension SJOOW cable 3C/12awg with Hubbell twistlock connectors	31.07	44.38	
<b>LG123MFTL-015</b>	Power extension SJOOW cable 3C/12awg with Hubbell twistlock connectors	33.97	48.53	

# Lighting & Power Cables

PART ID	LENGTH		
<b>LG123MFTL-025</b>	Power extension SJOOW cable 3C/12awg with Hubbell twistlock connectors	39.77	56.82
<b>LG123MFTL-050</b>	Power extension SJOOW cable 3C/12awg with Hubbell twistlock connectors	54.27	77.53
<b>LG123MFTL-075</b>	Power extension SJOOW cable 3C/12awg with Hubbell twistlock connectors	68.77	98.24
<b>LG123MFTL-100</b>	Power extension SJOOW cable 3C/12awg with Hubbell twistlock connectors	83.27	118.96
<b>LG123MFTL-150</b>	Power extension SJOOW cable 3C/12awg with Hubbell twistlock connectors	112.27	160.38
<b>Power Extension Cable 12awg U-Ground</b>		<b>DLR</b>	<b>LIST</b>
<b>LG123MFU-005</b>	Power extension SJOOW cable 3C/12awg with Hubbell hospital grade U-Ground connectors	17.94	25.63
<b>LG123MFU-010</b>	Power extension SJOOW cable 3C/12awg with Hubbell hospital grade U-Ground connectors	20.84	29.77
<b>LG123MFU-015</b>	Power extension SJOOW cable 3C/12awg with Hubbell hospital grade U-Ground connectors	23.74	33.91
<b>LG123MFU-025</b>	Power extension SJOOW cable 3C/12awg with Hubbell hospital grade U-Ground connectors	29.54	42.20
<b>LG123MFU-050</b>	Power extension SJOOW cable 3C/12awg with Hubbell hospital grade U-Ground connectors	44.04	62.91
<b>LG123MFU-100</b>	Power extension SJOOW cable 3C/12awg with Hubbell hospital grade U-Ground connectors	73.04	104.34
<b>LG123MFU-150</b>	Power extension SJOOW cable 3C/12awg with Hubbell hospital grade U-Ground connectors	102.04	145.77
<b>Power Extension Cables 14awg U-Ground</b>		<b>DLR</b>	<b>LIST</b>
<b>LG143MFU-005</b>	Power extension SJOOW cable 3C/14awg with Hubbell hospital grade U-Ground connectors	17.39	24.84
<b>LG143MFU-010</b>	Power extension SJOOW cable 3C/14awg with Hubbell hospital grade U-Ground connectors	19.74	28.20
<b>LG143MFU-015</b>	Power extension SJOOW cable 3C/14awg with Hubbell hospital grade U-Ground connectors	22.09	31.56
<b>LG143MFU-025</b>	Power extension SJOOW cable 3C/14awg with Hubbell hospital grade U-Ground connectors	26.79	38.27
<b>LG143MFU-050</b>	Power extension SJOOW cable 3C/14awg with Hubbell hospital grade U-Ground connectors	38.54	55.06





# Lighting & Power Cables

PART ID		LENGTH					
<b>LG143MFU-100</b>	Power extension SJOOW cable 3C/14awg with Hubbell hospital grade U-Ground connectors	62.04	88.63				
<b>LG143MFU-150</b>	Power extension SJOOW cable 3C/14awg with Hubbell hospital grade U-Ground connectors	85.54	122.20				
<b>Hybrid IEC Power and Audio Cable</b>			<b>DLR</b>	<b>LIST</b>			
<b>LIEUBXL-025</b>	Hybrid female IEC with 2 male XLR's to male U-Ground with 2 female XLR's. 3C/14awg cable	65.64	93.78				
<b>LIEUBXL-050</b>	Hybrid female IEC with 2 male XLR's to male U-Ground with 2 female XLR's. 3C/14awg cable	84.39	120.56				
<b>LIEUBXL-075</b>	Hybrid female IEC with 2 male XLR's to male U-Ground with 2 female XLR's. 3C/14awg cable	103.14	147.34				
<b>LIEUBXL-100</b>	Hybrid female IEC with 2 male XLR's to male U-Ground with 2 female XLR's. 3C/14awg cable	121.89	174.13				
<b>powerCON Extension Cable - 3C/12awg</b>			<b>DLR</b>			<b>LIST</b>	
<b>LPCPC-123-025</b>	powerCON blue to powerCON grey. SJOOW 3C/12awg extension cable	32.55	46.50				
<b>LPCPC-123-050</b>	powerCON blue to powerCON grey. SJOOW 3C/12awg extension cable	49.12	70.18				
<b>LPCPC-123-075</b>	powerCON blue to powerCON grey. SJOOW 3C/12awg extension cable	65.70	93.85				
<b>LPCPC-123-100</b>	powerCON blue to powerCON grey. SJOOW 3C/12awg extension cable	82.26	117.52				
<b>LPCPC-143-025</b>	powerCON blue to powerCON grey. SJOOW 3C/14awg extension cable	29.41	42.01				
<b>LPCPC-143-050</b>	powerCON blue to powerCON grey. SJOOW 3C/14awg extension cable	42.83	61.19				
<b>LPCPC-143-075</b>	powerCON blue to powerCON grey. SJOOW 3C/14awg extension cable	56.26	80.38				
<b>LPCPC-143-100</b>	powerCON blue to powerCON grey. SJOOW 3C/14awg extension cable	69.70	99.56				
<b>powerCON Ext. Cable with U-Ground - 3C/14awg</b>			<b>DLR</b>			<b>LIST</b>	
<b>LPCUG-143-025</b>	powerCON Blue to male U-Ground. SJOOW 3C/14awg extension cable	28.78	41.12				
<b>LPCUG-143-050</b>	powerCON Blue to male U-Ground. SJOOW 3C/14awg extension cable	42.22	60.30				
<b>LPCUG-143-075</b>	powerCON Blue to male U-Ground. SJOOW 3C/14awg extension cable	55.64	79.49				
<b>LPCUG-143-100</b>	powerCON Blue to male U-Ground. SJOOW 3C/14awg extension cable	69.07	98.67				

# Lighting & Power Cables

PART ID		LENGTH				
<b>Hybrid powerCON and Audio Cable</b>			<b>DLR</b>	<b>LIST</b>		
<b>LPCXL-025</b>	Hybrid powerCON with male XLR and Female U-Ground to female XLR and Male I-Ground 3C/14awg cable	52.55	75.07			
<b>LPCXL-050</b>	Hybrid powerCON with male XLR and Female U-Ground to female XLR and Male I-Ground 3C/14awg cable	71.30	101.86			
<b>LPCXL-075</b>	Hybrid powerCON with male XLR and Female U-Ground to female XLR and Male I-Ground 3C/14awg cable	90.06	128.65			
<b>LPCXL-100</b>	Hybrid powerCON with male XLR and Female U-Ground to female XLR and Male I-Ground 3C/14awg cable	108.80	155.43			
<b>Power Extension Quad Box Extension Cable</b>			<b>DLR</b>	<b>LIST</b>		
<b>LQBG123-005</b>	Features 3C/12awg cable and rubber quad box with Hubbell U-Ground connectors	59.98	85.68			
<b>LQBG123-010</b>	Features 3C/12awg cable and rubber quad box with Hubbell U-Ground connectors	63.29	90.42			
<b>LQBG123-015</b>	Features 3C/12awg cable and rubber quad box with Hubbell U-Ground connectors	66.61	95.15			
<b>LQBG123-025</b>	Features 3C/12awg cable and rubber quad box with Hubbell U-Ground connectors	73.23	104.62			
<b>LQBG123-050</b>	Features 3C/12awg cable and rubber quad box with Hubbell U-Ground connectors	89.81	128.30			
<b>LQBG123-075</b>	Features 3C/12awg cable and rubber quad box with Hubbell U-Ground connectors	106.38	151.93			
<b>LQBG123-100</b>	Features 3C/12awg cable and rubber quad box with Hubbell U-Ground connectors	122.95	175.64			
<b>LQBG123-150</b>	Features 3C/12awg cable and rubber quad box with Hubbell U-Ground connectors	158.49	222.98			
<b>Quad Box Power Extension Cable</b>			<b>DLR</b>	<b>LIST</b>		
<b>LQBUG-025</b>	Quad box with 2 female U-Grounds to 1 U-Ground male extension cable. SJOOW 3C/12awg extension cable	73.23	104.62			
<b>LQBUG-050</b>	Quad box with 2 female U-Grounds to 1 U-Ground male extension cable. SJOOW 3C/12awg extension cable	89.81	128.30			
<b>LQBUG-075</b>	Quad box with 2 female U-Grounds to 1 U-Ground male extension cable. SJOOW 3C/12awg extension cable	106.38	151.97			
<b>LQBUG-100</b>	Quad box with 2 female U-Grounds to 1 U-Ground male extension cable. SJOOW 3C/12awg extension cable	122.95	175.64			

# Lighting & Power Cables

PART ID LENGTH

PART ID LENGTH				
		<b>Hybrid Quad Box with Power and Audio Cable</b>	<b>DLR</b>	<b>LIST</b>
<b>LQBUGXL-025</b>	Hybrid quad box with 1 Female Hubbell hospital grade U-Ground with 2 female XLR's to 1 Male U-Ground with 2 male XLR's. 3C/14awg cable	97.11	138.74	
<b>LQBUGXL-050</b>	Hybrid quad box with 1 Female Hubbell hospital grade U-Ground with 2 female XLR's to 1 Male U-Ground with 2 male XLR's. 3C/14awg cable	115.86	165.52	
<b>LQBUGXL-075</b>	Hybrid quad box with 1 Female Hubbell hospital grade U-Ground with 2 female XLR's to 1 Male U-Ground with 2 male XLR's. 3C/14awg cable	134.62	192.31	
<b>LQBUGXL-100</b>	Hybrid quad box with 1 Female Hubbell hospital grade U-Ground with 2 female XLR's to 1 Male U-Ground with 2 male XLR's. 3C/14awg cable	153.37	219.10	
		<b>Socapex 7-Pin Motor Control Cable</b>	<b>DLR</b>	<b>LIST</b>
<b>LMC714-025</b>	Features 7C/14awg high flex cable with Socapex 7 pin connectors - Includes hanging strain relief	152.12	217.31	
<b>LMC714-050</b>	Features 7C/14awg high flex cable with Socapex 7 pin connectors - Includes hanging strain relief	182.12	260.17	
<b>LMC714-100</b>	Features 7C/14awg high flex cable with Socapex 7 pin connectors - Includes hanging strain relief	242.12	345.89	
		<b>Socapex 14C/12awg Lighting Cable</b>	<b>DLR</b>	<b>LIST</b>
<b>LS14-005</b>	Features high flex 14C/12awg cable with socapex 19 pin connectors	197.53	282.18	
<b>LS14-010</b>	Features high flex 14C/12awg cable with socapex 19 pin connectors	216.13	308.75	
<b>LS14-025</b>	Features high flex 14C/12awg cable with socapex 19 pin connectors	271.93	388.47	
<b>LS14-050</b>	Features high flex 14C/12awg cable with socapex 19 pin connectors	364.93	521.33	
<b>LS14-075</b>	Features high flex 14C/12awg cable with socapex 19 pin connectors	457.93	654.18	
<b>LS14-100</b>	Features high flex 14C/12awg cable with socapex 19 pin connectors	550.93	787.04	
<b>LS14-150</b>	Features high flex 14C/12awg cable with socapex 19 pin connectors	736.93	1,051.95	
<b>LS14-200</b>	Features high flex 14C/12awg cable with socapex 19 pin connectors	922.93	1,318.47	




# Lighting & Power Cables

PART ID LENGTH

		DLR	LIST	
<b>Socapex 19C/12awg Lighting Cable</b>				
<b>LS19-005</b>	Features high flex 19C/12awg cable with socapex 19 pin connectors	214.33	306.18	
<b>LS19-010</b>	Features high flex 19C/12awg cable with socapex 19 pin connectors	243.73	348.18	
<b>LS19-025</b>	Features high flex 19C/12awg cable with socapex 19 pin connectors	331.93	474.18	
<b>LS19-050</b>	Features high flex 19C/12awg cable with socapex 19 pin connectors	478.93	684.18	
<b>LS19-075</b>	Features high flex 19C/12awg cable with socapex 19 pin connectors	625.93	894.18	
<b>LS19-100</b>	Features high flex 19C/12awg cable with socapex 19 pin connectors	772.93	1,104.18	
<b>LS19-150</b>	Features high flex 19C/12awg cable with socapex 19 pin connectors	1,066.93	1,524.18	
<b>LS19-200</b>	Features high flex 19C/12awg cable with socapex 19 pin connectors	1,360.93	1,944.18	
<b>Socapex Male Breakout to Female Twistlock</b>		<b>DLR</b>	<b>LIST</b>	
<b>LSBTF-006</b>	Features 3C/12awg cable with male socapex 19 pin connector to 6 female Hubbell twistlock connectors. 6ft.	208.04	297.20	
<b>Socapex Female Break-in to Male U-Ground</b>		<b>DLR</b>	<b>LIST</b>	
<b>LSBTM-006</b>	Features 3C/12awg cable with female socapex 19 pin connector to male Hubbell hospital grade U-Ground connectors. 6ft.	149.10	213.01	
<b>Socapex Male Breakout to Female U-Ground</b>		<b>DLR</b>	<b>LIST</b>	
<b>LSBUF-006</b>	Features 3C/12awg cable with male socapex 19 pin connector to 6 female Hubbell hospital grade U-Ground connectors. 6ft.	166.28	237.54	
<b>Socapex Female Break-in to Male Twistlock</b>		<b>DLR</b>	<b>LIST</b>	
<b>LSBUM-006</b>	Features 3C/12awg cable with female socapex 19 pin connector to male Hubbell twistlock connectors. 6ft.	203.21	290.30	
<b>Socapex Male to Neutrik NAC3FCA powerCON Splay - 3C/12awg</b>		<b>DLR</b>	<b>LIST</b>	
<b>LSMFCA-006</b>	19 pin socapex male to 6 neutrik NA-C3FCA splay with SJOOW 3C/12awg cable	157.68	225.26	
<b>LSMFCA-012</b>	19 pin socapex male to 6 neutrik NA-C3FCA splay with SJOOW 3C/12awg cable	181.54	259.34	
<b>LSMFCA-025</b>	19 pin socapex male to 6 neutrik NA-C3FCA splay with SJOOW 3C/12awg cable	233.24	333.21	

# Lighting & Power Cables

PART ID    LENGTH

		DLR	LIST	
<b>Socapex Male to Neutrik NAC3FCX powerCON Splay - 3C/12awg</b>				
<b>LSMFCX-006</b>	19 pin socapex male to 6 neutrik NA-C3FCX splay with SJOOW 3C/12awg cable	169.01	241.44	
<b>LSMFCX-012</b>	19 pin socapex male to 6 neutrik NA-C3FCX splay with SJOOW 3C/12awg cable	192.87	275.53	
<b>LSMFCX-025</b>	19 pin socapex male to 6 neutrik NA-C3FCX splay with SJOOW 3C/12awg cable	244.58	349.39	
<b>Socapex Male to Neutrik NAC3FHC powerCON Splay - 3C/12awg</b>				
<b>LSMFHC-006</b>	19 pin socapex male to 6 neutrik NA-C3FCH splay with SJOOW 3C/12awg cable	227.90	325.57	
<b>LSMFHC-012</b>	19 pin socapex male to 6 neutrik NA-C3FCH splay with SJOOW 3C/12awg cable	251.76	359.66	
<b>LSMFHC-025</b>	19 pin socapex male to 6 neutrik NA-C3FCH splay with SJOOW 3C/12awg cable	303.46	433.52	
<b>Hybrid U-Ground and XLR Cable</b>				
<b>LUGXL-025</b>	High Flex 3C/14awg power and audio cable with hospital grade Hubbell U-Ground and Neutrik XLR's	56.49	80.70	
<b>LUGXL-050</b>	High Flex 3C/14awg power and audio cable with hospital grade Hubbell U-Ground and Neutrik XLR's	75.24	107.48	
<b>LUGXL-075</b>	High Flex 3C/14awg power and audio cable with hospital grade Hubbell U-Ground and Neutrik XLR's	93.99	134.27	
<b>LUGXL-100</b>	High Flex 3C/14awg power and audio cable with hospital grade Hubbell U-Ground and Neutrik XLR's	112.74	161.06	

# Lighting & Power Cables


PART ID LENGTH

		DLR	LIST
<b>powerCON True 1 to powerCON True 1 Extension Cable - 3C/12awg</b>			
<b>PCTPCT-123-025</b>	powerCON true 1 to powerCON true 1. SJOOW 3C/12awg extension cable	36.33	51.90
<b>PCTPCT-123-050</b>	powerCON true 1 to powerCON true 1. SJOOW 3C/12awg extension cable	52.90	75.57
<b>PCTPCT-123-075</b>	powerCON true 1 to powerCON true 1. SJOOW 3C/12awg extension cable	69.47	99.24
<b>PCTPCT-123-100</b>	powerCON true 1 to powerCON true 1. SJOOW 3C/12awg extension cable	86.04	122.91
<b>Twist Lock Extension Cable - 4C/10awg</b>		<b>DLR</b>	<b>LIST</b>
<b>PTLTL-410-025</b>	Twist lock male to twist lock female with L4-30 connectors. SOOW 4C/10awg extension cable	115.01	164.30
<b>PTLTL-410-050</b>	Twist lock male to twist lock female with L4-30 connectors. SOOW 4C/10awg extension cable	156.15	223.07
<b>PTLTL-410-075</b>	Twist lock male to twist lock female with L4-30 connectors. SOOW 4C/10awg extension cable	197.29	281.85
<b>PTLTL-410-100</b>	Twist lock male to twist lock female with L4-30 connectors. SOOW 4C/10awg extension cable	238.43	340.62



# Snakes

1.888.383.4883 [www.cablefactory.com](http://www.cablefactory.com)



# Multi-Track Analog and Digital Recording Snakes

*Cable Factory's D-Sub Multi-Track Recording and AES Snakes are designed for analog and digital accuracy. It also features our Cable Factory Live Link 8 channel multi-pair cable. Both types are constructed with Metal D-Sub and Neutrik connectors.*



<b>D-Sub to 4 Male/4 Female XLR's AES Snake</b>		<b>DLR</b>	<b>LIST</b>
ESB4XF4XM-008	Live Link 8 channel AES cable with metal D-Sub connectors and Neutrik NC3MX & NC3FX connectors	80.80	115.20
ESB4XF4XM-012	Live Link 8 channel AES cable with metal D-Sub connectors and Neutrik NC3MX & NC3FX connectors	87.20	124.80
ESB4XF4XM-016	Live Link 8 channel AES cable with metal D-Sub connectors and Neutrik NC3MX & NC3FX connectors	93.60	133.60
ESB4XF4XM-024	Live Link 8 channel AES cable with metal D-Sub connectors and Neutrik NC3MX & NC3FX connectors	106.40	152.00
<b>D-Sub to D-Sub AES Snake</b>		<b>DLR</b>	<b>LIST</b>
ESBSBAES-008	Live Link 8 channel AES cable with metal D-Sub connectors	70.40	100.00
ESBSBAES-012	Live Link 8 channel AES cable with metal D-Sub connectors	76.80	109.60
ESBSBAES-016	Live Link 8 channel AES cable with metal D-Sub connectors	83.20	118.40
ESBSBAES-024	Live Link 8 channel AES cable with metal D-Sub connectors	95.20	136.80
<b>D-Sub to TRS Snake</b>		<b>DLR</b>	<b>LIST</b>
ESTRS-008	Live Link 8 channel multi-pair with metal D-Sub to Neutrik NP3X TRS connectors	87.20	124.80
ESTRS-012	Live Link 8 channel multi-pair with metal D-Sub to Neutrik NP3X TRS connectors	89.60	128.00
ESTRS-016	Live Link 8 channel multi-pair with metal D-Sub to Neutrik NP3X TRS connectors	92.00	132.00
ESTRS-024	Live Link 8 channel multi-pair with metal D-Sub to Neutrik NP3X TRS connectors	97.60	139.20
<b>D-Sub to 8 Female XLR Snake</b>		<b>DLR</b>	<b>LIST</b>
ESXF-008	Live Link 8 channel multi-pair with metal D-Sub to Neutrik NC3FX XLR connectors	74.40	105.60
ESXF-012	Live Link 8 channel multi-pair with metal D-Sub to Neutrik NC3FX XLR connectors	76.80	109.60
ESXF-016	Live Link 8 channel multi-pair with metal D-Sub to Neutrik NC3FX XLR connectors	79.20	112.80
ESXF-024	Live Link 8 channel multi-pair with metal D-Sub to Neutrik NC3FX XLR connectors	84.00	120.00
<b>D-Sub to 8 Male XLR Snake</b>		<b>DLR</b>	<b>LIST</b>
ESXM-008	Live Link 8 channel multi-pair with metal D-Sub to Neutrik NC3MX XLR connectors	72.00	103.20
ESXM-012	Live Link 8 channel multi-pair with metal D-Sub to Neutrik NC3MX XLR connectors	74.40	106.40
ESXM-016	Live Link 8 channel multi-pair with metal D-Sub to Neutrik NC3MX XLR connectors	76.80	110.40
ESXM-024	Live Link 8 channel multi-pair with metal D-Sub to Neutrik NC3MX XLR connectors	82.40	117.60



# Multi-Track Recording Snakes

*Featuring Cable Factory's Live Link multi-pair cable and metal Neutrik connectors. Multitrack recording snakes can be customized to fit your*



<b>8 Channel XLR To XLR Snake</b>		<b>DLR</b>	<b>LIST</b>
L8F8M-008	Live Link 8 channel multi-pair with Neutrik NC3MX and NC3FX XLR connectors	76.80	109.60
L8F8M-012	Live Link 8 channel multi-pair with Neutrik NC3MX and NC3FX XLR connectors	79.20	113.60
L8F8M-016	Live Link 8 channel multi-pair with Neutrik NC3MX and NC3FX XLR connectors	81.60	116.80
L8F8M-024	Live Link 8 channel multi-pair with Neutrik NC3MX and NC3FX XLR connectors	87.20	124.00
<b>8 Channel 1/4" Mono To 1/4" Mono Snake</b>		<b>DLR</b>	<b>LIST</b>
L8P8P-008	Live Link 8 channel multi-pair with Neutrik NP2X 1/4" connectors	80.80	116.00
L8P8P-012	Live Link 8 channel multi-pair with Neutrik NP2X 1/4" connectors	84.00	119.20
L8P8P-016	Live Link 8 channel multi-pair with Neutrik NP2X 1/4" connectors	86.40	123.20
L8P8P-024	Live Link 8 channel multi-pair with Neutrik NP2X 1/4" connectors	91.20	130.40
<b>8 Channel TRS To Male XLR Snake</b>		<b>DLR</b>	<b>LIST</b>
L8S8M-008	Live Link 8 channel multi-pair with Neutrik NC3MX XLR and NP3X TRS connectors	89.60	128.00
L8S8M-012	Live Link 8 channel multi-pair with Neutrik NC3MX XLR and NP3X TRS connectors	92.00	132.00
L8S8M-016	Live Link 8 channel multi-pair with Neutrik NC3MX XLR and NP3X TRS connectors	95.20	135.20
L8S8M-024	Live Link 8 channel multi-pair with Neutrik NC3MX XLR and NP3X TRS connectors	100.00	142.40
<b>8 Channel TRS To TRS Snake</b>		<b>DLR</b>	<b>LIST</b>
L8S8S-008	Live Link 8 channel multi-pair with Neutrik NP3X TRS connectors	157.60	224.80
L8S8S-012	Live Link 8 channel multi-pair with Neutrik NP3X TRS connectors	160.00	228.80
L8S8S-016	Live Link 8 channel multi-pair with Neutrik NP3X TRS connectors	162.40	232.00
L8S8S-024	Live Link 8 channel multi-pair with Neutrik NP3X TRS connectors	168.00	239.20

# Multi-Track Recording Snakes

<b>12 Channel XLR To XLR Snake</b>		<b>DLR</b>	<b>LIST</b>
L12F12M-008	Live Link 12 channel multi-pair with Neutrik NC3MX and NC3FX XLR connectors	115.20	164.80
L12F12M-012	Live Link 12 channel multi-pair with Neutrik NC3MX and NC3FX XLR connectors	119.20	169.60
L12F12M-016	Live Link 12 channel multi-pair with Neutrik NC3MX and NC3FX XLR connectors	122.40	175.20
L12F12M-024	Live Link 12 channel multi-pair with Neutrik NC3MX and NC3FX XLR connectors	130.40	186.40
<b>12 Channel 1/4" Mono To 1/4" Mono Snake</b>			
L12P12P-008	Live Link 12 channel multi-pair with Neutrik NP2X 1/4" connectors	121.60	173.60
L12P12P-012	Live Link 12 channel multi-pair with Neutrik NP2X 1/4" connectors	125.60	179.20
L12P12P-016	Live Link 12 channel multi-pair with Neutrik NP2X 1/4" connectors	129.60	184.80
L12P12P-024	Live Link 12 channel multi-pair with Neutrik NP2X 1/4" connectors	136.80	195.20
<b>12 Channel TRS To Male XLR Snake</b>			
L12S12M-008	Live Link 12 channel multi-pair with Neutrik NC3MX XLR and NP3X TRS connectors	148.80	212.80
L12S12M-012	Live Link 12 channel multi-pair with Neutrik NC3MX XLR and NP3X TRS connectors	152.80	217.60
L12S12M-016	Live Link 12 channel multi-pair with Neutrik NC3MX XLR and NP3X TRS connectors	156.00	223.20
L12S12M-024	Live Link 12 channel multi-pair with Neutrik NC3MX XLR and NP3X TRS connectors	164.00	234.40
<b>12 channel TRS To TRS Snake</b>			
L12S12S-008	Live Link 12 channel multi-pair with Neutrik NP3X TRS connectors	236.00	337.60
L12S12S-012	Live Link 12 channel multi-pair with Neutrik NP3X TRS connectors	240.00	342.40
L12S12S-016	Live Link 12 channel multi-pair with Neutrik NP3X TRS connectors	244.00	348.00
L12S12S-024	Live Link 12 channel multi-pair with Neutrik NP3X TRS connectors	251.20	359.20
<b>16 Channel XLR To XLR Snake</b>			
L16F16M-008	Live Link 16 channel multi-pair with Neutrik NC3MX and NC3FX XLR connectors	153.60	220.00
L16F16M-012	Live Link 16 channel multi-pair with Neutrik NC3MX and NC3FX XLR connectors	159.20	227.20
L16F16M-016	Live Link 16 channel multi-pair with Neutrik NC3MX and NC3FX XLR connectors	164.00	234.40
L16F16M-024	Live Link 16 channel multi-pair with Neutrik NC3MX and NC3FX XLR connectors	174.40	248.80
<b>16 Channel 1/4" Mono To 1/4" Mono Snake</b>			
L16P16P-008	Live Link 16 channel multi-pair with Neutrik NP2X 1/4" connectors	162.40	232.00
L16P16P-012	Live Link 16 channel multi-pair with Neutrik NP2X 1/4" connectors	168.00	239.20
L16P16P-016	Live Link 16 channel multi-pair with Neutrik NP2X 1/4" connectors	172.80	246.40
L16P16P-024	Live Link 16 channel multi-pair with Neutrik NP2X 1/4" connectors	183.20	261.60
<b>16 Channel TRS To Male XLR Snake</b>			
L16S16M-008	Live Link 16 channel multi-pair with Neutrik NC3MX XLR and NP3X TRS connectors	193.60	276.80
L16S16M-012	Live Link 16 channel multi-pair with Neutrik NC3MX XLR and NP3X TRS connectors	199.20	284.00
L16S16M-016	Live Link 16 channel multi-pair with Neutrik NC3MX XLR and NP3X TRS connectors	204.00	292.00
L16S16M-024	Live Link 16 channel multi-pair with Neutrik NC3MX XLR and NP3X TRS connectors	214.40	306.40
<b>16 Channel TRS To TRS Snake</b>			
L16S16S-008	Live Link 16 channel multi-pair with Neutrik NP3X TRS connectors	355.20	507.20
L16S16S-012	Live Link 16 channel multi-pair with Neutrik NP3X TRS connectors	360.00	514.40
L16S16S-016	Live Link 16 channel multi-pair with Neutrik NP3X TRS connectors	364.80	521.60
L16S16S-024	Live Link 16 channel multi-pair with Neutrik NP3X TRS connectors	375.20	536.00



# Multi-Track Recording Snakes

<b>24 Channel XLR To XLR Snake</b>		<b>DLR</b>	<b>LIST</b>
L24F24M-008	Live Link 24 channel multi-pair with Neutrik NC3MX and NC3FX XLR connectors	232.80	332.80
L24F24M-012	Live Link 24 channel multi-pair with Neutrik NC3MX and NC3FX XLR connectors	241.60	345.60
L24F24M-016	Live Link 24 channel multi-pair with Neutrik NC3MX and NC3FX XLR connectors	251.20	358.40
L24F24M-024	Live Link 24 channel multi-pair with Neutrik NC3MX and NC3FX XLR connectors	268.80	384.00
<b>24 Channel 1/4" Mono To 1/4" Mono Snake</b>			
L24P24P-008	Live Link 24 channel multi-pair with Neutrik NP2X 1/4" connectors	246.40	351.20
L24P24P-012	Live Link 24 channel multi-pair with Neutrik NP2X 1/4" connectors	255.20	364.00
L24P24P-016	Live Link 24 channel multi-pair with Neutrik NP2X 1/4" connectors	264.00	376.80
L24P24P-024	Live Link 24 channel multi-pair with Neutrik NP2X 1/4" connectors	281.60	402.40
<b>24 Channel TRS To Male XLR Snake</b>			
L24S24M-008	Live Link 24 channel multi-pair with Neutrik NC3MX XLR and NP3X TRS connectors	272.00	388.80
L24S24M-012	Live Link 24 channel multi-pair with Neutrik NC3MX XLR and NP3X TRS connectors	280.80	401.60
L24S24M-016	Live Link 24 channel multi-pair with Neutrik NC3MX XLR and NP3X TRS connectors	290.40	414.40
L24S24M-024	Live Link 24 channel multi-pair with Neutrik NC3MX XLR and NP3X TRS connectors	308.00	440.00
<b>24 Channel TRS To TRS Snake</b>			
L24S24S-008	Live Link 24 channel multi-pair with Neutrik NP3X TRS connectors	514.40	735.20
L24S24S-012	Live Link 24 channel multi-pair with Neutrik NP3X TRS connectors	523.20	747.20
L24S24S-016	Live Link 24 channel multi-pair with Neutrik NP3X TRS connectors	532.00	760.00
L24S24S-024	Live Link 24 channel multi-pair with Neutrik NP3X TRS connectors	550.40	785.60




# Standard Series Snakes

*Cable Factory's LT Series Snake provides the ultimate in touring durability and functionality. Built with heavy-duty 14awg steel boxes and a brushed aluminum input plate, this snake features our Live Link series multi-pair with each channel individually jacketed and numbered. The cable is made from ultra-flexible polyurethane built to withstand the abuses of touring on the road. All-metal Neutrik connectors and metal strain relief is used throughout.*




<b>LT Series 6 Input X 3 Return Snake</b>		<b>DLR</b>	<b>LIST</b>
LT-0603-050	Live Link 9 channel multi-pair cable with Neutrik XLR connectors	186.40	266.40
LT-0603-100	Live Link 9 channel multi-pair cable with Neutrik XLR connectors	218.40	311.20
LT-0603-150	Live Link 9 channel multi-pair cable with Neutrik XLR connectors	249.60	356.80
LT-0603-200	Live Link 9 channel multi-pair cable with Neutrik XLR connectors	280.80	401.60
<b>LT Series 6 Input X No Return Snake</b>			
LT-06NR-050	Live Link 6 channel multi-pair cable with Neutrik XLR connectors	155.20	221.60
LT-06NR-100	Live Link 6 channel multi-pair cable with Neutrik XLR connectors	184.80	264.00
LT-06NR-150	Live Link 6 channel multi-pair cable with Neutrik XLR connectors	214.40	306.40
LT-06NR-200	Live Link 6 channel multi-pair cable with Neutrik XLR connectors	244.00	348.80
<b>LT Series 8 Input X 4 Return Snake</b>			
LT-0804-050	Live Link 12 channel multi-pair cable with Neutrik XLR connectors	233.60	333.60
LT-0804-100	Live Link 12 channel multi-pair cable with Neutrik XLR connectors	280.80	400.80
LT-0804-150	Live Link 12 channel multi-pair cable with Neutrik XLR connectors	328.00	468.00
LT-0804-200	Live Link 12 channel multi-pair cable with Neutrik XLR connectors	375.20	536.00
<b>LT Series 8 Input X No Return Snake</b>			
LT-08NR-050	Live Link 8 channel multi-pair cable with Neutrik XLR connectors	175.20	250.40
LT-08NR-100	Live Link 8 channel multi-pair cable with Neutrik XLR connectors	207.20	296.00
LT-08NR-150	Live Link 8 channel multi-pair cable with Neutrik XLR connectors	238.40	340.80
LT-08NR-200	Live Link 8 channel multi-pair cable with Neutrik XLR connectors	270.40	385.60

# Standard Series Snakes



<b>LT Series 12 Input X 4 Return Snake</b>		<b>DLR</b>	<b>LIST</b>
LT-1204-050	Live Link 16 channel multi-pair cable with Neutrik XLR connectors	287.20	410.40
LT-1204-100	Live Link 16 channel multi-pair cable with Neutrik XLR connectors	351.20	501.60
LT-1204-150	Live Link 16 channel multi-pair cable with Neutrik XLR connectors	416.00	593.60
LT-1204-200	Live Link 16 channel multi-pair cable with Neutrik XLR connectors	480.00	685.60
<b>LT Series 12 Input x No Return Snake</b>			
LT-12NR-050	Live Link 12 channel multi-pair cable with Neutrik XLR connectors	274.40	392.00
LT-12NR-100	Live Link 12 channel multi-pair cable with Neutrik XLR connectors	321.60	460.00
LT-12NR-150	Live Link 12 channel multi-pair cable with Neutrik XLR connectors	368.80	527.20
LT-12NR-200	Live Link 12 channel multi-pair cable with Neutrik XLR connectors	416.00	595.20
<b>LT Series 16 Input X 4 Return Snake</b>			
LT-1604-050	Live Link 20 channel multi-pair cable with Neutrik XLR connectors	337.60	481.60
LT-1604-100	Live Link 20 channel multi-pair cable with Neutrik XLR connectors	351.20	501.60
LT-1604-150	Live Link 20 channel multi-pair cable with Neutrik XLR connectors	416.00	593.60
LT-1604-200	Live Link 20 channel multi-pair cable with Neutrik XLR connectors	480.00	685.60
<b>LT Series 16 Input X No Return Snake</b>			
LT-16NR-050	Live Link 16 channel multi-pair cable with Neutrik XLR connectors	287.20	410.40
LT-16NR-100	Live Link 16 channel multi-pair cable with Neutrik XLR connectors	351.20	501.60
LT-16NR-150	Live Link 16 channel multi-pair cable with Neutrik XLR connectors	416.00	593.60
LT-16NR-200	Live Link 16 channel multi-pair cable with Neutrik XLR connectors	480.00	685.60
<b>LT Series 24 Input X 4 Return Snake</b>			
LT-2404-050	Live Link 28 channel multi-pair cable with Neutrik XLR connectors	460.00	657.60
LT-2404-100	Live Link 28 channel multi-pair cable with Neutrik XLR connectors	572.00	816.80
LT-2404-150	Live Link 28 channel multi-pair cable with Neutrik XLR connectors	683.20	976.00
LT-2404-200	Live Link 28 channel multi-pair cable with Neutrik XLR connectors	794.40	1,135.20
<b>LT Series 24 Input X 8 Return Snake</b>			
LT-2408-050	Live Link 32 channel multi-pair cable with Neutrik XLR connectors	531.20	758.40
LT-2408-100	Live Link 32 channel multi-pair cable with Neutrik XLR connectors	519.20	741.60
LT-2408-150	Live Link 32 channel multi-pair cable with Neutrik XLR connectors	630.40	900.80
LT-2408-200	Live Link 32 channel multi-pair cable with Neutrik XLR connectors	742.40	1,060.00
<b>LT Series 24 Input X No Return Snake</b>			
LT-24NR-050	Live Link 24 channel multi-pair cable with Neutrik XLR connectors	407.20	582.40
LT-24NR-100	Live Link 24 channel multi-pair cable with Neutrik XLR connectors	519.20	741.60
LT-24NR-150	Live Link 24 channel multi-pair cable with Neutrik XLR connectors	630.40	900.80
LT-24NR-200	Live Link 24 channel multi-pair cable with Neutrik XLR connectors	742.40	1,060.00

# Standard Series Snakes



LT Series 32 Input X 10 Return Snake		DLR	LIST
LT-3210-050	Live Link 42 channel multi-pair cable with Neutrik XLR connectors	680.00	972.00
LT-3210-100	Live Link 42 channel multi-pair cable with Neutrik XLR connectors	856.00	1,222.40
LT-3210-150	Live Link 42 channel multi-pair cable with Neutrik XLR connectors	1,031.20	1,473.60
LT-3210-200	Live Link 42 channel multi-pair cable with Neutrik XLR connectors	1,207.20	1,724.00
LT Series 32 Input X No Return Snake			
LT-32NR-050	Live Link 32 channel multi-pair cable with Neutrik XLR connectors	515.20	735.20
LT-32NR-100	Live Link 32 channel multi-pair cable with Neutrik XLR connectors	660.00	943.20
LT-32NR-150	Live Link 32 channel multi-pair cable with Neutrik XLR connectors	805.60	1,150.40
LT-32NR-200	Live Link 32 channel multi-pair cable with Neutrik XLR connectors	951.20	1,358.40
LT Series 40 Input X 12 Return Snake			
LT-4012-050	Live Link 52 channel multi-pair cable with Neutrik XLR connectors	832.80	1,189.60
LT-4012-100	Live Link 52 channel multi-pair cable with Neutrik XLR connectors	1,062.40	1,517.60
LT-4012-150	Live Link 52 channel multi-pair cable with Neutrik XLR connectors	1,291.20	1,844.80
LT-4012-200	Live Link 52 channel multi-pair cable with Neutrik XLR connectors	1,520.80	2,172.00
LT Series 40 Input X No Return Snake			
LT-40NR-050	Live Link 40 channel multi-pair cable with Neutrik XLR connectors	668.80	956.00
LT-40NR-100	Live Link 40 channel multi-pair cable with Neutrik XLR connectors	844.80	1,206.40
LT-40NR-150	Live Link 40 channel multi-pair cable with Neutrik XLR connectors	1,020.00	1,457.60
LT-40NR-200	Live Link 40 channel multi-pair cable with Neutrik XLR connectors	1,196.00	1,708.00
LT Series 52 Input X No Return Snake			
LT-52NR-050	Live Link 52 channel multi-pair cable with Neutrik XLR connectors	832.80	1,189.60
LT-52NR-100	Live Link 52 channel multi-pair cable with Neutrik XLR connectors	1,062.40	1,517.60
LT-52NR-150	Live Link 52 channel multi-pair cable with Neutrik XLR connectors	1,291.20	1,844.80
LT-52NR-200	Live Link 52 channel multi-pair cable with Neutrik XLR connectors	1,520.80	2,172.00



## Sub Snakes

*The Sub-8, Sub-12 and Sub-16 sub-snakes are the ultimate in stage drops for drum risers, keyboards and vocals. A sleek design, made with Cable Factory's Live Link series multi-pair, metal Neutrik connectors, and a compact black anodized aluminum box. Our sub-snakes are also available with our veam-style multipin connectors (available in 25, 37 and 54 pin configurations) for quick set up and tear down. Available in custom anodized colours for ease of set up.*



# Sub Snakes



<b>8 Channel Hardwired Sub Snake</b>		<b>DLR</b>	<b>LIST</b>
LTSUB8-025	Slim style sub box with Live Link 8 channel multi-pair cable and Neutrik XLR connectors	136.00	193.60
LTSUB8-050	Slim style sub box with Live Link 8 channel multi-pair cable and Neutrik XLR connectors	151.20	216.80
LTSUB8-075	Slim style sub box with Live Link 8 channel multi-pair cable and Neutrik XLR connectors	167.20	239.20
LTSUB8-100	Slim style sub box with Live Link 8 channel multi-pair cable and Neutrik XLR connectors	183.20	261.60
<b>8 Channel Sub Box Breakout to Veam</b>			
LTSUB8-025V	Slim style sub box with Live Link 8 channel multi-pair cable and 37 pin veam	221.60	316.80
LTSUB8-050V	Slim style sub box with Live Link 8 channel multi-pair cable and 37 pin veam	237.60	340.00
LTSUB8-075V	Slim style sub box with Live Link 8 channel multi-pair cable and 37 pin veam	253.60	362.40
LTSUB8-100V	Slim style sub box with Live Link 8 channel multi-pair cable and 37 pin veam	269.60	384.80
<b>8 Channel Sub Box with Veam</b>			
LTSUB8V	8 channel slim style sub box with Neutrik XLR's and 25 pin veam	176.00	251.20
<b>12 Channel Hardwired Sub Snake</b>			
LTSUB12-025	Slim style sub box with Live Link 12 channel multi-pair cable and Neutrik XLR connectors	187.20	267.20
LTSUB12-050	Slim style sub box with Live Link 12 channel multi-pair cable and Neutrik XLR connectors	210.40	300.80
LTSUB12-075	Slim style sub box with Live Link 12 channel multi-pair cable and Neutrik XLR connectors	234.40	334.40
LTSUB12-100	Slim style sub box with Live Link 12 channel multi-pair cable and Neutrik XLR connectors	257.60	368.80
<b>12 Channel Sub Box Breakout to Veam</b>			
LTSUB12-025V	Slim style sub box with Live Link 12 channel multi-pair cable and 37 pin veam	263.20	375.20
LTSUB12-050V	Slim style sub box with Live Link 12 channel multi-pair cable and 37 pin veam	286.40	409.60
LTSUB12-075V	Slim style sub box with Live Link 12 channel multi-pair cable and 37 pin veam	310.40	443.20
LTSUB12-100V	Slim style sub box with Live Link 12 channel multi-pair cable and 37 pin veam	333.60	476.80
<b>12 Channel Sub Box with Veam</b>			
LTSUB12V	12 channel slim style sub box with Neutrik XLR's and 37 pin veam	212.80	304.00



# Sub Snakes




<b>16 Channel Hardwired Sub Snake</b>		<b>DLR</b>	<b>LIST</b>
LTSUB16-025	Slim style sub box with Live Link 16 channel multi-pair cable and Neutrik XLR connectors	239.20	341.60
LTSUB16-050	Slim style sub box with Live Link 16 channel multi-pair cable and Neutrik XLR connectors	271.20	387.20
LTSUB16-075	Slim style sub box with Live Link 16 channel multi-pair cable and Neutrik XLR connectors	303.20	432.80
LTSUB16-100	Slim style sub box with Live Link 16 channel multi-pair cable and Neutrik XLR connectors	335.20	479.20
<b>16 Channel Sub Box Breakout to Veam</b>			
LTSUB16-025V	Slim style sub box with Live Link 16 channel multi-pair cable and 37 pin veam	263.20	375.20
LTSUB16-050V	Slim style sub box with Live Link 16 channel multi-pair cable and 37 pin veam	286.40	409.60
LTSUB16-075V	Slim style sub box with Live Link 16 channel multi-pair cable and 37 pin veam	310.40	443.20
LTSUB16-100V	Slim style sub box with Live Link 16 channel multi-pair cable and 37 pin veam	412.00	588.00
<b>16 Channel Sub Box with Veam</b>			
LTSUB16V	16 channel slim style sub box with Neutrik XLR's and 54 pin veam	276.00	394.40



<b>4 Channel Analogue Snake over Single CAT5E Cable</b>		<b>DLR</b>	<b>LIST</b>
LCAT4SB-025	4 channel box to box analogue snake over single Belden 1305A CAT5E cable with Neutrik XLR's and etherCON connectors	212.80	304.80
LCAT4SB-050	4 channel box to box analogue snake over single Belden 1305A CAT5E cable with Neutrik XLR's and etherCON connectors	227.20	324.80
LCAT4SB-075	4 channel box to box analogue snake over single Belden 1305A CAT5E cable with Neutrik XLR's and etherCON connectors	241.60	344.80
LCAT4SB-100	4 channel box to box analogue snake over single Belden 1305A CAT5E cable with Neutrik XLR's and etherCON connectors	255.20	364.80
LCAT4SB-150	4 channel box to box analogue snake over single Belden 1305A CAT5E cable with Neutrik XLR's and etherCON connectors	284.00	405.60

# Concert Snake Heads

*Our large format Pro Touring snakes are designed to deliver the ultimate in durability and functionality to the Live Sound Touring Industry. Featuring Cable Factory's veam-style connectors, MASS multi-pins, and the highest quality Lundahl splitting transformers, our in-house fabricators can custom build your snake to your specifications.*



Rack Mount Snake Head with Passive Split		DLR	LIST
LTRMB50NRBM	Features 50 channel veam FOH and monitor multi-pins with recessed ground lift switches	1,459.20	2,084.80
Rack Mount Snake Head with Lundahl Monitor Isolated Split			
LTRMB50NRBM-1S	Features 50 channel veam FOH and monitor multi-pins with recessed ground lift switches and Lundahl ISO splitting transformer LL1591	4,099.20	5,856.00
Rack Mount Snake Head with High End Lundahl Monitor Isolated Split Transformer			
LTRMB50NRBM-1SX	Features 50 channel veam FOH and monitor multi-pins with recessed ground lift switches and 1 high end Lundahl ISO splitting transformer LL1527XL	4,816.00	6,880.00
Rack Mount Snake Head with Dual High End Lundahl ISO Transformer			
LTRMB50NRBM-2SX	Features 50 channel veam FOH and monitor multi-pins with recessed ground lift switches and dual high end Lundahl ISO splitting transformers LL1581XL	6,596.80	9,424.00

# Multi Pin Cables

*Features our Live Link multi-pair snake cable and are available with Veam, Mass or DT12 multi-pin connectors. Cable Factory's multi-pin cables are the perfect solution for quick set up and tear down during live performances and broadcasts.*



<b>8 Channel Veam to XLRM Splay</b>		<b>DLR</b>	<b>LIST</b>
LT8VFXM-006	Live Link 8 channel multi-pair with veam 25 pin female and Neutrik NC3MX	139.20	199.20
LT8VFXM-025	Live Link 8 channel multi-pair with veam 25 pin female and Neutrik NC3MX	151.20	216.00
LT8VFXM-050	Live Link 8 channel multi-pair with veam 25 pin female and Neutrik NC3MX	167.20	238.40
LT8VFXM-075	Live Link 8 channel multi-pair with veam 25 pin female and Neutrik NC3MX	182.40	260.80
LT8VFXM-100	Live Link 8 channel multi-pair with veam 25 pin female and Neutrik NC3MX	198.40	283.20
LT8VFXM-125	Live Link 8 channel multi-pair with veam 25 pin female and Neutrik NC3MX	214.40	306.40
LT8VFXM-150	Live Link 8 channel multi-pair with veam 25 pin female and Neutrik NC3MX	229.60	328.80
LT8VFXM-175	Live Link 8 channel multi-pair with veam 25 pin female and Neutrik NC3MX	245.60	351.20
LT8VFXM-200	Live Link 8 channel multi-pair with veam 25 pin female and Neutrik NC3MX	261.60	373.60
<b>Veam to Veam Extension Snake</b>			
LT8VMVF-025	Live Link 8 channel multi-pair with male and female veam 25 pin multi-pin connectors	225.60	322.40
LT8VMVF-050	Live Link 8 channel multi-pair with male and female veam 25 pin multi-pin connectors	241.60	345.60
LT8VMVF-075	Live Link 8 channel multi-pair with male and female veam 25 pin multi-pin connectors	257.60	368.00
LT8VMVF-100	Live Link 8 channel multi-pair with male and female veam 25 pin multi-pin connectors	272.80	390.40
LT8VMVF-125	Live Link 8 channel multi-pair with male and female veam 25 pin multi-pin connectors	288.80	412.80
LT8VMVF-150	Live Link 8 channel multi-pair with male and female veam 25 pin multi-pin connectors	304.80	435.20
LT8VMVF-175	Live Link 8 channel multi-pair with male and female veam 25 pin multi-pin connectors	320.80	457.60
LT8VMVF-200	Live Link 8 channel multi-pair with male and female veam 25 pin multi-pin connectors	336.00	480.00

# Multi Pin Cables

<b>12 Channel Veam to XLRM Splay</b>		<b>DLR</b>	<b>LIST</b>
LT12VFXM-006	Live Link 12 channel multi-pair with veam 37 pin female and Neutrik NC3MX	166.40	238.40
LT12VFXM-025	Live Link 12 channel multi-pair with veam 37 pin female and Neutrik NC3MX	184.80	264.00
LT12VFXM-050	Live Link 12 channel multi-pair with veam 37 pin female and Neutrik NC3MX	208.00	297.60
LT12VFXM-075	Live Link 12 channel multi-pair with veam 37 pin female and Neutrik NC3MX	232.00	331.20
LT12VFXM-100	Live Link 12 channel multi-pair with veam 37 pin female and Neutrik NC3MX	255.20	364.80
LT12VFXM-125	Live Link 12 channel multi-pair with veam 37 pin female and Neutrik NC3MX	279.20	399.20
LT12VFXM-150	Live Link 12 channel multi-pair with veam 37 pin female and Neutrik NC3MX	302.40	432.80
LT12VFXM-175	Live Link 12 channel multi-pair with veam 37 pin female and Neutrik NC3MX	326.40	466.40
LT12VFXM-200	Live Link 12 channel multi-pair with veam 37 pin female and Neutrik NC3MX	350.40	500.00
<b>Veam to Veam Extension Snake</b>			
LT12VMVF-025	Live Link 12 channel multi-pair with male and female veam 37 pin multi-pin connectors	274.40	392.00
LT12VMVF-050	Live Link 12 channel multi-pair with male and female veam 37 pin multi-pin connectors	298.40	425.60
LT12VMVF-075	Live Link 12 channel multi-pair with male and female veam 37 pin multi-pin connectors	321.60	460.00
LT12VMVF-100	Live Link 12 channel multi-pair with male and female veam 37 pin multi-pin connectors	345.60	493.60
LT12VMVF-125	Live Link 12 channel multi-pair with male and female veam 37 pin multi-pin connectors	368.80	527.20
LT12VMVF-150	Live Link 12 channel multi-pair with male and female veam 37 pin multi-pin connectors	392.80	560.80
LT12VMVF-175	Live Link 12 channel multi-pair with male and female veam 37 pin multi-pin connectors	416.00	594.40
LT12VMVF-200	Live Link 12 channel multi-pair with male and female veam 37 pin multi-pin connectors	440.00	628.00
<b>16 Channel Veam to XLRM Splay</b>			
LT16VFXM-006	Live Link 16 channel multi-pair with veam 54 pin female and Neutrik NC3MX	139.20	199.20
LT16VFXM-025	Live Link 16 channel multi-pair with veam 54 pin female and Neutrik NC3MX	151.20	216.00
LT16VFXM-050	Live Link 16 channel multi-pair with veam 54 pin female and Neutrik NC3MX	167.20	238.40
LT16VFXM-075	Live Link 16 channel multi-pair with veam 54 pin female and Neutrik NC3MX	182.40	260.80
LT16VFXM-100	Live Link 16 channel multi-pair with veam 54 pin female and Neutrik NC3MX	198.40	283.20
LT16VFXM-125	Live Link 16 channel multi-pair with veam 54 pin female and Neutrik NC3MX	214.40	306.40
LT16VFXM-150	Live Link 16 channel multi-pair with veam 54 pin female and Neutrik NC3MX	229.60	328.80
LT16VFXM-175	Live Link 16 channel multi-pair with veam 54 pin female and Neutrik NC3MX	245.60	351.20
LT16VFXM-200	Live Link 16 channel multi-pair with veam 54 pin female and Neutrik NC3MX	261.60	373.60
<b>Veam to Veam Extension Snake</b>			
LT16VMVF-025	Live Link 16 channel multi-pair with male and female veam 54 pin multi-pin connectors	274.40	392.00
LT16VMVF-050	Live Link 16 channel multi-pair with male and female veam 54 pin multi-pin connectors	298.40	425.60
LT16VMVF-075	Live Link 16 channel multi-pair with male and female veam 54 pin multi-pin connectors	321.60	460.00
LT16VMVF-100	Live Link 16 channel multi-pair with male and female veam 54 pin multi-pin connectors	443.20	632.80
LT16VMVF-125	Live Link 16 channel multi-pair with male and female veam 54 pin multi-pin connectors	475.20	678.40
LT16VMVF-150	Live Link 16 channel multi-pair with male and female veam 54 pin multi-pin connectors	507.20	724.80
LT16VMVF-175	Live Link 16 channel multi-pair with male and female veam 54 pin multi-pin connectors	539.20	770.40
LT16VMVF-200	Live Link 16 channel multi-pair with male and female veam 54 pin multi-pin connectors	571.20	816.80

# Multi Pin Cables

<b>28 Channel Veam to XLRM Splay</b>		<b>DLR</b>	<b>LIST</b>
LT28VFXM-006	Live Link 28 channel multi-pair with veam 85 pin female and Neutrik NC3MX	381.60	545.60
LT28VFXM-025	Live Link 28 channel multi-pair with veam 85 pin female and Neutrik NC3MX	424.00	606.40
LT28VFXM-050	Live Link 28 channel multi-pair with veam 85 pin female and Neutrik NC3MX	480.00	685.60
LT28VFXM-075	Live Link 28 channel multi-pair with veam 85 pin female and Neutrik NC3MX	536.00	765.60
LT28VFXM-100	Live Link 28 channel multi-pair with veam 85 pin female and Neutrik NC3MX	591.20	844.80
LT28VFXM-125	Live Link 28 channel multi-pair with veam 85 pin female and Neutrik NC3MX	647.20	924.80
LT28VFXM-150	Live Link 28 channel multi-pair with veam 85 pin female and Neutrik NC3MX	703.20	1,004.00
LT28VFXM-175	Live Link 28 channel multi-pair with veam 85 pin female and Neutrik NC3MX	758.40	1,084.00
LT28VFXM-200	Live Link 28 channel multi-pair with veam 85 pin female and Neutrik NC3MX	814.40	1,163.20
<b>Veam to Veam Extension Snake</b>			
LT28VMVF-025	Live Link 28 channel multi-pair with male and female veam 85 pin multi-pin connectors	346.40	495.20
LT28VMVF-050	Live Link 28 channel multi-pair with male and female veam 85 pin multi-pin connectors	378.40	540.80
LT28VMVF-075	Live Link 28 channel multi-pair with male and female veam 85 pin multi-pin connectors	410.40	587.20
LT28VMVF-100	Live Link 28 channel multi-pair with male and female veam 85 pin multi-pin connectors	710.40	1,015.20
LT28VMVF-125	Live Link 28 channel multi-pair with male and female veam 85 pin multi-pin connectors	766.40	1,095.20
LT28VMVF-150	Live Link 28 channel multi-pair with male and female veam 85 pin multi-pin connectors	822.40	1,174.40
LT28VMVF-175	Live Link 28 channel multi-pair with male and female veam 85 pin multi-pin connectors	877.60	1,254.40
LT28VMVF-200	Live Link 28 channel multi-pair with male and female veam 85 pin multi-pin connectors	933.60	1,333.60
<b>36 Channel Veam to XLRM Splay</b>			
LT36VFXM-006	Live Link 36 channel multi-pair with veam 150 pin female and Neutrik NC3MX	454.40	649.60
LT36VFXM-025	Live Link 36 channel multi-pair with veam 150 pin female and Neutrik NC3MX	509.60	728.80
LT36VFXM-050	Live Link 36 channel multi-pair with veam 150 pin female and Neutrik NC3MX	582.40	832.00
LT36VFXM-075	Live Link 36 channel multi-pair with veam 150 pin female and Neutrik NC3MX	655.20	936.00
LT36VFXM-100	Live Link 36 channel multi-pair with veam 150 pin female and Neutrik NC3MX	728.00	1,040.00
LT36VFXM-125	Live Link 36 channel multi-pair with veam 150 pin female and Neutrik NC3MX	800.80	1,144.00
LT36VFXM-150	Live Link 36 channel multi-pair with veam 150 pin female and Neutrik NC3MX	873.60	1,247.20
LT36VFXM-175	Live Link 36 channel multi-pair with veam 150 pin female and Neutrik NC3MX	945.60	1,351.20
LT36VFXM-200	Live Link 36 channel multi-pair with veam 150 pin female and Neutrik NC3MX	1,018.40	1,455.20
<b>Veam to Veam Extension Snake</b>			
LT36VMVF-025	Live Link 36 channel multi-pair with male and female veam 150 pin multi-pin connectors	648.00	926.40
LT36VMVF-050	Live Link 36 channel multi-pair with male and female veam 150 pin multi-pin connectors	720.80	1,029.60
LT36VMVF-075	Live Link 36 channel multi-pair with male and female veam 150 pin multi-pin connectors	793.60	1,133.60
LT36VMVF-100	Live Link 36 channel multi-pair with male and female veam 150 pin multi-pin connectors	926.40	1,324.00
LT36VMVF-125	Live Link 36 channel multi-pair with male and female veam 150 pin multi-pin connectors	1,014.40	1,448.80
LT36VMVF-150	Live Link 36 channel multi-pair with male and female veam 150 pin multi-pin connectors	1,102.40	1,574.40
LT36VMVF-175	Live Link 36 channel multi-pair with male and female veam 150 pin multi-pin connectors	1,189.60	1,700.00
LT36VMVF-200	Live Link 36 channel multi-pair with male and female veam 150 pin multi-pin connectors	1,277.60	1,825.60

# Multi Pin Cables

<b>42 Channel Veam to XLRM Splay</b>		<b>DLR</b>	<b>LIST</b>
LT42VFXM-006	Live Link 42 channel multi-pair with veam 150 pin female and Neutrik NC3MX	501.60	716.80
LT42VFXM-025	Live Link 42 channel multi-pair with veam 150 pin female and Neutrik NC3MX	568.80	812.00
LT42VFXM-050	Live Link 42 channel multi-pair with veam 150 pin female and Neutrik NC3MX	656.00	937.60
LT42VFXM-075	Live Link 42 channel multi-pair with veam 150 pin female and Neutrik NC3MX	744.00	1,063.20
LT42VFXM-100	Live Link 42 channel multi-pair with veam 150 pin female and Neutrik NC3MX	832.00	1,188.00
LT42VFXM-125	Live Link 42 channel multi-pair with veam 150 pin female and Neutrik NC3MX	920.00	1,313.60
LT42VFXM-150	Live Link 42 channel multi-pair with veam 150 pin female and Neutrik NC3MX	1,007.20	1,439.20
LT42VFXM-175	Live Link 42 channel multi-pair with veam 150 pin female and Neutrik NC3MX	1,095.20	1,564.80
LT42VFXM-200	Live Link 42 channel multi-pair with veam 150 pin female and Neutrik NC3MX	1,183.20	1,689.60
<b>Veam to Veam Extension Snake</b>			
LT42VMVF-025	Live Link 42 channel multi-pair with male and female veam 150 pin multi-pin connectors	663.20	948.00
LT42VMVF-050	Live Link 42 channel multi-pair with male and female veam 150 pin multi-pin connectors	751.20	1,072.80
LT42VMVF-075	Live Link 42 channel multi-pair with male and female veam 150 pin multi-pin connectors	839.20	1,198.40
LT42VMVF-100	Live Link 42 channel multi-pair with male and female veam 150 pin multi-pin connectors	926.40	1,324.00
LT42VMVF-125	Live Link 42 channel multi-pair with male and female veam 150 pin multi-pin connectors	1,014.40	1,448.80
LT42VMVF-150	Live Link 42 channel multi-pair with male and female veam 150 pin multi-pin connectors	1,102.40	1,574.40
LT42VMVF-175	Live Link 42 channel multi-pair with male and female veam 150 pin multi-pin connectors	1,189.60	1,700.00
LT42VMVF-200	Live Link 42 channel multi-pair with male and female veam 150 pin multi-pin connectors	1,277.60	1,825.60
<b>50 Channel Veam to XLRM Splay</b>			
LT50VFXM-006	Live Link 50 channel multi-pair with veam 150 pin female and Neutrik NC3MX	556.80	796.00
LT50VFXM-025	Live Link 50 channel multi-pair with veam 150 pin female and Neutrik NC3MX	644.00	920.00
LT50VFXM-050	Live Link 50 channel multi-pair with veam 150 pin female and Neutrik NC3MX	759.20	1,084.00
LT50VFXM-075	Live Link 50 channel multi-pair with veam 150 pin female and Neutrik NC3MX	873.60	1,248.00
LT50VFXM-100	Live Link 50 channel multi-pair with veam 150 pin female and Neutrik NC3MX	988.00	1,411.20
LT50VFXM-125	Live Link 50 channel multi-pair with veam 150 pin female and Neutrik NC3MX	1,102.40	1,575.20
LT50VFXM-150	Live Link 50 channel multi-pair with veam 150 pin female and Neutrik NC3MX	1,217.60	1,739.20
LT50VFXM-175	Live Link 50 channel multi-pair with veam 150 pin female and Neutrik NC3MX	1,332.00	1,903.20
LT50VFXM-200	Live Link 50 channel multi-pair with veam 150 pin female and Neutrik NC3MX	1,446.40	2,066.40
<b>Veam to Veam Extension Snake</b>			
LT50VMVF-025	Live Link 50 channel multi-pair with male and female veam 150 pin multi-pin connectors	718.40	1,026.40
LT50VMVF-050	Live Link 50 channel multi-pair with male and female veam 150 pin multi-pin connectors	832.80	1,189.60
LT50VMVF-075	Live Link 50 channel multi-pair with male and female veam 150 pin multi-pin connectors	947.20	1,353.60
LT50VMVF-100	Live Link 50 channel multi-pair with male and female veam 150 pin multi-pin connectors	1,062.40	1,517.60
LT50VMVF-125	Live Link 50 channel multi-pair with male and female veam 150 pin multi-pin connectors	1,176.80	1,680.80
LT50VMVF-150	Live Link 50 channel multi-pair with male and female veam 150 pin multi-pin connectors	1,291.20	1,844.80
LT50VMVF-175	Live Link 50 channel multi-pair with male and female veam 150 pin multi-pin connectors	1,405.60	2,008.80
LT50VMVF-200	Live Link 50 channel multi-pair with male and female veam 150 pin multi-pin connectors	1,520.80	2,172.00

# Multi Pin Cables

<b>40 channel Mass to Mass Extension Snake</b>		<b>DLR</b>	<b>LIST</b>
LTMASMM40-025	Live Link 42 channel multi-pair with mass 122 multi-pin connectors	916.80	1,308.80
LTMASMM40-050	Live Link 42 channel multi-pair with mass 122 multi-pin connectors	1,004.00	1,434.40
LTMASMM40-075	Live Link 42 channel multi-pair with mass 122 multi-pin connectors	1,092.00	1,560.00
LTMASMM40-100	Live Link 42 channel multi-pair with mass 122 multi-pin connectors	1,180.00	1,685.60
LTMASMM40-125	Live Link 42 channel multi-pair with mass 122 multi-pin connectors	1,267.20	1,810.40
LTMASMM40-150	Live Link 42 channel multi-pair with mass 122 multi-pin connectors	1,355.20	1,936.00
LTMASMM40-175	Live Link 42 channel multi-pair with mass 122 multi-pin connectors	1,443.20	2,061.60
LTMASMM40-200	Live Link 42 channel multi-pair with mass 122 multi-pin connectors	1,530.40	2,186.40
<b>40 Channel Mass to XLRM Splay</b>			
LTMASMXM40-006	Live Link 42 channel multi-pair with mass 122 multi-pin and Neutrik NC3MX connectors	595.20	850.40
LTMASMXM40-025	Live Link 42 channel multi-pair with mass 122 multi-pin and Neutrik NC3MX connectors	661.60	945.60
LTMASMXM40-050	Live Link 42 channel multi-pair with mass 122 multi-pin and Neutrik NC3MX connectors	749.60	1,071.20
LTMASMXM40-075	Live Link 42 channel multi-pair with mass 122 multi-pin and Neutrik NC3MX connectors	837.60	1,196.80
LTMASMXM40-100	Live Link 42 channel multi-pair with mass 122 multi-pin and Neutrik NC3MX connectors	925.60	1,321.60
LTMASMXM40-125	Live Link 42 channel multi-pair with mass 122 multi-pin and Neutrik NC3MX connectors	1,012.80	1,447.20
LTMASMXM40-150	Live Link 42 channel multi-pair with mass 122 multi-pin and Neutrik NC3MX connectors	1,100.80	1,572.80
LTMASMXM40-175	Live Link 42 channel multi-pair with mass 122 multi-pin and Neutrik NC3MX connectors	1,188.80	1,697.60
LTMASMXM40-200	Live Link 42 channel multi-pair with mass 122 multi-pin and Neutrik NC3MX connectors	1,276.00	1,823.20
<b>58 channel Mass to Mass Extension Snake</b>			
LTMASMM56-025	Live Link 56 channel multi-pair with mass 176 multi-pin connectors	1,051.20	1,501.60
LTMASMM56-050	Live Link 56 channel multi-pair with mass 176 multi-pin connectors	1,165.60	1,665.60
LTMASMM56-075	Live Link 56 channel multi-pair with mass 176 multi-pin connectors	1,280.80	1,829.60
LTMASMM56-100	Live Link 56 channel multi-pair with mass 176 multi-pin connectors	1,395.20	1,992.80
LTMASMM56-125	Live Link 56 channel multi-pair with mass 176 multi-pin connectors	1,509.60	2,156.80
LTMASMM56-150	Live Link 56 channel multi-pair with mass 176 multi-pin connectors	1,624.00	2,320.80
LTMASMM56-175	Live Link 56 channel multi-pair with mass 176 multi-pin connectors	1,739.20	2,484.00
LTMASMM56-200	Live Link 56 channel multi-pair with mass 176 multi-pin connectors	1,853.60	2,648.00
<b>58 Channel Mass to XLRM Splay</b>			
LTMASMXM58-006	Live Link 58 channel multi-pair with mass 176 multi-pin and Neutrik NC3MX connectors	739.20	1,056.00
LTMASMXM58-025	Live Link 58 channel multi-pair with mass 176 multi-pin and Neutrik NC3MX connectors	826.40	1,180.80
LTMASMXM58-050	Live Link 58 channel multi-pair with mass 176 multi-pin and Neutrik NC3MX connectors	940.80	1,344.00
LTMASMXM58-075	Live Link 58 channel multi-pair with mass 176 multi-pin and Neutrik NC3MX connectors	1,056.00	1,508.00
LTMASMXM58-100	Live Link 58 channel multi-pair with mass 176 multi-pin and Neutrik NC3MX connectors	1,170.40	1,672.00
LTMASMXM58-125	Live Link 58 channel multi-pair with mass 176 multi-pin and Neutrik NC3MX connectors	1,284.80	1,835.20
LTMASMXM58-150	Live Link 58 channel multi-pair with mass 176 multi-pin and Neutrik NC3MX connectors	1,399.20	1,999.20
LTMASMXM58-175	Live Link 58 channel multi-pair with mass 176 multi-pin and Neutrik NC3MX connectors	1,514.40	2,163.20
LTMASMXM58-200	Live Link 58 channel multi-pair with mass 176 multi-pin and Neutrik NC3MX connectors	1,628.80	2,327.20

# DT-12 Broadcast Snakes

Features our DT-12 Broadcast Extension Snakes made with DT-12 multi-pin connectors and our Flexible Live Link 12 Channel multi-pair cable. Our DT-12 splays include our Live Link multi-pair cable, DT 12 and Neutrik connectors.



<b>DT12 Male to Female XLR Splay</b>		<b>DLR</b>	<b>LIST</b>
LDT12FXM-006	Live Link 12 channel multi-pair cable with DT12 male to 12 female NC3FX Neutrik XLR connectors	186.40	266.40
<b>DT12 Female to Male XLR Splay</b>			
LDT12MXF-006	Live Link 12 channel multi-pair cable with DT12 female to 12 male Neutrik NC3MX XLR connectors	200.80	286.40
<b>DT12 Extension Snake</b>			
LDT12MDT12F-025	Live Link 12 channel multi-pair cable with male and female broadcast standard DT12 multi-pin connectors	291.20	416.80
LDT12MDT12F-050	Live Link 12 channel multi-pair cable with male and female broadcast standard DT12 multi-pin connectors	315.20	450.40
LDT12MDT12F-075	Live Link 12 channel multi-pair cable with male and female broadcast standard DT12 multi-pin connectors	338.40	484.00
LDT12MDT12F-100	Live Link 12 channel multi-pair cable with male and female broadcast standard DT12 multi-pin connectors	362.40	517.60
LDT12MDT12F-125	Live Link 12 channel multi-pair cable with male and female broadcast standard DT12 multi-pin connectors	386.40	551.20
LDT12MDT12F-150	Live Link 12 channel multi-pair cable with male and female broadcast standard DT12 multi-pin connectors	409.60	585.60
LDT12MDT12F-200	Live Link 12 channel multi-pair cable with male and female broadcast standard DT12 multi-pin connectors	456.80	652.80



# Digital etherCON Snakes


*Cable Factory's digital etherCON snakes utilize the world's finest tactical ethernet cables. Along with the neutrik etherCON, the snake makes it the most robust, flexible and accurate for data transmission.*







<b>4 Channel CAT6A Ethercon Cable Reel to Splay</b>		<b>DLR</b>	<b>LIST</b>
LCAT46ACR-025	Live Link LCAT6A4F snake cable with 4 etherCON connectors on cable reel to splay	enquire for pricing	enquire for pricing
LCAT46ACR-050	Live Link LCAT6A4F snake cable with 4 etherCON connectors on cable reel to splay	enquire for pricing	enquire for pricing
LCAT46ACR-075	Live Link LCAT6A4F snake cable with 4 etherCON connectors on cable reel to splay	enquire for pricing	enquire for pricing
LCAT46ACR-100	Live Link LCAT6A4F snake cable with 4 etherCON connectors on cable reel to splay	enquire for pricing	enquire for pricing
LCAT46ACR-150	Live Link LCAT6A4F snake cable with 4 etherCON connectors on cable reel to splay	enquire for pricing	enquire for pricing
LCAT46ACR-200	Live Link LCAT6A4F snake cable with 4 etherCON connectors on cable reel to splay	enquire for pricing	enquire for pricing
LCAT46ACR-250	Live Link LCAT6A4F snake cable with 4 etherCON connectors on cable reel to splay	enquire for pricing	enquire for pricing
LCAT46ACR-300	Live Link LCAT6A4F snake cable with 4 etherCON connectors on cable reel to splay	enquire for pricing	enquire for pricing
<b>4 Channel CAT6A Ethercon Box to Splay</b>			
LCAT46ASB-025	Live Link LCAT6A4F snake cable with 4 etherCON connectors - box to splay	enquire for pricing	enquire for pricing
LCAT46ASB-050	Live Link LCAT6A4F snake cable with 4 etherCON connectors - box to splay	enquire for pricing	enquire for pricing
LCAT46ASB-075	Live Link LCAT6A4F snake cable with 4 etherCON connectors - box to splay	enquire for pricing	enquire for pricing
LCAT46ASB-100	Live Link LCAT6A4F snake cable with 4 etherCON connectors - box to splay	enquire for pricing	enquire for pricing
LCAT46ASB-150	Live Link LCAT6A4F snake cable with 4 etherCON connectors - box to splay	enquire for pricing	enquire for pricing
LCAT46ASB-200	Live Link LCAT6A4F snake cable with 4 etherCON connectors - box to splay	enquire for pricing	enquire for pricing
LCAT46ASB-250	Live Link LCAT6A4F snake cable with 4 etherCON connectors - box to splay	enquire for pricing	enquire for pricing
LCAT46ASB-300	Live Link LCAT6A4F snake cable with 4 etherCON connectors - box to splay	enquire for pricing	enquire for pricing

# Devices






1.888.383.4883 [www.cablefactory.com](http://www.cablefactory.com)






# Devices

<b>DI-PRO-P1</b>	DI-PRO Passive Direct Box Single Channel	<b>DLR</b>	<b>LIST</b>	Simply the best Direct box on the market, at the core of this DI is the Lundahl transformer. It has the best characteristics of any transformer we tested. Built in an extruded aluminum box, recessed switches and connectors, it is constructed for the abuses of touring. Our Direct boxes are world famous for being absolutely true and reliable, winning many magazine reviews for being the best sounding direct boxes on the market.	
<b>DI-PRO-P4</b>	DI-PRO 4 Channel Passive Rack Mount Direct Box	532.80	760.80	This four-channel rack mount Direct Box is a passive DI that is identical to our DI-PRO-P1. It features the same great sound but in a 4 Channel 1U rack mount unit. All recessed ground lift and 15dB Pad switches and Lundahl transformers.	
<b>DI-PRO-PC</b>	DI-PRO PC Direct Box Left/Right	244.80	349.60	Our PC-DI is used for balancing the outputs of a computer sound card or consumer audio devices. This DI balances the signal and converts the stereo signal to Mic level. Lundahl transformers are the core of this DI. Stereo RCA for both inputs and thru, and a 3.5 mini jack are used for the inputs and Left/Right XLR male outputs with recessed toggle type ground lift switches. A 20dB pad is also included.	
<b>DI-PRO-ST</b>	DI-PRO Passive Stereo Direct Box	269.60	384.80	This two channel stereo Direct Box is a passive DI that is identical to our DI-PRO-P1. It features heavy-duty extruded anodized construction. The same clean sound as the P-1 makes this the ideal DI for stereo keyboards or other stereo unbalanced devices.	

# Devices

<b>LSPLIT-2</b>	Single Channel Splitter	<b>DLR</b> 116.80	<b>LIST</b> 167.20	This 1 channel Mic/Line splitter is used for splitting a single channel. One channel is Isolated and one non isolated. Recessed ground lift switch for isolated output. Lundahl 1527 XL transformer is used in a robust extruded aluminum box.	
<b>ISO-2</b>	ISO-2 2 Channel Isolation Box	174.40	248.80	The ISO-2 is a 2 channel isolation box similar to the ISO-4 but in a 2-channel version. This robust box features recessed ground lift switches and Lundahl transformers.	
<b>ISO-4</b>	ISO-4 Rack Mount 4 Chan Splitter Isolation Box	416.80	595.20	The ISO-4 is a unique box in that it gives you both 4 isolated channels but can also be used as a 4-channel splitter as each channel has 2 isolated and 1 non Isolated channel. It features the Lundahl LL1581XL transformer, which can take an input level of +19dB. This box features recessed ground lift switches.	
<b>LAESBFS</b>	AES to SPDIF Converter XLR Male to BNC Female	80.80	116.00	These units are used in digital audio applications and are available in the following configurations. All units utilize the very latest in impedance matching Lundahl transformer technology.	
<b>LAESRFS</b>	AES to SPDIF Converter XLR Male to RCA Female	76.00	108.80		
<b>LAESRMS</b>	AES to SPDIF Converter XLR Female to RCA Male	73.60	105.60		
<b>LAESMXF</b>	AES Isolation XLR Male to Female	75.20	107.20		
<b>LGRNDL-1</b>	Inline Ground Lift	21.60	31.20	A must in every tool kit, this unit lifts pin 1 for elimination of ground loops.	

# Devices



		DLR	LIST		
<b>LIFIP-1</b>	Female XLR to 1/4 Male Isolation	109.60	156.80	The GPPS line of products are great little units used for solving many different situations. From breaking up ground loops and also to convert balanced to unbalanced signals. Lundahl transformers are used throughout the line.	
<b>LIFXM-1</b>	Male XLR to Female XLR Isolation	107.20	153.60		
<b>LIFXRF-1</b>	Female XLR to RCA Female Isolation	108.80	155.20		
<b>LIMXP-1</b>	Male XLR to 1/4 Male Isolation	109.60	156.80		
<b>LIMXRF-1</b>	Male XLR to RCA Female Isolation	108.80	155.20		
<b>LIMXRM-1</b>	Male XLR to RCA Male Isolation	108.80	155.20		
<b>LPAD-10</b>	Inline 10dB PAD	21.60	31.20	These inline pads are used for attenuating the input. They are made with a full balanced network with high tolerance metal film resistors. Available in 10,20,30 and 40dB configurations.	
<b>LPAD-20</b>	Inline 20dB PAD	21.60	31.20		
<b>LPAD-30</b>	Inline 30dB PAD	21.60	31.20		
<b>LPAD-40</b>	Inline 40dB PAD	21.60	31.20		
<b>LPREV-1</b>	Inline Phase Reverse	21.60	31.20	This unit gives you the ability to reverse pins 2 and 3 for matching older or incorrect pin 3 hot products.	

# Bulk Wire

1.888.383.4883 [www.cablefactory.com](http://www.cablefactory.com)












# Bulk Audio Install / Bulk Speaker Install

Audio 1 pair/22awg Install Cable - CMR and CMP Rated		DLR	LIST	
<b>LLAI-222</b>	Live Link audio install cable - 1 pair/22awg foil shielded. Comes in 1000ft pull box. CMR Rated	0.06	0.08	
<b>LLAIP-222</b>	Live Link audio install cable - 1 pair/22awg foil shielded. Comes in 1000ft pull box. CMP Rated	0.07	0.10	

Bulk Install Speaker Cable - CMR and CMP Rated		DLR	LIST	
<b>LLSCI-212</b>	Live Link high strand install speaker cable 2C/12awg. CMR Fire Rated. Comes in 500ft pull box	0.41	0.59	
<b>LLSCI-214</b>	Live Link high strand install speaker cable 2C/14awg. CMR Fire Rated. Comes in 500ft pull box	0.26	0.36	
<b>LLSCI-216</b>	Live Link high strand install speaker cable 2C/16awg. CMR Fire Rated. Comes in 500ft pull box	0.17	0.24	
<b>LLSCI-218</b>	Live Link high stand install speaker cable 2C/18awg. CMR Fire Rated. Comes in 1,000ft pull box	0.10	0.14	
<b>LLSCI-412</b>	Live Link high strand install speaker cable 4C/12awg. CMR Fire Rated. Comes in 500ft pull box	0.61	0.87	
<b>LLSCI-414</b>	Live Link high strand install speaker cable 4C/14awg. CMR Fire Rated. Comes in 500ft pull box	0.49	0.70	
<b>LLSCI-416</b>	Live Link high strand install speaker cable 4C/16awg. CMR Fire Rated. Comes in 500ft pull box	0.31	0.44	
<b>LLSCIP-212</b>	Live Link high strand install speaker cable 2C/12awg. CMP Fire Rated. Comes in 1,000ft pull box	0.41	0.58	
<b>LLSCIP-214</b>	Live Link high strand install speaker cable 2C/14awg. CMP Fire Rated. Comes in 1,000ft pull box	0.28	0.40	
<b>LLSCIP-216</b>	Live Link high strand install speaker cable 2C/16awg. CMP Fire Rated. Comes in 1,000ft pull box	0.17	0.24	
<b>LLSCIP-218</b>	Live Link high stand install speaker cable 2C/18awg. CMP Fire Rated. Comes in 1,000ft pull box	0.12	0.17	
<b>LLSCIP-414</b>	Live Link high strand install speaker cable 4C/14awg. CMP Fire Rated. Comes in 1,000ft pull box	0.52	0.74	
<b>LLSCIP-416</b>	Live Link high strand install speaker cable 4C/16awg. CMP Fire Rated. Comes in 1,000 ft. pull box	0.32	0.46	




# Bulk Network cable / Bulk Guitar-Instrument


<b>Bulk High Flex Network Cable</b>		<b>DLR</b>	<b>LIST</b>	
<b>BLD-1302E</b>	Belden 1302E high flex CAT6A shielded ethernet cable	1.07	1.54	
<b>BLD-1305A</b>	Belden 1305A rugged high flex bonded pair network CAT5E 350 MHz cable	0.48	0.69	
<b>LCAT6A4C</b>	Live Link high flex 4 channel shielded CAT6 500 MHz cable	inquire for pricing	inquire for pricing	
<b>Bulk Network Install Cable - CMR and CMP Rated</b>		<b>DLR</b>	<b>LIST</b>	
<b>LICAT5E-350</b>	Install network cable CAT5E 350MHz foil shielded - CMR Rated. Comes in 1,000 ft. pull box	0.08	0.11	
<b>LICAT5EP-350</b>	Install network cable CAT5E 350MHz foil shielded - CMP Rated. Comes in 1,000 ft. pull box	0.18	0.27	
<b>LICAT6-550</b>	Install network cable CAT6 550 MHz foil shielded - CMR Rated. Comes in 1,000 ft. pull box	0.17	0.24	
<b>LICAT6A-600</b>	Install network cable CAT6A 500 MHz foil shielded - CMR Rated. Comes in 1,000 ft pull box	0.23	0.34	
<b>LICAT6AP-600</b>	Install network cable CAT6A 600 MHz foil shielded - CMP Rated. Comes in 1,000 ft. pull box	0.43	0.62	
<b>LICAT6P-550</b>	Install network cable CAT6 550 Mhz foil shielded - CMP Rated. Comes in 1,000 ft. pull box	0.40	0.57	

<b>High Flex Guitar/Instrument Cable - 1C/20awg with Braided Shield</b>		<b>DLR</b>	<b>LIST</b>	
<b>LLGT-120</b>	Live Link high flex touring guitar/inst - 1C/20awg with 27X34awg stranding braided shield and conductive coating	0.30	0.42	





# Bulk Mic cable / Bulk Snake Cable


Bulk Mic Cable		DLR	LIST	
<b>LLMQ-424</b>	Live Link high flex quad mic cable 4C/24awg with noise cancelling quad construction	0.37	0.53	
<b>LLMS-224</b>	Live Link high flex mic cable 2C/24awg with high strand conductors	0.22	0.31	
<b>LLMT-224</b>	Live Link high flex touring mic cable 2C/24awg with tinned copper braided shield	0.27	0.39	

Bulk Snake Cable		DLR	LIST	
<b>LLMB-02</b>	Live Link 2 channel multi-pair cable; high flex individually jacketed and numbered - CMR Rated	0.28	0.40	
<b>LLMB-06</b>	Live Link 6 channel multi-pair cable; high flex individually jacketed and numbered - CMR Rated	0.71	1.02	
<b>LLMB-08</b>	Live Link 8 channel multi-pair cable; high flex individually jacketed and numbered - CMR Rated	0.76	1.08	
<b>LLMB-12</b>	Live Link 12 channel multi-pair cable; high flex individually jacketed and numbered - CMR Rated	1.14	1.62	
<b>LLMB-16</b>	Live Link 16 channel multi-pair cable; high flex individually jacketed and numbered - CMR Rated	1.54	2.21	
<b>LLMB-20</b>	Live Link 20 channel multi-pair cable; high flex individually jacketed and numbered - CMR Rated	1.87	2.67	
<b>LLMB-28</b>	Live Link 28 channel multi-pair cable; high flex individually jacketed and numbered - CMR Rated	2.67	3.82	
<b>LLMB-36</b>	Live Link 36 channel multi-pair cable; high flex individually jacketed and numbered - CMR Rated	3.49	4.98	
<b>LLMB-42</b>	Live Link 42 channel multi-pair cable; high flex individually jacketed and numbered - CMR Rated	4.22	6.02	
<b>LLMB-58</b>	Live Link 58 channel multi-pair cable; high flex individually jacketed and numbered - CMR Rated	5.50	7.86	



# Bulk Speaker / DMX / Video Cable





Speaker Cable; High Flex		DLR	LIST	
<b>LLSC-212</b>	Live Link high flex speaker cable 2C/12awg; 26X65awg stranding	0.59	0.85	
<b>LLSC-214</b>	Live Link high flex speaker cable 2C/14awg; 41X30awg stranding	0.38	0.54	
<b>LLSC-216</b>	Live Link high flex speaker cable 2C/16awg; 26X30awg stranding	0.29	0.41	
<b>LLSC-412</b>	Live Link high flex speaker cable 4C/12awg; 26X65awg stranding	1.08	1.54	
<b>LLSC-812</b>	Live Link high flex speaker cable 8C/12awg; 26X65awg stranding	2.09	2.98	

Bulk DMX Cable		DLR	LIST	
<b>LDMX-224</b>	Live Link DMX cable - 1 pair/22awg with braided shield and high flex jacket	0.21	0.30	
<b>LDMX-424</b>	Live Link DMX cable - 2 pair/24awg with braided shield and high flex jacket	0.32	0.46	
<b>LDMXI-224</b>	Live Link DMX install cable - 1 pair/22awg foil shielded. Comes in 1000ft pull box. CMR Rated	0.32	0.46	
<b>LDMXI-424</b>	Live Link DMX install cable - 2 pair/22awg foil shielded. Comes in 1000ft pull box. CMR Rated	0.32	0.46	
<b>BLD-1502R</b>	Belden 1502R with 1 pair/22awg DMX and 2C/16awg composite cable	0.66	0.94	

Bulk Video Cable		DLR	LIST	
<b>BLD-1505A</b>	Belden RG-59 HD-SDI video cable 1C/20awg; braided and foil shielded. CMR Rated	0.43	0.62	
<b>BLD-1505F</b>	Belden RG-59 HD-SDI high flex video cable 1C/20awg with braided shield	0.78	1.11	
<b>BLD-1694A</b>	Belden RG-6 HD-SDI video cable 1C/18awg; braided and foil shielded. CMR Rated	0.43	0.62	
<b>BLD-1694F</b>	Belden RG-6 HD-SDI high flex video cable 1C/18awg with braided shield	0.78	1.11	
<b>BLD-1855A</b>	Belden HD-SDI sub-miniature video cable 1C/23awg; braided and foil shielded. CMR Rated	0.29	0.41	
<b>BLD-4505R</b>	Belden RG-59 4K UHD precision video 1C/20awg; braided and foil shielded. CMR Rated	0.91	1.30	
<b>BLD-1858A</b>	Belden high flex stranded triax video cable 1C/15awg RG11	2.91	4.16	

# Video Cable / Bulk Power Cable

<b>BLD-1856A</b>	Belden high flex stranded triax video cable 1C/20awg RG59	2.05	2.93	
<b>BLD-7712A</b>	Belden RG-6 HD-SDI high flex video snake cable; 5C/18awg; braided and foil shielded. CMR Rated	6.86	9.79	

Bulk Power Cable		DLR	LIST	
<b>LG1412</b>	Live Link rubber jacketed high flex 14C/12awg lighting cable	3.47	4.96	
<b>LG1912</b>	Live Link rubber jacketed high flex 19C/12awg lighting cable	5.49	7.84	
<b>LG312</b>	Live Link rubber jacketed SJOOW 3C/12awg power cable	0.62	0.88	
<b>LG314</b>	Live Link rubber jacketed SJOOW 3C/14awg power cable	0.50	0.72	
<b>LG714</b>	Live Link rubber jacketed SOOW 7C/14awg power cable	1.12	1.60	
<b>LSL2A</b>	Camlock Feeder Cable 2awg for 100 amp service	2.10	3.00	
<b>LSL2/0</b>	Camlock Feeder Cable 2/0 for 200 amp service	3.43	4.90	
<b>LSL4/0</b>	Camlock Feeder Cable 4/0 for 400 amp service	5.18	7.41	

# Connectors

1.888.383.4883 [www.cablefactory.com](http://www.cablefactory.com)



# 1/4" connectors

1/4" Connectors		DLR	LIST	
<b>NJ3FC6</b>	Locking Inline TRS Phone Jack -Nickel Housing	7.13	8.55	
<b>NJ3FP6C</b>	Locking Panel TRS Phone Jack -Nickel Housing	5.85	7.02	
<b>NP2RX</b>	Nickel Mono Phone Plug -Right angle Version	4.16	4.99	
<b>NP2X</b>	Nickel Mono Phone Plug	3.01	3.61	
<b>NP3RX</b>	Nickel Stereo Phone Plug -Right Angle Version	7.14	8.57	
<b>NP3TB-B</b>	Black Longframe Phone Plug -B-Gauge	6.28	7.54	
<b>NP3TT-P-B</b>	Black 4.4mm Bantam Plug -Solder & Crimp Type	4.97	5.96	
<b>NP3X</b>	Nickel Stereo Phone Plug	4.50	5.40	

# 1/4" connectors

3.5mm Connectors		DLR	LIST	
<b>NTP3RC</b>	Nickel 3.5mm Mini Plug with Nickel Contacts	3.67	4.41	
<b>NTP3RC-B</b>	Black 3.5mm Mini Plug with Gold Contacts	4.78	5.73	
<b>NYS-231BG-LL</b>	Black Stereo 3.5mm Mini-Plug w/ Gold Contacts & 8 mm Boot	2.00	2.40	
<b>NYS240L</b>	Nickel Stereo 3.5mm Jack -Large Cable Outlet	0.98	1.18	
<b>NYS373</b>	RCA Black/Gold Male Plug	1.62	1.94	

# XLR connectors

XLR Connectors		DLR	LIST	
<b>NC3FD-L-1</b>	3 Pin Nickel Chassis XLRF -D Size	3.07	3.69	
<b>NC3FRX</b>	3 Pin Nickel Right Angle XLRF -Slim	7.64	9.17	
<b>NC3FRX-B</b>	3 Pin Black Right Angle XLRF -Slim with Gold Contacts	9.77	11.72	
<b>NC3FX</b>	3 Pin Nickel Female Inline XLR	3.05	3.66	
<b>NC3FX-B</b>	3 Pin Black Female Inline XLR with Gold Contacts	4.51	5.42	
<b>NC3MD-L-1</b>	3 Pin Nickel Chassis XLRM -D Size	2.80	3.36	
<b>NC3MRX</b>	3 Pin Nickel Right Angle XLRM -Slim	6.57	7.88	
<b>NC3MX</b>	3 Pin Nickel Male Inline XLR	2.82	3.38	
<b>NC3MX-B</b>	3 Pin Black Male Inline XLR with Gold Contacts	3.75	4.50	
<b>NC5FD-L-1</b>	5 Pin Nickel Chassis XLRF -D Size	7.78	9.34	
<b>NC5FX</b>	5 Pin Nickel Female Inline XLR	6.68	8.02	

# Speakon Connectors

Speakon Connectors		DLR	LIST	
NL2MP	2 Pole speakON Panel Connector	2.20	2.64	
NL4MMX	4 Pole Locking speakON Coupler	5.25	6.30	
NL4MP	4 Pole speakON Panel Connector	1.98	2.38	
NL8FC	8 Pole speakON Cable Connector	12.04	14.44	
NL8MM	8 Pole Locking speakON Coupler	21.90	26.27	
NL8MPR	8 Pole speakON Cabinet Mount with EP Connector Footprint	8.46	10.15	



# PowerCON connectors

PowerCON Connectors		DLR	LIST	
<b>NAC3FCA</b>	3 Pole Inline AC Connector for Power In System -Blue	5.82	6.98	
<b>NAC3FCB</b>	3 Pole Inline AC Connector for Power Out System -Grey	5.82	6.98	
<b>NAC3MM</b>	powerCON In-Line Coupler	18.74	22.49	
<b>NAC3MPA</b>	3 Pole Chassis AC Connector for Power In System -Blue	3.15	3.78	
<b>NAC3MPB</b>	3 Pole Chassis AC Connector for Power Out System -Grey	3.15	3.78	
<b>NAC3MX-W</b>	3 Pole Inline AC Connector -Male -20A -Single Phase	8.02	9.63	
<b>NAC3FX-W</b>	3 Pole Inline AC Connector -Female -20A -Single Phase	8.02	9.63	

# Power connectors

PowerCON Connectors		DLR	LIST	
<b>HBL18300FBK</b>	Hubbell Series 18 Female Black Camlock	16.34	19.60	
<b>HBL18300MBK</b>	Hubbell Series 18 Male Black Camlock	16.34	19.60	
<b>HBL2311BK</b>	Hubbell Male Twistlock Plug 20amp/125V	10.62	12.74	
<b>HBL2313BK</b>	Hubbell Female Twistlock Plug 20amp/125V	15.62	18.74	
<b>HBL300FBK</b>	Hubbell Series 300 Female Black	17.50	21.01	
<b>HBL300MBK</b>	Hubbell Series 300 Male Black	17.50	21.01	
<b>HBL8115VB-KCN</b>	Hubbell Series Hospital Grade Male U-Ground	5.10	6.11	
<b>HBL8119VB-KCN</b>	Hubbell Series Hospital Grade Female U-Ground	7.50	8.99	

# EtherCON connectors

EtherCON Connectors		DLR	LIST	
<b>NAUSB-W</b>	Nickel Panel Mount USB Jack - Feed-through -IP65	5.92	7.10	
<b>NE8FDV-Y110</b>	Nickel PCB etherCON Jack - Vertical with IDC Punch-Down	8.86	10.64	
<b>NE8FDX-P6</b>	Nickel etherCON Jack - CAT6A - Feed-through	15.64	18.77	
<b>NE8FDX-Y6</b>	Nickel etherCON Jack - CAT6A - IDC Termination	15.71	18.85	
<b>NE8FF</b>	Nickel etherCON D Size Coupler for NE8MC or RJ45	18.02	21.62	
<b>NE8MC</b>	Nickel etherCON Cable Housing	3.01	3.61	
<b>NE8MX6</b>	Nickel etherCON CAT6A Plug	13.35	16.02	

# Video connectors

Video Connectors		DLR	LIST
<b>BNC-1</b>	ADC BNC Plug 1505a	2.68	3.22
<b>BNC-13</b>	ADC BNC Plug 1855a	2.99	3.59
<b>BNC-8</b>	ADC BNC Plug 1694A & F	2.99	3.59
<b>NAHDMI-W</b>	HDMI Feedthrough Adapter -D-Size	14.28	17.14



# Multipin connectors

Multipin Connectors		DLR	LIST	
<b>DSUBM-25</b>	Male Solder DSUB Plug 25 Pin W/Metal Cover and Thumbscrews	5.84	7.12	
<b>DT12FC</b>	DT12 Broadcast Multipin Male Chassis	121.62	145.95	
<b>DT12FI</b>	DT12 Broadcast Multipin Female Inline	121.62	145.95	
<b>DT12MC</b>	DT12 Broadcast Multipin Female Chassis	86.62	103.95	
<b>DT12MI</b>	DT12 Broadcast Multipin Male Inline	104.28	125.14	
<b>SO7FC</b>	Amphenol 7 Pin Soca Female Chassis	42.02	50.42	
<b>SO7FI</b>	Amphenol 7 Pin Soca Female Inline	67.67	81.21	
<b>SO7MI</b>	Amphenol 7 Pin Soca Male Inline	58.46	70.16	
<b>SO7MC</b>	Amphenol 7 Pin Soca Male Chassis	30.93	37.11	
<b>VTM122C</b>	Veam MASS 122 Chassis	340.14	408.16	
<b>VTM122I</b>	Veam MASS 122 Inline	358.32	429.98	
<b>VTM176C</b>	Veam MASS 176 Chassis	362.18	434.62	
<b>VTM176I</b>	Veam MASS 176 Inline	398.31	477.98	
<b>VTN150FC</b>	Veam 150 Pin Female Chassis	247.98	297.57	
<b>VTN150FI</b>	Veam 150 Pin Female Inline	259.73	311.67	
<b>VTN150MC</b>	Veam 150 Pin Male Chassis	181.10	217.31	
<b>VTN150MI</b>	Veam 150 Pin Male Inline	203.87	244.65	

# Multipin connectors

Multipin Connectors		DLR	LIST	
<b>VTN19FC</b>	Veam Soca 19 Pin Female Chassis	47.88	57.45	
<b>VTN19FI</b>	Veam Soca 19 Pin Female Inline	87.56	105.07	
<b>VTN19GR</b>	Veam Soca Ground Ring	4.05	4.86	
<b>VTN19LBS</b>	Veam Soca Large Back Shell	2.73	3.27	
<b>VTN19MC</b>	Veam Soca 19 Pin Male Chassis	73.97	88.76	
<b>VTN19MI</b>	Veam Soca 19 Pin Male Inline	93.19	111.83	
<b>VTN25DCF</b>	Veam 25 Pin Female Dust Cover	25.03	30.03	
<b>VTN25DCM</b>	Veam 25 Pin Male Dust Cover	25.87	31.05	
<b>VTN25FC</b>	Veam 25 Pin Female Chassis	79.47	95.37	
<b>VTN25FI</b>	Veam 25 Pin Female Inline	93.70	112.45	
<b>VTN25MC</b>	Veam 25 Pin Male Chassis	76.79	92.15	
<b>VTN25MI</b>	Veam 25 Pin Male Inline	88.48	106.18	
<b>VTN37DCF</b>	Veam 37 Pin Female Dust Cover	26.44	31.73	
<b>VTN37DCM</b>	Veam 37 Pin Male Dust Cover	27.01	32.41	
<b>VTN37FC</b>	Veam 37 Pin Female Chassis	74.00	88.80	
<b>VTN37FI</b>	Veam 37 Pin Female Inline	101.87	122.24	
<b>VTN37MC</b>	Veam 37 Pin Male Chassis	80.70	96.85	
<b>VTN37MI</b>	Veam 37 Pin Male Inline	106.98	128.38	
<b>VTN54DCF</b>	Veam 54 Pin Female Dust Cover	29.23	35.08	
<b>VTN54DCM</b>	Veam 54 Pin Male Dust Cover	29.42	35.30	
<b>VTN54FC</b>	Veam 54 Pin Female Chassis	129.97	155.96	
<b>VTN54FI</b>	Veam 54 Pin Female Inline	140.50	168.59	
<b>VTN54MC</b>	Veam 54 Pin Male Chassis	110.82	132.99	
<b>VTN54MI</b>	Veam 54 Pin Male Inline	117.81	141.37	


# Multipin connectors

Multipin Connectors		DLR	LIST
<b>VTN85-150DCF</b>	Veam 85/150 Pin Female Dust Cover	30.94	37.13
<b>VTN85-150DCM</b>	Veam 85/150 Pin Male Dust Cover	31.42	37.70
<b>VTN85FC</b>	Veam 85 Pin Female Chassis	199.96	239.95
<b>VTN85FI</b>	Veam 85 Pin Female Inline	225.83	271.00
<b>VTN85MC</b>	Veam 85 Pin Male Chassis	145.83	175.00
<b>VTN85MI</b>	Veam 85 Pin Male Inline	163.93	196.72



# Custom Metalwork

1.888.383.4883 [www.cablefactory.com](http://www.cablefactory.com)





# Custom Metalwork

Cable Factory is proud of our custom metal manufacturing shop. We use the latest in CNC and laser technology to manufacture all custom audio, video, network and power plates with absolute precision. Custom panels can be designed online using our panel designer. This program allows customers to design and communicate their custom panel requirements with our team visually and directly.

All panels can be laser engraved with any text and can come loaded for easy installation. Panels can be custom ordered and shipped in as little as 24 hours.

Popular types of Cable Factory's Custom Panels include:


- Wall Plates - 1 gang to 6 gang
- Flanged Rack Panels - 1U to 6U
- Electrical NEMA Box Panels: 6X6, 8X8, 12X12, 18X18, 24X24
- Flat Wall Panels: Any Size
- Logo Panels: Any Size

Cable Factory can manufacture any custom size. For custom metalwork enquiries, contact us directly through the custom request form or [sales@cablefactory.com](mailto:sales@cablefactory.com)



# Standard Metalwork

1.888.383.4883 [www.cablefactory.com](http://www.cablefactory.com)



# Wall Plates

Cable Factory stocks a complete line of Standard Wall Plates, Stage Pockets, Snake Boxes and Rack Panels. For custom panel configurations please visit our custom metalwork page.



Wall Plates		DLR	LIST
<b>LLDGW4D</b>	Stainless Steel Double Gang Wall Plate 4 D Hole	3.59	5.14
<b>LLDGW4XF</b>	Stainless Steel Double Gang Wall Plate 4 XLR Fem	15.89	22.70
<b>LLDW4XM</b>	Stainless Steel Double Gang Wall Plate 4 XLR Male	14.80	21.14
<b>LLSGW1D</b>	Stainless Steel Single Gang Wall Plate 1 D Hole	2.00	2.86
<b>LLSGW1P</b>	Stainless Steel Single Gang Wall Plate 1 Lock 1/4	7.85	11.21
<b>LLSGW1XF</b>	Stainless Steel Single Gang Wall Plate 1 XLR Fem	5.07	7.25
<b>LLSGW1XM</b>	Stainless Steel Single Gang Wall Plate 1 XLR Male	4.80	6.86
<b>LLSGW2D</b>	Stainless Steel Single Gang Wall Plate 2 D Hole	2.00	2.86
<b>LLSGW2P</b>	Stainless Steel Single Gang Wall Plate 2 Lock 1/4	13.70	19.56
<b>LLSGW2XF</b>	Stainless Steel Single Gang Wall Plate 2 XLR Fem	8.14	11.64
<b>LLSGW2XM</b>	Stainless Steel Single Gang Wall Plate 2 XLR Male	7.60	10.86
<b>LLSGW4P</b>	Stainless Steel Double Gang Wall Plate 4 Lock 1/4	26.98	38.55

# Rack Boxes

Rack Boxes		DLR	LIST
<b>1URB</b>	1U Steel Rack Box	66.14	94.48
<b>2URB</b>	2U Steel Rack Box	68.94	98.48
<b>3URB</b>	3U Steel Rack Box	72.74	103.91



# Electrical Box Rack Adapter

Electrical Box Rack Adapter		DLR	LIST
<b>EBRA-2412</b>	Electrical Box Rack Adapter 24"x12" 6U	80.00	114.29
<b>EBRA-2424</b>	Electrical Box Rack Adapter 24"x24" 12 U	120.00	171.43
<b>EBRA-2614</b>	Electrical Box Rack Adapter 26"x14" 6U	106.66	152.38
<b>EBRA-2626</b>	Electrical Box Rack Adapter 26"x26" 12U	136.00	194.29



# Floor boxes / Snake Boxes

Floor Boxes		DLR	LIST
<b>LLFP-012</b>	Heavy duty black steel Stage Floor Pocket with standard 12-D Size holes or can be custom configured	106.66	152.38




Snake Boxes		DLR	LIST
<b>LLBSB-006</b>	Unloaded Snake Box 6 Channels	53.34	76.19
<b>LLBSB-008</b>	Unloaded Snake Box 8 Channels	53.34	76.19
<b>LLBSB-012</b>	Unloaded Snake Box 12 Channels	58.66	83.81
<b>LLBSB-016</b>	Unloaded Snake Box 16 Channels	58.66	83.81
<b>LLBSB-024</b>	Unloaded Snake Box 24 Channels	68.00	97.14
<b>LLBSB-028</b>	Unloaded Snake Box 28 Channels	68.00	97.14
<b>LLBSB-036</b>	Unloaded Snake Box 36 Channels	68.00	97.14
<b>LLBSB-042</b>	Unloaded Snake Box 42 Channels	100.00	142.86
<b>LLBSB-052</b>	Unloaded Snake Box 52 Channels	100.00	142.86



# Transformers

1.888.383.4883 [www.cablefactory.com](http://www.cablefactory.com)



# Lundahl Transformers



Cable Factory is proud to exclusively supply and utilize Lundahl transformers in our high quality devices and splitters. Started by Lars Lundahl over 60 years ago, Lundahl delivers industry leading quality transformers and are found in the finest audio equipment in the world.

Snake Boxes		DLR	LIST	
LL1530	Direct Box Transformer 7:1 Ratio Mu Shielded	74.40		
LL1591	Mic Level Isolation Transformer	44.00		
LL1540	Line Level 10k:10k Iso Transformer Mu Shielded	77.60		
LL1581XL	High-Level Split Transformer 2 Isolated Outputs Mu Shielded	104.00		
LL1538XL	High Level Mic Pre-Amp Transformer Mu Shielded	97.60		
LL1527	High-Level Split Transformer 1 Isolated Output Mu Shielded	72.00		



# Patch Bays

1.888.383.4883 [www.cablefactory.com](http://www.cablefactory.com)



# Patch Bays

Cable Factory carries a full line of ADC Patch bays that can be custom wired to meet your requirements		
<b>Audio Patch Bay</b>		<b>Rec Quote</b>
<b>ADC-PPB1</b>	ADC 96 Point Bantam Patch Bay 1U HW	Request Quotation
<b>ADC-PPA1</b>	ADC 48 Point Longframe Hardwire	Request Quotation
<b>ADC-PPA1-14MKIIVHN</b>	ADC 48 Point to Punch Down Rack Box	Request Quotation
<b>ADC-BJF403-4MKIVSN</b>	ADC 96 Point Bantam Patch 4ft Punch Down	Request Quotation
<b>ADC-PPB14MKIIHN</b>	ADC 96 Point Bantam Patch PD RB	Request Quotation
<b>ADC-BJF203-4MKIVSN</b>	ADC 48 Point Longframe to PD 4ft	Request Quotation
<b>Video Patch Bay</b>		
<b>ADC-PPI224RS-75N</b>	ADC Video Patch Bay	Request Quotation