


CABLE FACTORY

1.888.383.4883 www.cablefactory.com

MONITOR

MAIN

SUB SNAKE
CH 1-12



CABLE FACTORY

AT CABLE FACTORY OUR
MISSION STATEMENT IS SIMPLE.
TAKE CARE OF THE CUSTOMER WITH THE BEST
POSSIBLE PRODUCTS AND SERVICE. TO ACHIEVE
THIS WE HAVE INCORPORATED SOME OF THE
MOST SOPHISTICATED EQUIPMENT AND TECHNI-
CIANS. WE UNDERSTAND THAT THE SHOW MUST
GO ON AND THERE IS NO ROOM FOR FAILURE.
OUR COMMITMENT TO INNOVATIONS SUCH AS
THE MOST DURABLE AND FLEXIBLE TOURING
MULTICHANNEL CABLE IN THE WORLD AND OUR
STATE-OF-THE-ART IN-HOUSE METALWORK IS JUST
A SAMPLE OF OUR ACHIEVEMENTS.

**CABLE FACTORY,
YOUR TRUE ONE STOP CONNECTION!**

1.888.383.4883
WWW.CABLEFACTORY.COM

4001- 2ND AVE.,
BURNABY, BC, CANADA V5C 3X1
TEL. 604-298-9110
FAX. 604-298-9140
SALES@CABLEFACTORY.COM

TABLE OF CONTENTS

1 SNAKES 4-11

LT Touring Series	5
LS Standard Series	6
SUB Snake Series	7
Snake Reels	8
Large Format Touring Snakes	9
Veam & MASS Extension snakes	10
Veam & MASS Splays	11

2 DEVICES 12-15

DI-PRO P-1 Passive DI	13
DI-PRO AP-1 Active/Passive	13
DI-PRO-PC PC Direct Box	13
DI-PRO-ST Stereo Direct Box	14
DI-PRO-P4 Rack Mount 4 Channel Passive	14
ISO-4 Isolated 4 Channel Splitter	14
ISO -2 2 Channel Isolation box	14
LSPLIT-2 1 Channel Mic Splitter	15
Pads 10, 20, 30, 40 dB	15
Phase Reverse	15
Ground Lifter	15
AES to SPDIF Converter	15
Digital AES Splitter	15
General Purpose Problem Solvers	15

3 CABLE ASSEMBLIES 16-40

Audio Cable Assemblies 17-32

Guitar/Instrument Cables	17
Microphone Cables	19
Unbalanced & Balanced Patch Cables	21
Bantam & Long-frame Patch Cables	24
AES & SPDIF Digital Audio Patch Cables	25
Multi-Track Recording Cable	26
Special Recording Multi-Track Snakes	28
Y-Cables	29
Insert Cables	29
3.5 Mini Extension Cables	29
Speaker Cables	30

Video Cables 33-38

BNC Cables	33
RCA Cables	34
Weco Cables	34
RGBHV Cables	35
HDMI Cables	35
VGA Cables	36
Component Cables	36
Triax Cables	36

Lighting Cables 37-39

419 Socapex Extention	37
Breakouts	37
Breakins	37
DMX Cables, Ethercon, Scroller	38

4 BULK WIRE 39-48

Torque Touring Cable 31-32

Multi-pair Touring Series	40
Speaker Cable Touring Series	40
Guitar/Instrument Cable Touring Series	40
Mic Cable Touring Series	41
Install Audio Cable	41
Install Speaker Cable	41

Eliminator Broadcast Audio Cable 42-48

Multipair Audio Cable Analogue	42
Balanced Microphone Cable	42
Rack & Console Mic Cable	43
Unbalanced Guitar/Instrument Cable	43
Digital AES, SPDIF Cable	43

Bulk Video Cable 44-46

RG-6	44
RG-59	44
VGA	45
Component	45
RGBHV Cable	46
SVHS Cable	46
TRIAx Cable	46

Bulk Ethernet Cable 47

Cat-5E Install Cable	47
Cat-6 Install Cable	47
Cat-5E Hi Flex Cable	47
Cat-5E 4 Channel Hi Flex Cable	47

DMX Cable 47

Single Pair DMX Cable	47
Two Pair DMX Cable	47

Lighting Cable 48

12 & 19 Conductor 12awg Soca Cable	48
3 Conductor 12 & 14awg Extension Cable	48

5 BULK CONNECTORS 49-59

XLR Connectors	50
1/4 Phone Connectors	53
Speakon Connectors	55
Banana, RCA & 3.5 Mini Plugs & Jacks	56
Network Connectors	57
Video Connectors	57
Triax Connectors	58
Canon DL Connectors	58
D-Sub Connectors	58
Veam & MASS Multi-pin Connectors	59

6 LUNDAHL TRANSFORMERS 60-61

Problem Solvers	60
General Purpose Transformers	61
Line Input Transformers	61
Line Output Transformers	61
Mic Input Transformers	61
Miscellaneous Transformers	61

7 ADC PATCH BAYS 62

Bantam Patch Bay	62
Longframe Patch Bay	62
Punch Down Panels	62
Video Patch Bays	62

8 FIBER OPTICS 63

Toss-Link Digital Audio Cables	63
--------------------------------	----

9 STANDARD METAL WORK 64-66

Stainless Steel Wall Plates	65
Stage Floor Pockets	65
Cable Reels Unloaded	65
Snake Boxes Unloaded	66
Rack Panels	66
EBRA Electrical Box Bulk Head Adapters	66

10 ACCESSORIES 67-68

Sumitomo Heat Shrink	68
Custom Printed Shrink	68
Cable Strain Relief	68

SNAKES



1 SNAKES

LT Series Snake

Our LT series snake is made for the ultimate in touring durability and function. These feature our heavy-duty 14awg steel boxes and a brushed aluminum input plate. The cable is our Torque series multi-pair, each channel is individually jacketed and numbered. This cable is made with special polyurethane that

makes this cable ultra flexible and durable for the abuses of touring. All-metal Neutrik connectors and metal strain relief is used throughout. For Custom configurations please refer to our custom configuration box at the bottom of the page.

Features

- Touring industry standard
- All metal Neutrik XLRs
- 14awg steel box
- individually - jacketed high flex multi-pair




PART #	
6 CHANNEL NO RETURNS	
LT-06NR-50	
LT-06NR-100	
LT-06NR-150	
LT-06NR-200	
12 CHANNEL NO RETURNS	
LT-12NR-50	
LT-12NR-100	
LT-12NR-150	
LT-12NR-200	
24 CHANNEL NO RETURNS	
LT-24NR-50	
LT-24NR-100	
LT-24NR-150	
LT-24NR-200	
32 CHANNEL 10 RETURNS	
LT-3210-50	
LT-3210-100	
LT-3210-150	
LT-3210-200	

PART #	
6 CHANNEL 3 RETURNS	
LT-0603-50	
LT-0603-100	
LT-0603-150	
LT-0603-200	
12 CHANNEL 4 RETURNS	
LT-1204-50	
LT-1204-100	
LT-1204-150	
LT-1204-200	
24 CHANNEL 4 RETURNS	
LT-2404-50	
LT-2404-100	
LT-2404-150	
LT-2404-200	
40 CHANNEL NO RETURNS	
LT-40NR-50	
LT-40NR-100	
LT-40NR-150	
LT-40NR-200	

PART #	
8 CHANNEL NO RETURNS	
LT-08NR-50	
LT-08NR-100	
LT-08NR-150	
LT-08NR-200	
16 CHANNEL NO RETURNS	
LT-16NR-50	
LT-16NR-100	
LT-16NR-150	
LT-16NR-200	
24 CHANNEL 8 RETURNS	
LT-2408-50	
LT-2408-100	
LT-2408-150	
LT-2408-200	
40 CHANNEL 12 RETURNS	
LT-4012-50	
LT-4012-100	
LT-4012-150	
LT-4012-200	

PART #	
8 CHANNEL 4 RETURNS	
LT-0804-50	
LT-0804-100	
LT-0804-150	
LT-0804-200	
16 CHANNEL 4 RETURNS	
LT-1604-50	
LT-1604-100	
LT-1604-150	
LT-1604-200	
32 CHANNEL NO RETURNS	
LT-32NR-50	
LT-32NR-100	
LT-32NR-150	
LT-32NR-200	
50 CHANNEL NO RETURNS	
LT-50NR-50	
LT-50NR-100	
LT-50NR-150	
LT-50NR-200	



1 SNAKES

LS Series Snake

The LS series snakes features Amphenol connectors and our slim style snake box for a cost effective yet high quality snake. Made for a tight budget but still has the durability that is required for the rigors of touring. Available with XLR or TRS returns.

Features

- Amphenol XLRs
- 14awg steel box
- Torque Series individually - jacketed high flex multi-pair




PART #	
6 CHANNEL NO RETURNS	
LS-06NR-50	
LS-06NR-100	
LS-06NR-150	
LS-06NR-200	
12 CHANNEL NO RETURNS	
LS-12NR-50	
LS-12NR-100	
LS-12NR-150	
LS-12NR-200	
24 CHANNEL NO RETURNS	
LS-24NR-50	
LS-24NR-100	
LS-24NR-150	
LS-24NR-200	

PART #	
6 CHANNEL 3 RETURNS	
LS-0603-50	
LS-0603-100	
LS-0603-150	
LS-0603-200	
12 CHANNEL 4 RETURNS	
LS-1204-50	
LS-1204-100	
LS-1204-150	
LS-1204-200	
24 CHANNEL 4 RETURNS	
LS-2404-50	
LS-2404-100	
LS-2404-150	
LS-2404-200	

PART #	
8 CHANNEL NO RETURNS	
LS-08NR-50	
LS-08NR-100	
LS-08NR-150	
LS-08NR-200	
16 CHANNEL NO RETURNS	
LS-16NR-50	
LS-16NR-100	
LS-16NR-150	
LS-16NR-200	

PART #	
8 CHANNEL 4 RETURNS	
LS-0804-50	
LS-0804-100	
LS-0804-150	
LS-0804-200	
16 CHANNEL 4 RETURNS	
LS-1604-50	
LS-1604-100	
LS-1604-150	
LS-1604-200	



1 SNAKES

Sub Snakes

The SUB-8, SUB-12 and SUB-16 are the ultimate in stage drops for Drum risers, keyboards and vocals. It is a sleek design made with our Torque series multi-pair and a 14awg steel compact box. All metal Neutrik connectors in a compact but ultra durable sub snake. Also available with our 25, 37 and 54 pin Veam multipin connectors for quick disconnect.



SUB BOX WITH VEAM

PART #	
8 CHANNEL SUB BOX WITH VEAM	
LTSUB8V	
12 CHANNEL SUB BOX WITH VEAM	
LTSUB12V	
16 CHANNEL SUB BOX WITH VEAM	
LTSUB16V	



Shown with optional
colour faceplate

SUB BOX TO VEAM

PART #	
8 CHANNEL SUB BOX TO VEAM	
LTSUB8-25V	
LTSUB8-50V	
LTSUB8-75V	
LTSUB8-100V	
12 CHANNEL SUB BOX TO VEAM	
LTSUB12-25V	
LTSUB12-50V	
LTSUB12-75V	
LTSUB12-100V	
16 CHANNEL SUB BOX TO VEAM	
LTSUB16-25V	
LTSUB16-50V	
LTSUB16-75V	
LTSUB16-100V	

VEAM TO VEAM EXTENSION

PART #	
8 CHANNEL VEAM TO VEAM EXTENSION	
LT8VMVF-25	
LT8VMVF-50	
LT8VMVF-75	
LT8VMVF-100	
12 CHANNEL VEAM TO VEAM EXTENSION	
LT12VMVF-25	
LT12VMVF-50	
LT12VMVF-75	
LT12VMVF-100	
16 CHANNEL VEAM TO VEAM EXTENSION	
LT16VMVF-25	
LT16VMVF-50	
LT16VMVF-75	
LT16VMVF-100	

HARDWIRED SUB SNAKES

PART #	
8 CHANNEL HARDWIRED SUB SNAKE	
LTSUB8-25	
LTSUB8-50	
LTSUB8-75	
LTSUB8-100	
12 CHANNEL HARDWIRED SUB SNAKE	
LTSUB12-25	
LTSUB12-50	
LTSUB12-75	
LTSUB12-100	
16 CHANNEL HARDWIRED SUB SNAKE	
LTSUB16-25	
LTSUB16-50	
LTSUB16-75	
LTSUB16-100	




VEAM TO XLR SPLAY

PART #	
8 CHANNEL VEAM TO XLR SPLAY	
LT8VFXM-06	
LT8VFXM-25	
LT8VFXM-50	
LT8VFXM-75	
LT8VFXM-100	
12 CHANNEL VEAM TO XLR SPLAY	
LT12VFXM-06	
LT12VFXM-25	
LT12VFXM-50	
LT12VFXM-75	
LT12VFXM-100	
16 CHANNEL VEAM TO XLR SPLAY	
LT16VFXM-06	
LT16VFXM-25	
LT16VFXM-50	
LT16VFXM-75	
LT16VFXM-100	

1 SNAKES

Touring Snake Reels

The LTSR series of snake reels features our Torque multi-pair and all metal Neutrik connectors. The cable reel is made from heavy-duty steel tubing, castors and braking. Set up time is quick and the cable reel also helps in keeping the multi-pair true for long life durability. Many custom configurations are available in both audio and video applications. Also available are large format reels in rolling cases. Please contact our sales department for more information.




PART #	
TOURING SNAKE REEL 12X4	
LTSR-1204-100	
LTSR-1204-150	
TOURING SNAKE REEL 16X4	
LTSR-1604-100	
LTSR-1604-150	
TOURING SNAKE REEL 24X4	
LTSR-2404-100	
LTSR-2404-150	



1 SNAKES

Our large format pro touring snakes are made for the ultimate in durability and function. From our Torque series Veam or MASS multi-pins, high flex individually jacketed multi-pair and Lundahl splitting transformers, there is no better combination. Our in house metalwork shop can custom configure your snake to fit your needs. Also featuring the touring industry only recessed toggle type ground lift switches, making it impossible to damage them.



Features:

- Optional world finest Swedish made Lundahl Transformers
- Recessed ground lift toggle type switches
- Brushed aluminum anodised laser engraved front panel
- Neutrik metal connectors
- Choice of Veam or MASS multi-pin connectors



PART # DESCRIPTION

RACK MOUNT SNAKE HEAD - PASSIVE SPLIT

LTRMB24NRBM	24 No Ret FOH & Mon Multipin	
LTRMB2404BM	24 4 Ret FOH & Mon Multipin	
LTRMB2408BM	24x8 FOH & Mon Multipin	
LTRMB36NRBM	36 No Ret FOH & Mon Multipin	
LTRMB3608BM	32x8 FOH & Mon Multipin	
LTRMB42NRBM	42 No Ret FOH & Mon Multipin	
LTRMB4208BM	42x8 FOH & Mon Multipin	
LTRMB50NRBM	50 No Ret FOH & Mon Multipin	

PART # DESCRIPTION

RACK MOUNT SNAKE HEAD - 1 ISO LUNDAHL LL1591 (1 isolated non-faraday shield split / FOH & Mon VEAM multi-pin)

LTRMB24NRBM-1S	24 No Ret FOH & Mon Multipin	
LTRMB2404BM-1S	24 4 Ret FOH & Mon Multipin	
LTRMB2408BM-1S	24x8 FOH & Mon Multipin	
LTRMB36NRBM-1S	36 No Ret FOH & Mon Multipin	
LTRMB3608BM-1S	32x8 FOH & Mon Multipin	
LTRMB42NRBM-1S	42 No Ret FOH & Mon Multipin	
LTRMB4208BM-1S	42x8 FOH & Mon Multipin	
LTRMB50NRBM-1S	50 No Ret FOH & Mon Multipin	

PART # DESCRIPTION

RACK MOUNT SNAKE HEAD - 1 ISO LUNDAHL LL1527XL (1 isolated high level with faraday shield split / FOH & Mon VEAM multi-pin)

LTRMB24NRBM-1SX	24 No Ret FOH & Mon Multipin	
LTRMB2404BM-1SX	24 4 Ret FOH & Mon Multipin	
LTRMB2408BM-1SX	24x8 FOH & Mon Multipin	
LTRMB36NRBM-1SX	36 No Ret FOH & Mon Multipin	
LTRMB3608BM-1SX	32x8 FOH & Mon Multipin	
LTRMB42NRBM-1SX	42 No Ret FOH & Mon Multipin	
LTRMB4208BM-1SX	42x8 FOH & Mon Multipin	
LTRMB50NRBM-1SX	50 No Ret FOH & Mon Multipin	

PART # DESCRIPTION

RACK MOUNT SNAKE HEAD - 2 ISO LUNDAHL LL1581XL (2 isolated high level with faraday shield split/FOH, Mon & Broadcast VEAM multi-pin)

LTRMB24NRBM-2SX	24 No Ret FOH, Mon & Broadcast Multipin	
LTRMB2404BM-2SX	24 4 Ret FOH, Mon & Broadcast Multipin	
LTRMB2408BM-2SX	24x8 FOH, Mon & Broadcast Multipin	
LTRMB36NRBM-2SX	36 No Ret FOH, Mon & Broadcast Multipin	
LTRMB3608BM-2SX	32x8 FOH, Mon & Broadcast Multipin	
LTRMB42NRBM-2SX	42 No Ret FOH, Mon & Broadcast Multipin	
LTRMB4208BM-2SX	42x8 FOH, Mon & Broadcast Multipin	
LTRMB50NRBM-2SX	50 No Ret FOH, Mon & Broadcast Multipin	

1 SNAKES

Veam to Veam snake



PART

8 CHANNEL VEAM TO VEAM EXTENSION

LT8VMVF-25	
LT8VMVF-50	
LT8VMVF-75	
LT8VMVF-100	
LT8VMVF-125	
LT8VMVF-150	
LT8VMVF-175	
LT8VMVF-200	

12 CHANNEL VEAM TO VEAM EXTENSION

LT12VMVF-25	
LT12VMVF-50	
LT12VMVF-75	
LT12VMVF-100	
LT12VMVF-125	
LT12VMVF-150	
LT12VMVF-175	
LT12VMVF-200	

16 CHANNEL VEAM TO VEAM EXTENSION

LT16VMVF-25	
LT16VMVF-50	
LT16VMVF-75	
LT16VMVF-100	
LT16VMVF-125	
LT16VMVF-150	
LT16VMVF-175	
LT16VMVF-200	

Features:

- Veam or MASS Multipin connectors
- Torque high flex individually jacketed and numbered multipair
- Dust caps are optional on Veam snakes.
- MASS snakes come with caps

PART

28 CHANNEL VEAM TO VEAM EXTENSION

LT28VMVF-25	
LT28VMVF-50	
LT28VMVF-75	
LT28VMVF-100	
LT28VMVF-125	
LT28VMVF-150	
LT28VMVF-175	
LT28VMVF-200	

36 CHANNEL VEAM TO VEAM EXTENSION

LT36VMVF-25	
LT36VMVF-50	
LT36VMVF-75	
LT36VMVF-100	
LT36VMVF-125	
LT36VMVF-150	
LT36VMVF-175	
LT36VMVF-200	

42 CHANNEL VEAM TO VEAM EXTENSION

LT42VMVF-25	
LT42VMVF-50	
LT42VMVF-75	
LT42VMVF-100	
LT42VMVF-125	
LT42VMVF-150	
LT42VMVF-175	
LT42VMVF-200	

50 CHANNEL VEAM TO VEAM EXTENSION

LT50VMVF-25	
LT50VMVF-50	
LT50VMVF-75	
LT50VMVF-100	
LT50VMVF-125	
LT50VMVF-150	
LT50VMVF-175	
LT50VMVF-200	

MASS to MASS snake



PART

40 CHANNEL MASS 122 TO MASS 122 EXTENSION

LTMASMM40-25	
LTMASMM40-50	
LTMASMM40-75	
LTMASMM40-100	
LTMASMM40-125	
LTMASMM40-150	
LTMASMM40-175	
LTMASMM40-200	

56 CHANNEL MASS 176 TO MASS 176 EXTENSION

LTMASMM56-25	
LTMASMM56-50	
LTMASMM56-75	
LTMASMM56-100	
LTMASMM56-125	
LTMASMM56-150	
LTMASMM56-175	
LTMASMM56-200	

1 SNAKES

VEAM to XLR splay



PART

8 CHANNEL VEAM TO XLR SPLAY

LT8VFXM-06	
LT8VFXM-25	
LT8VFXM-50	
LT8VFXM-75	
LT8VFXM-100	
LT8VFXM-125	
LT8VFXM-150	
LT8VFXM-175	
LT8VFXM-200	

12 CHANNEL VEAM TO XLR SPLAY

LT12VFXM-06	
LT12VFXM-25	
LT12VFXM-50	
LT12VFXM-75	
LT12VFXM-100	
LT12VFXM-125	
LT12VFXM-150	
LT12VFXM-175	
LT12VFXM-200	

16 CHANNEL VEAM TO XLR SPLAY

LT16VFXM-06	
LT16VFXM-25	
LT16VFXM-50	
LT16VFXM-75	
LT16VFXM-100	
LT16VFXM-125	
LT16VFXM-150	
LT16VFXM-175	
LT16VFXM-200	

Features:

- Veam or MASS Multipin connectors
- Torque high flex individually jacketed and numbered multipair
- Neutrik connectors
- Dust caps are optional on Veam snakes.
- MASS snakes come with caps

PART

28 CHANNEL VEAM TO XLR SPLAY

LT28VFXM-06	
LT28VFXM-25	
LT28VFXM-50	
LT28VFXM-75	
LT28VFXM-100	
LT28VFXM-125	
LT28VFXM-150	
LT28VFXM-175	
LT28VFXM-200	

36 CHANNEL VEAM TO XLR SPLAY

LT36VFXM-06	
LT36VFXM-25	
LT36VFXM-50	
LT36VFXM-75	
LT36VFXM-100	
LT36VFXM-125	
LT36VFXM-150	
LT36VFXM-175	
LT36VFXM-200	

42 CHANNEL VEAM TO XLR SPLAY

LT42VFXM-06	
LT42VFXM-25	
LT42VFXM-50	
LT42VFXM-75	
LT42VFXM-100	
LT42VFXM-125	
LT42VFXM-150	
LT42VFXM-175	
LT42VFXM-200	

50 CHANNEL VEAM TO XLR SPLAY

LT50VFXM-06	
LT50VFXM-25	
LT50VFXM-50	
LT50VFXM-75	
LT50VFXM-100	
LT50VFXM-125	
LT50VFXM-150	
LT50VFXM-175	
LT50VFXM-200	

MASS to XLR splay



PART

40 CHANNEL MASS TO XLR SPLAY

LTMASMXM40-6	
LTMASMXM40-25	
LTMASMXM40-50	
LTMASMXM40-75	
LTMASMXM40-100	
LTMASMXM40-125	
LTMASMXM40-150	
LTMASMXM40-175	
LTMASMXM40-200	

56 CHANNEL MASS TO XLR SPLAY

LTMASMXM56-6	
LTMASMXM56-25	
LTMASMXM56-50	
LTMASMXM56-75	
LTMASMXM56-100	
LTMASMXM56-125	
LTMASMXM56-150	
LTMASMXM56-175	
LTMASMXM56-200	

DEVICES




1.888.383.4883 www.cablefactory.com

2 DEVICES

DI-PRO-P1 Passive Direct Box

Simply the best Direct box on the market, at the core of this DI is the Lundahl transformer. It has the best characteristics of any transformer we tested. Built in an extruded aluminum box, recessed switches and connectors, it is constructed for the abuses of touring. Our Direct boxes are world famous for being absolutely true and reliable, winning many magazine reviews for being the best sounding direct boxes on the market.



Electronic Characteristics

- Frequency Response 20Hz to 80KHz +/- 0.3dB
- Distortion <0.1% @ 20Hz
- Signal to Noise 119dB
- Less than 4deg phase deviation
- Input Impedance 140KΩ
- Recessed toggle type ground lift switch
- Five Year warranty
- Rack mountable on 1U rack shelf

PART

DI-PRO-P1

DI-PRO-AP1 Selectable Active/Passive Direct Box

The AP-1 combines the best of two worlds, a Class A design active Direct box and also a passive Direct box equivalent to our P1. In active mode 15dB boost switch for instruments with low outputs but still passes signal through the transformer for full common mode rejection. In passive mode the signal passes only through the Lundahl transformer as in the P-1.



Electronics Characteristics

- Class A active circuitry
- Frequency Response 10Hz to 80KHz
- Distortion < 0.03%
- Less than 4 deg phase deviation
- Input Impedance 140KΩ Active Mode
- Power 48v phantom or two 9V batteries. Two NiCads also will trickle charge from phantom.
- Recessed toggle type ground lift switch & selectable active/passive switch
- Five Year warranty
- Rack mountable on 1U rack shelf

PART

DI-PRO-AP1

DI-PRO-PC Passive Computer Direct Box

Our PC-DI is used for balancing the outputs of a computer sound card or consumer audio devices. This DI balances the signal and converts the stereo signal to Mic level. Lundahl transformers are the core of this DI. Stereo RCA for both inputs and thru, and a 3.5 mini jack are used for the inputs and Left/Right XLR male outputs with recessed toggle type ground lift switches. A 20dB pad is also included.



Electronic Characteristics

- Frequency Response 20Hz to 80KHz +/- 0.3dB
- Distortion <0.1% @ 20Hz
- Signal to Noise 119dB
- Less than 4deg phase deviation
- Input Impedance 10KΩ
- Recessed toggle type switches for both ground lifts and 20dB pads
- Five Year warranty

PART

DI-PRO-PC

2 DEVICES

DI-PRO-ST Passive Stereo Direct Box

This two channel stereo Direct Box is a passive DI that is identical to our DI-PRO-P1. It features heavy-duty extruded anodized construction. The same clean sound as the P-1 makes this the ideal DI for stereo keyboards or other stereo unbalanced devices.

- | | |
|----------------------------|--|
| Electronic Characteristics | -Less than 4deg phase deviation |
| -Frequency Response | -Input Impedance 10kΩ |
| 20Hz to 80KHz +/- 0.3dB | -Recessed toggle type ground lift switch |
| -Distortion <0.1% @ 20Hz | -Five Year warranty |
| -Signal to Noise 119dB | |

PART #

DI-PRO-ST



DI-PRO-P4 Rack Mount 4 Channel Passive Direct Box

This four-channel rack mount Direct Box is a passive DI that is identical to our DI-PRO-P1. It features the same great sound but in a 4 Channel 1U rack mount unit. All recessed ground lift and 15dB Pad switches and Lundahl transformers.



- Electronic Characteristics
- Frequency Response 20Hz to 80KHz +/- 0.3dB
 - Distortion <0.1% @ 20Hz
 - Signal to Noise 119dB
 - Less than 4deg phase deviation
 - Input Impedance 10kΩ
 - 15dB Pad
 - Recessed toggle type ground lift and Pad switch
 - Five Year warranty

PART #

DI-PRO-P4

ISO-4 Rack Mount 4 Channel Splitter Isolation Box

The ISO-4 is a unique box in that it gives you both 4 isolated channels but can also be used as a 4-channel splitter as each channel has 2 Isolated and 1 non Isolated channel. It features the Lundahl LL1581XL transformer, which can take an input level of +19dB. This box features recessed ground lift switches.



- Electronic Characteristics
- Frequency Response 10Hz to 100kHz
 - Distortion +9dB 0.1% @50Hz
 - Input/Output Impedance 600:600

PART #

ISO-4

ISO-2 Isolation Box 2 Channel

The ISO-2 is a 2 channel isolation box similar to the ISO-4 but in a 2-channel version. This robust box features recessed ground lift switches and Lundahl transformers.

- Electronic Characteristics
- Frequency Response 10Hz to 100kHz
 - Distortion +9dB 0.1% @50Hz
 - Input/Output Impedance 600:600

PART #

ISO-2



2 DEVICES

LSPLIT-2 Mic splitter

This 1 channel Mic/Line splitter is used for splitting a single channel. One channel is Isolated and one non isolated. Recessed ground lift switch for isolated output. Lundahl 1527 XL transformer is used in a robust extruded aluminum box.

Electronic Characteristics
 -Frequency Response 10Hz to 100kHz
 -Distortion +9dB 0.1% @50Hz
 -Input/Output Impedance 600:600

PART #

LSPLIT-2



LPAD-10, 20,30,40 Inline Pads

These inline pads are used for attenuating the input. They are made with a full balanced network with high tolerance metal film resistors. Available in 10,20,30 and 40dB configurations.

PART #

LPAD-10

LPAD-20

LPAD-30

LPAD-40



LPREV-1 Phase Reverse

This unit gives you the ability to reverse pins 2 and 3 for matching older or incorrect pin 3 hot products.

PART #

LPREV-1



LGRNDL-1 Ground Lift

A must in every tool kit, this unit lifts pin 1 for elimination of ground loops.

PART #

LPREV-1



Digital Audio Converters

These units are used in digital audio applications and are available in the following configurations. All units utilize the very latest in impedance matching Lundahl transformer technology.

DESCRIPTION	PART #
-110 ohm to 110 ohm AES XLR Male to XLR Female AES Isolation	LAESXMXF
-110 ohm to 75 ohm AES to SPDIF converter AES to RCA Female	LAESRFS
-XLR Male to BNC Female converter AES to RCA Male	LAESRMS
-XLR Female to BNC Female	LAESBFS
-XLR Female to BNC Male	LAESBMS



Digital Audio Splitter

Made with Lundahl transformers, this unit is ideal for splitting from one AES input to two AES outputs

DESCRIPTION	PART #
-AES input to AES output splitter	LAES-SPLIT



General Purpose Problem Solvers


The GPPS line of products are great little units used for solving many different situations. From breaking up ground loops and also to convert balanced to unbalanced signals. Lundahl transformers are used throughout the line.

DESCRIPTION	PART #
- Female XLR to ¼ mono male	LIFXP-1
- Male XLR to ¼ mono male	LIMXP-1
- Female XLR to RCA Female	LIFXRF-1
- Male XLR to RCA Female	LIMXRF-1
- Female XLR to RCA Male	LIFXRM-1
- Male XLR to RCA Male	LIMXRM-1
- Male XLR to Female XLR	LIFXMX-1



These are assembled with Lundahl isolation transformers and Neutrik connectors.

CABLE ASSEMBLIES



3 GUITAR / INSTRUMENT CABLES

Cable Factory offers two types of audio cable assemblies for the professional musician. Our torque series is our pro series cable assemblies featuring our Torque cable and either Switchcraft or Neutrik connectors. Our Eliminator series offers the worlds best sounding, full RF rejection, double shielded cable made with Neutrik connectors.

LPP- Series Guitar Cables

Our standard guitar cables are manufactured with our LLGS-124 guitar cable and Switchcraft 280 connectors.

PART

LPP-01-XX
LPP-02-XX
LPP-03-XX
LPP-05-XX
LPP-10-XX
LPP-15-XX
LPP-18-XX
LPP-20-XX
LPP-25-XX
LPP-30-XX
LPP-50-XX

SERIES	LENGTH	COLOR CODE:
		BLACK -00
		RED -02
		YELLOW -04
		BLUE -06



TORQUE

EPP- Eliminator Studio Series Guitar Cables

This studio cable is manufactured with the best cable on the market against RF rejection. Utilizing Eliminator EMGC cable and Neutrik NP2C connectors the "double spiral shield" makes it the quietest cable on the market.

PART

EPP-01-XX
EPP-02-XX
EPP-03-XX
EPP-05-XX
EPP-10-XX
EPP-15-XX
EPP-18-XX
EPP-20-XX
EPP-25-XX
EPP-30-XX
EPP-50-XX

SERIES	LENGTH	COLOR CODE:
		BLACK -00
		RED -02
		YELLOW -04
		BLUE -06

Eliminator
RF REJECTION CABLE



LPPT- Series Guitar Cables

Our touring series guitar cables are our most durable and feature our LGT-120 braided 20awg guitar cable and Neutrik NP2C connectors.

PART

LPPT-01-XX
LPPT-02-XX
LPPT-03-XX
LPPT-05-XX
LPPT-10-XX
LPPT-15-XX
LPPT-18-XX
LPPT-20-XX
LPPT-25-XX
LPPT-30-XX
LPPT-50-XX

SERIES	LENGTH



TORQUE

LCT- Classic Tweed Guitar Cables

Our Classic Tweed cables give you a great look and feel on stage. Made with our Eliminator EMGC-CL double spiral shield guitar cable and Neutrik connectors for added durability.

PART

LCT-10
LCT-15
LCT-18
LCT-20
LCT-25

SERIES	LENGTH

Eliminator
RF REJECTION CABLE



3 GUITAR / INSTRUMENT CABLES




LPH- Hush Series Guitar Cables

Same features as the LPP but Neutrik Silent on/off connector on one end. This connector gives you the ability to unplug your guitar or bass while it is live without the big pop that is associated with unplugging you gear. It turns on only when the cable is plugged in.

PART #

LPH-06-XX
LPH-10-XX
LPH-15-XX
LPH-20-XX
LPH-25-XX




EPH- Hush Series Guitar Cables

Same as LPH series but with Eliminator EMGC cable for the ultimate in RF rejection.

PART #

EPH-06-XX
EPH-10-XX
EPH-15-XX
EPH-20-XX
EPH-25-XX




LPRA- Right Angle Guitar Cables

Same features as our LPP series but with one right angle phone plug on one end and one strait phone plug on the opposite end.

PART #

LPRA-06-XX
LPRA-10-XX
LPRA-15-XX
LPRA-20-XX
LPRA-25-XX



LRARA & EPRARA Right angle to Right Angle Guitar Cable


Same as LPRA but both ends have right angle phone plugs.

PART #

LRARA-01
LRARA-02
LRARA-03
LRARA-05
LRARA-10
LRARA-15
LRARA-20
LRARA-25

PART #

EPRARA-01
EPRARA-02
EPRARA-03
EPRARA-05
EPRARA-10
EPRARA-15
EPRARA-20
EPRARA-25



3 MICROPHONE CABLES

We offer several types of Microphone cables for different levels of applications. Our Torque series features our high flex heavy duty cable with Neutrik XLR's. Our Eliminator series features the very best in cable design with RF rejecting double spiral shield and ultra flexibility making these the very best in the industry.

LMX- Series Microphone Cables

Our LMX series cables is a cost effective Mic cable without compromising quality. Made with Amphenol XLR connectors and our LLMS-224 microphone cable.

PART

LMX-01-XX
LMX-02-XX
LMX-03-XX
LMX-06-XX
LMX-10-XX
LMX-15-XX
LMX-20-XX

PART

LMX-25-XX
LMX-30-XX
LMX-40-XX
LMX-50-XX
LMX-75-XX
LMX-100-XX

Available Colors:

BLACK -00 / RED -02 / YELLOW -04 / BLUE -06



LMXD- Series Microphone Cables

Same as our LMX series but with Neutrik XLR connectors. These cables are our biggest selling microphone cables.

PART

LMXD-01-XX
LMXD-02-XX
LMXD-03-XX
LMXD-06-XX
LMXD-10-XX
LMXD-15-XX
LMXD-20-XX

PART

LMXD-25-XX
LMXD-30-XX
LMXD-40-XX
LMXD-50-XX
LMXD-75-XX
LMXD-100-XX

Available Colors:

BLACK -00 / RED -02 / YELLOW -04 / BLUE -06



LMXT- Series Microphone Cables

Our touring series is manufactured with Neutrik XLR connectors and our LLMT-224 braided microphone cable for added durability.

PART

LMXT-01-XX
LMXT-02-XX
LMXT-03-XX
LMXT-06-XX
LMXT-10-XX
LMXT-15-XX
LMXT-20-XX

PART

LMXT-25-XX
LMXT-30-XX
LMXT-40-XX
LMXT-50-XX
LMXT-75-XX
LMXT-100-XX

Available Colors:

BLACK -00 / RED -02 / BLUE -06



EMX- Series Microphone Cables

Manufactured with Eliminator EM2M cable and Neutrik connectors these cables are a must for any recording studio or where there are RF problems.

PART

ETMX-01-XX
ETMX-02-XX
ETMX-03-XX
ETMX-06-XX
ETMX-10-XX
ETMX-15-XX
ETMX-20-XX
ETMX-25-XX
ETMX-30-XX
ETMX-40-XX
ETMX-50-XX
ETMX-75-XX
ETMX-100-XX



Available Colors: BLACK -00

LMXQ- Quad Microphone Cables

Our Quad series uses Neutrik connectors and LLQM-424 braided microphone cable for added flexibility and durability. These cables are perfect for situations that have electromagnetic noise.

PART

LQMX-01-XX
LQMX-02-XX
LQMX-03-XX
LQMX-06-XX
LQMX-10-XX
LQMX-15-XX
LQMX-20-XX
LQMX-25-XX
LQMX-30-XX
LQMX-40-XX
LQMX-50-XX
LQMX-75-XX
LQMX-100-XX

Available Colors: BLACK -00 / RED -02 / BLUE -06



SERIES LENGTH
PART NUMBER: - -
COLOR CODE
(select from available colors)

3 CABLE ASSEMBLIES

MICROPHONE CABLES

EMQX Quad Eliminator Microphone Cables

Our Quad series uses Neutrik connectors and Eliminator EMQM microphone cable for the very best in noise cancellation and RF rejection.

PART #
EQMX-01-XX
EQMX-02-XX
EQMX-03-XX
EQMX-06-XX
EQMX-10-XX
EQMX-15-XX
EQMX-20-XX
EQMX-25-XX
EQMX-30-XX
EQMX-40-XX
EQMX-50-XX
EQMX-75-XX
EQMX-100-XX

Eliminator
RF REJECTION CABLE

Available Color:
BLACK

SERIES LENGTH
PART NUMBER: - -
COLOR CODE
(select from available colors)



EM3M Eliminator 3 Conductor Microphone Cable

Eliminator EM3M cable has been tested by many experts in the audio field and has been proven to be the best cable for RF-Rejection. This cable has 3 conductors, the 3rd conductor is wired along with the shield. Double "spiral shield" and high strand conductors.

PART #
EMTC-01-00
EMTC-02-00
EMTC-03-00
EMTC-06-00
EMTC-10-00
EMTC-15-00
EMTC-20-00
EMTC-25-00
EMTC-30-00
EMTC-40-00
EMTC-50-00
EMTC-75-00
EMTC-100-00

Eliminator
RF REJECTION CABLE

SERIES LENGTH
PART NUMBER: - -
COLOR CODE
(select from available colors)

Available Colors:
BLACK

Did you know?

- You can custom lable your cables
- Ask us about custom configurations
- Available with Black or Black/Gold XLR's

3 CABLE ASSEMBLIES

BALANCED AND UNBALANCED CABLES

PART NUMBER: - -

SERIES
COLOR CODE
CABLE FACTORY

(select from available colors)
LENGTH

LRR-Series RCA- RCA Patch Cables

Made with our LGT-124 cable and Gold RCA connectors.

PART #
LRR-01-00
LRR-02-00
LRR-03-00
LRR-04-00
LRR-06-00
LRR-10-00
LRR-15-00
LRR-20-00
LRR-25-00

Available Colors:
BLACK -00 / RED -02 / YELLOW -04 / BLUE -06



ERR- Eliminator Series RCA-RCA Patch Cables

Eliminator EMGC cable and Gold heavy duty RCA connectors.

PART #
ERR-01-00
ERR-02-00
ERR-03-00
ERR-04-00
ERR-06-00
ERR-10-00
ERR-15-00
ERR-20-00
ERR-25-00

Available Colors:
BLACK -00



LPR-Series RCA to 1/4 Phone Plug Patch Cable

Features Switchcraft 280 Plug, gold heavy duty Neutrik RCA and our LGT-124 cable.

PART #
LPR-01-00
LPR-02-00
LPR-03-00
LPR-04-00
LPR-06-00
LPR-10-00
LPR-15-00
LPR-20-00
LPR-25-00

Available Colors:
BLACK -00 / RED -02 / YELLOW -04 / BLUE -06



EPR- Eliminator series 1/4 to RCA patch cable

Same as our LPR series but with Eliminator EMGC cable.

PART #
EPR-01-00
EPR-02-00
EPR-03-00
EPR-04-00
EPR-06-00
EPR-10-00
EPR-15-00
EPR-20-00
EPR-25-00

Available Colors:
BLACK -00



LPF-Series 1/4 to XLR Female Patch Cable

Features Neutrik NC3FX and 280 Plug with our LLMS-224 cable.

PART #
LPF-01-00
LPF-02-00
LPF-03-00
LPF-04-00
LPF-06-00
LPF-10-00
LPF-15-00
LPF-20-00
LPF-25-00

Available Colors:
BLACK -00 / RED -02 / YELLOW -04 / BLUE -06



EPF- Eliminator Series 1/4- XLR Female Patch Cable

Same as the LPF series but with Eliminator EMGC cable.

PART #
EPF-01-00
EPF-02-00
EPF-03-00
EPF-04-00
EPF-06-00
EPF-10-00
EPF-15-00
EPF-20-00
EPF-25-00

Available Colors:
BLACK -00



3 CABLE ASSEMBLIES

BALANCED AND UNBALANCED CABLES

PART NUMBER: - -

SERIES
COLOR CODE
(select from available colors)

LENGTH

LPM-Series 1/4 to Male XLR Patch Cable

Features our LLMS-224 cable and Neutrik XLR

PART #
LPM-01-00
LPM-02-00
LPM-03-00
LPM-04-00
LPM-06-00
LPM-10-00
LPM-15-00
LPM-20-00
LPM-25-00



Available Colors:
BLACK -00 / RED -02 / YELLOW -04 / BLUE -06

TORQUE

EPM-Eliminator 1/4 to XLR Male Patch Cable

Same as our LPM series but with Eliminator EM2M cable

PART #
EPM-01-00
EPM-02-00
EPM-03-00
EPM-04-00
EPM-06-00
EPM-10-00
EPM-15-00
EPM-20-00
EPM-25-00



Available Colors:
BLACK -00

Eliminator
1/4" TO XLR MALE CABLE

LSF-Series TRS to XLR Female Patch Cable

Features our LLMS-224 cable with NC3FX and NP3C plug.

PART #
LSF-01-00
LSF-02-00
LSF-03-00
LSF-04-00
LSF-06-00
LSF-10-00
LSF-15-00
LSF-20-00
LSF-25-00



Available Colors:
BLACK -00 / RED -02 / YELLOW -04 / BLUE -06

TORQUE

ESF-Eliminator Series TRS to XLR Female Patch Cable

Same as our LSF series but with Eliminator EM2M cable.

PART #
ESF-01-00
ESF-02-00
ESF-03-00
ESF-04-00
ESF-06-00
ESF-10-00
ESF-15-00
ESF-20-00
ESF-25-00



Available Colors:
BLACK -00

Eliminator
1/4" TO XLR FEMALE CABLE

LSM-Series TRS to XLR Male Patch Cable

Features LLMS-224 cable, Neutrik NC3MX and NP3C connectors.

PART #
LSM-01-00
LSM-02-00
LSM-03-00
LSM-04-00
LSM-06-00
LSM-10-00
LSM-15-00
LSM-20-00
LSM-25-00



Available in these colors:
BLACK -00 / RED -02 / YELLOW -04 / BLUE -06

TORQUE

ESM-Eliminator Series TRS to XLR Male Patch Cable

Same as LSM series but with Eliminator EM2M cable.

PART #
ESM-01-00
ESM-02-00
ESM-03-00
ESM-04-00
ESM-06-00
ESM-10-00
ESM-15-00
ESM-20-00
ESM-25-00



Available in these colors:
BLACK -00

Eliminator
1/4" TO XLR MALE CABLE

3 CABLE ASSEMBLIES

BALANCED AND UNBALANCED CABLES

PART NUMBER: - -

SERIES
COLOR CODE
LENGTH

(select from available colors)

LSS-Series TRS-TRS Patch Cables

Features our LLMS-224 cable and Neutrik connectors.

PART #
LSS-01-00
LSS-02-00
LSS-03-00
LSS-04-00
LSS-06-00
LSS-10-00
LSS-15-00
LSS-20-00
LSS-25-00

Available Colors:
BLACK -00 / RED -02 / YELLOW -04 / BLUE -06



ESS-Eliminator Series TRS-TRS Patch Cables

Same as our LSS series but with Eliminator EM2M cable.

PART #
ESS-01-00
ESS-02-00
ESS-03-00
ESS-04-00
ESS-06-00
ESS-10-00
ESS-15-00
ESS-20-00
ESS-25-00

Available Colors:
BLACK -00



LRF-Series RCA-XLR Female Patch Cable

Features LLMS-224 cable and Neutrik connectors.

PART #
LRF-01-00
LRF-02-00
LRF-03-00
LRF-04-00
LRF-06-00
LRF-10-00
LRF-15-00
LRF-20-00
LRF-25-00

Available Colors:
BLACK -00 / RED -02 / YELLOW -04 / BLUE -06



ERF-Eliminator Series RCA-XLR Female Patch Cable

Same as our LRF series but with Eliminator EM2M cable.

PART #
ERF-01-00
ERF-02-00
ERF-03-00
ERF-04-00
ERF-06-00
ERF-10-00
ERF-15-00
ERF-20-00
ERF-25-00

Available Colors:
BLACK -00



LRM-Series RCA-XLR Male Patch Cable

Features LLMS-224 cable and Neutrik connectors

PART #
LRM-01-00
LRM-02-00
LRM-03-00
LRM-04-00
LRM-06-00
LRM-10-00
LRM-15-00
LRM-20-00
LRM-25-00

Available Colors:
BLACK -00 / RED -02 / YELLOW -04 / BLUE -06



ERM-Eliminator Series RCA-XLR Male Patch Cable

Same as our LRM series but with Eliminator EM2M Cable

PART #
ERM-01-00
ERM-02-00
ERM-03-00
ERM-04-00
ERM-06-00
ERM-10-00
ERM-15-00
ERM-20-00
ERM-25-00

Available Colors:
BLACK -00



3 CABLE ASSEMBLIES

BANTAM AND LONGFRAME PATCH CABLES

PART NUMBER: - -

SERIES
LENGTH
COLOR CODE
(select from available colors)

ETT-Eliminator Bantam Patch Cables

Made with Eliminator EMQM quad cable and Neutrik bantam connectors. These cables are the standard in the recording industry.

PART #
ETT-12-00
ETT-18-00
ETT-24-00
ETT-36-00
ETT-48-00

Eliminator
EMQM QUAD CABLE

Available Colors:
BLACK -00 / RED -02 / YELLOW -04 / GREEN -05 / BLUE -06



Bantam-XX Series Patch Cables

These cables are great for patching in directly from your device into the patch bay. Features Eliminator EMQM cable and Neutrik connectors.

PART #
ETM-10-00
ETF-10-00
ETS-10-00
ETP-10-00
ETR-10-00

Eliminator
EMQM QUAD CABLE

Available Colors:
BLACK -00 / RED -02 / YELLOW -04 / GREEN -05 / BLUE -06



ELL-Series Longframe Patch Cables

These longframe patch cables feature Eliminator EMQM quad cable and Neutrik connectors.

PART #
ELL-12-00
ELL-18-00
ELL-24-00
ELL-36-00
ELL-48-00

Eliminator
EMQM QUAD CABLE

Available Colors:
BLACK -00 / RED -02 / YELLOW -04 / GREEN -05 / BLUE -06



Longframe-XX Eliminator Patch Cables

These cables are great for patching in directly from your device into the patch bay. Features Eliminator EMQM quad cable and Neutrik connectors.

PART #	
ELM-10-00	Longframe-XLR Male 10ft
ELF-10-00	Longframe-XLR Female 10ft
ELS-10-00	Longframe-TRS 10ft
ELP-10-00	Longframe-1/4 10ft
ELR-10-00	Longframe-RCA 10ft


Eliminator
EMQM QUAD CABLE


Available Colors:
BLACK -00 / RED -02 / YELLOW -04 / GREEN -05 / BLUE -06



3 CABLE ASSEMBLIES

AES & SPDIF DIGITAL AUDIO CABLE

PART NUMBER: 

PART NUMBER: 

EXAES-Eliminator Series AES Cable

Eliminator EMAES2M Digital AES cable is well known for its accurate data transmission. These cables also feature Neutrik Gold XLR connectors.

PART #
EXAES-01
EXAES-02
EXAES-03
EXAES-06
EXAES-10
EXAES-15
EXAES-20
EXAES-25
EXAES-30
EXAES-40
EXAES-50
EXAES-75
EXAES-100

Available Color:
PURPLE



Eliminator
110 OHM DOUBLE SHIELDED RF REJECTION CABLE

ELAES-Eliminator Longframe AES Patch Cables

These cable feature the same Eliminator EMAES2M and Neutrik NP3TB Longframe plugs.

PART #
ELAES-12
ELAES-18
ELAES-24
ELAES-36
ELAES-48

Available Color:
PURPLE

Eliminator
110 OHM DOUBLE SHIELDED RF REJECTION CABLE



ESPDIF-Eliminator Series SPDIF Patch Cables

Features Eliminator EMSPDIF Cable and ADC 75 Ohm RCA Connectors.

PART #
ESPIF-1-xx
ESPIF-2-xx
ESPIF-3-xx
ESPIF-6-xx
ESPIF-10-xx
ESPIF-15-xx
ESPIF-20-xx
ESPIF-25-xx
ESPIF-30-xx
ESPIF-40-xx
ESPIF-50-xx
ESPIF-75-xx
ESPIF-100-xx

Available Color: replace XX with
-Black-00, Purple-07



Eliminator
110 OHM DOUBLE SHIELDED RF REJECTION CABLE


All of our AES & SPDIF cables are made with our Eliminator 110 Ohm double shielded RF rejection cable for true data accuracy.

3 CABLE ASSEMBLIES

MULTI-TRACK RECORDING CABLE

Our Multi-track snakes feature Neutrik and and your choice of Torque multi-pair or Eliminator Double Shield multi-pair. Also available in custom configurations!

Use the following ordering chart to configure your needs:



PART #	
8 CHANNEL RCA-RCA	
L8R8R-8	
L8R8R-12	
L8R8R-16	
L8R8R-24	
8 CHANNEL RCA-1/4 MONO	
L8R8P-8	
L8R8P-12	
L8R8P-16	
L8R8P-24	
8 CHANNEL 1/4-1/4 MONO	
L8P8P-8	
L8P8P-12	
L8P8P-16	
L8P8P-24	
8 CHANNEL TRS-TRS	
L8S8S-8	
L8S8S-12	
L8S8S-16	
L8S8S-24	
8 CHANNEL TRS-XLR MALE	
L8S8M-8	
L8S8M-12	
L8S8M-16	
L8S8M-24	
8 CHANNEL XLR F-XLR M	
L8F8M-8	
L8F8M-12	
L8F8M-16	
L8F8M-24	

PART #	
12 CHANNEL RCA-RCA	
L12R12R-8	
L12R12R-12	
L12R12R-16	
L12R12R-24	
12 CHANNEL RCA-1/4 MONO	
L12R12P-8	
L12R12P-12	
L12R12P-16	
L12R12P-24	
12 CHANNEL 1/4-1/4 MONO	
L12P12P-8	
L12P12P-12	
L12P12P-16	
L12P12P-24	
12 CHANNEL TRS-TRS	
L12S12S-8	
L12S12S-12	
L12S12S-16	
L12S12S-24	
12 CHANNEL TRS-XLR MALE	
L12S12M-8	
L12S12M-12	
L12S12M-16	
L12S12M-24	
12 CHANNEL XLR F-XLR M	
L12F12M-8	
L12F12M-12	
L12F12M-16	
L12F12M-24	

PART #	
16 CHANNEL RCA-RCA	
L16R16R-8	
L16R16R-12	
L16R16R-16	
L16R16R-24	
16 CHANNEL RCA-1/4 MONO	
L16R16P-8	
L16R16P-12	
L16R16P-16	
L16R16P-24	
16 CHANNEL 1/4-1/4 MONO	
L16P16P-8	
L16P16P-12	
L16P16P-16	
L16P16P-24	
16 CHANNEL TRS-TRS	
L16S16S-8	
L16S16S-12	
L16S16S-16	
L16S16S-24	
16 CHANNEL TRS-XLR MALE	
L16S16M-8	
L16S16M-12	
L16S16M-16	
L16S16M-24	
16 CHANNEL XLR F-XLR M	
L16F16M-8	
L16F16M-12	
L16F16M-16	
L16F16M-24	

PART #	
24 CHANNEL RCA-RCA	
L24R24R-8	
L24R24R-12	
L24R24R-16	
L24R24R-24	
24 CHANNEL RCA-1/4 MONO	
L24R24P-8	
L24R24P-12	
L24R24P-16	
L24R24P-24	
24 CHANNEL 1/4-1/4 MONO	
L24P24P-8	
L24P24P-12	
L24P24P-16	
L24P24P-24	
24 CHANNEL TRS-TRS	
L24S24S-8	
L24S24S-12	
L24S24S-16	
L24S24S-24	
24 CHANNEL TRS-XLR MALE	
L24S24M-8	
L24S24M-12	
L24S24M-16	
L24S24M-24	
24 CHANNEL XLR F-XLR M	
L24F24M-8	
L24F24M-12	
L24F24M-16	
L24F24M-24	

3 CABLE ASSEMBLIES

Our Eliminator series of multitrack snakes are the finest RF rejection cables made featuring our "Double Spiral Shield". Also available in custom configurations!

Use the custom configuration chart on the previous page to custom configure your snake.



Eliminator
RF REJECTION CABLE

PART #	
8 CHANNEL RCA-RCA	
E8R8R-8	
E8R8R-12	
E8R8R-16	
E8R8R-24	

8 CHANNEL RCA-1/4 MONO	
E8R8P-8	
E8R8P-12	
E8R8P-16	
E8R8P-24	

8 CHANNEL 1/4-1/4 MONO	
E8P8P-8	
E8P8P-12	
E8P8P-16	
E8P8P-24	

8 CHANNEL TRS-TRS	
E8S8S-8	
E8S8S-12	
E8S8S-16	
E8S8S-24	

8 CHANNEL TRS-XLR MALE	
E8S8M-8	
E8S8M-12	
E8S8M-16	
E8S8M-24	

8 CHANNEL XLR F-XLR M	
E8F8M-8	
E8F8M-12	
E8F8M-16	
E8F8M-24	

PART #	
12 CHANNEL RCA-RCA	
E12R12R-8	
E12R12R-12	
E12R12R-16	
E12R12R-24	

12 CHANNEL RCA-1/4 MONO	
E12R12P-8	
E12R12P-12	
E12R12P-16	
E12R12P-24	

12 CHANNEL 1/4-1/4 MONO	
E12P12P-8	
E12P12P-12	
E12P12P-16	
E12P12P-24	

12 CHANNEL TRS-TRS	
E12S12S-8	
E12S12S-12	
E12S12S-16	
E12S12S-24	

12 CHANNEL TRS-XLR MALE	
E12S12M-8	
E12S12M-12	
E12S12M-16	
E12S12M-24	

12 CHANNEL XLR F-XLR M	
E12F12M-8	
E12F12M-12	
E12F12M-16	
E12F12M-24	

PART #	
16 CHANNEL RCA-RCA	
E16R16R-8	
E16R16R-12	
E16R16R-16	
E16R16R-24	

16 CHANNEL RCA-1/4 MONO	
E16R16P-8	
E16R16P-12	
E16R16P-16	
E16R16P-24	

16 CHANNEL 1/4-1/4 MONO	
E16P16P-8	
E16P16P-12	
E16P16P-16	
E16P16P-24	

16 CHANNEL TRS-TRS	
E16S16S-8	
E16S16S-12	
E16S16S-16	
E16S16S-24	

16 CHANNEL TRS-XLR MALE	
E16S16M-8	
E16S16M-12	
E16S16M-16	
E16S16M-24	

16 CHANNEL XLR F-XLR M	
E16F16M-8	
E16F16M-12	
E16F16M-16	
E16F16M-24	

PART #	
24 CHANNEL RCA-RCA	
E24R24R-8	
E24R24R-12	
E24R24R-16	
E24R24R-24	

24 CHANNEL RCA-1/4 MONO	
E24R24P-8	
E24R24P-12	
E24R24P-16	
E24R24P-24	

24 CHANNEL 1/4-1/4 MONO	
E24P24P-8	
E24P24P-12	
E24P24P-16	
E24P24P-24	

24 CHANNEL TRS-TRS	
E24S24S-8	
E24S24S-12	
E24S24S-16	
E24S24S-24	

24 CHANNEL TRS-XLR MALE	
E24S24M-8	
E24S24M-12	
E24S24M-16	
E24S24M-24	

24 CHANNEL XLR F-XLR M	
E24F24M-8	
E24F24M-12	
E24F24M-16	
E24F24M-24	

3 CABLE ASSEMBLIES

SPECIAL RECORDING MULTI-TRACK SNAKES

Eliminator Series D-SUB to TRS 8 Channel

PART #

ESTRS-08

ESTRS-12

ESTRS-16

ESTRS-24

Eliminator Series 8 Chan D-SUB to XLR

PART #

ESXM-08

ESXM-12

ESXM-16

ESXM-24

Eliminator Series D-SUB to XLR Female

PART #

ESXF-08

ESXF-12

ESXF-16

ESXF-24

Eliminator Series AES 8 Chan D-SUB to D-SUB Cables

These cables are used for AES 8 Channel digital recording machines.

PART #

ESBSBAES-08

ESBSBAES-12

ESBSBAES-16

ESBSBAES-24

Eliminator Series AES 8 Chan D-SUB to 4XM / 4XF

These cables are used for AES 8 Channel digital recording machines. D-Sub to 4XLR male / 4XLR female.

PART #

ES4XM4XFAES-08

ES4XM4XFAES-12

ES4XM4XFAES-16

ES4XM4XFAES-24

These 8 channel recording snakes feature our 8 Channel Eliminator "Double Shielded" snake cable along with Neutrik connectors. They are made for full RF rejection and perfect for Live and Studio recording situations.



Eliminator
RF REJECTION CABLE

3 CABLE ASSEMBLIES

Y-CABLES



PART #	DESCRIPTION
YC-01	Y-Cable 1 XLR Fem-2 XLR Male 1ft
YC-02	Y-Cable 1 XLR Fem-2 XLR Fem 1ft
YC-03	Y-Cable 1 XLR Male-2 XLR Fem 1ft
YC-04	Y-Cable 1 XLR Male-2 XLR Male 1ft
YC-05	Y-Cable Banana Plug-2 Fem 1/4 1ft
YC-06	Y-Cable 1/4 Fem-2 Male 1/4 1ft
YC-07	Y-Cable XLR Fem-2 RCA Male 1ft
YC-08	Y-Cable 1/4 Male-2 1/4 Fem 1ft
YC-09	Y-Cable TRS Fem-2 TRS Fem 1ft
YC-10	Y-Cable TRS-2 TRS Male 1ft
YC-11	Y-Cable 1/4 Male-2 1/4 Male 1ft
YC-12	Y-Cable 1/4 Male-2 RCA Male 1ft
YC-13	Y-Cable 1/4 Male-2 RCA Female 1ft
YC-14	Y-Cable 1/4 Male-2 3.5mm 1ft
YC-15	Y-Cable Speakon-2 1/4 Fem 1ft
YC-16	Y-Cable TRS Male-2 TRS Male 1ft
YC-17	Y-Cable TRS Male-2 TRS Fem 1ft
YC-18	Y-Cable RCA Male-2 RCA Fem 1ft
YC-19	Y-Cable RCA Male-2 RCA Male 1ft
YC-20	Y-Cable RCA Fem-2 RCA Male 1ft
YC-21	Y-Cable RCA Fem-2 RCA Fem 1ft
YC-22	Y-Cable 3.5 Mono-2 1/4 Male 1ft
YC-23	Y-Cable 3.5 Stereo-2 XLR Male 1ft
YC-24	Y-Cable 3.5 Stereo-2 XLR Fem 1ft



INSERT CABLES



PART #	DESCRIPTION
LS2P-01	Insert Cable 1 TRS- 2 Mono 1/4 1ft
LS2P-06	Insert Cable 1 TRS- 2 Mono 1/4 6ft
LS2P-12	Insert Cable 1 TRS- 2 Mono 1/4 12ft
LS2MF-01	Insert Cable 1 TRS-1 Male XLR/1 Fem XLR 1ft
LS2MF-06	Insert Cable 1 TRS-1 Male XLR/1 Fem XLR 6ft
LS2MF-12	Insert Cable 1 TRS-1 Male XLR/1 Fem XLR 12ft
L4S8P-08	Insert Cable 4 TRS-8 S/R 1/4 TS 8ft
L4S8P-16	Insert Cable 4 TRS-8 S/R 1/4 TS 16ft
L4S4M4F-08	Insert Cable 4 TRS-4 Male XLR/4 Fem XLR 8ft
L4S4M4F-16	Insert Cable 4 TRS-4 Male XLR/4 Fem XLR 16ft
L8S8M8F-08	Insert Cable 8 TRS-8 Male XLR/8 Fem XLR 8ft
L8S8M8F-16	Insert Cable 8 TRS-8 Male XLR/8 Fem XLR 16ft



LMIP-Series 3.5 Mini to Dual Phone Plug (Left/Right)

These cables are great for taking the output from a computer 3.5mini plug and going to two phone plugs.

PART #	DESCRIPTION
LMIP-03	3.5Mini to Dual 1/4 Left/Right 3ft
LMIP-05	3.5Mini to Dual 1/4 Left/Right 5ft
LMIP-10	3.5Mini to Dual 1/4 Left/Right 10ft
LMIP-15	3.5Mini to Dual 1/4 Left/Right 15ft
LMIP-20	3.5Mini to Dual 1/4 Left/Right 20ft
LMIP-25	3.5Mini to Dual 1/4 Left/Right 25ft
LMIP-30	3.5Mini to Dual 1/4 Left/Right 30ft
LMIP-50	3.5Mini to Dual 1/4 Left/Right 50ft



LMIR-Series 3.5 Mini to Dual RCA (Left/Right)


These cables are great for taking the output from a computer 3.5mini plug and going to two RCA.

PART #	DESCRIPTION
LMIR-03	3.5Mini to Dual RCA Left/Right 3ft
LMIR-05	3.5Mini to Dual RCA Left/Right 5ft
LMIR-10	3.5Mini to Dual RCA Left/Right 10ft
LMIR-15	3.5Mini to Dual RCA Left/Right 15ft
LMIR-20	3.5Mini to Dual RCA Left/Right 20ft
LMIR-25	3.5Mini to Dual RCA Left/Right 25ft
LMIR-30	3.5Mini to Dual RCA Left/Right 30ft
LMIR-50	3.5Mini to Dual RCA Left/Right 50ft



3 CABLE ASSEMBLIES

SPEAKER CABLES

PART NUMBER: 

Speaker Cables 1/4 to 1/4

Features our Torque high flex, high strand speaker cable and Switchcraft connectors.

1/4 to 1/4 16awg

PART #	
LSP-216-03	
LSP-216-05	
LSP-216-10	
LSP-216-15	
LSP-216-20	
LSP-216-25	
LSP-216-30	
LSP-216-40	
LSP-216-50	
LSP-216-75	
LSP-216-100	

1/4 to 1/4 14awg

PART #	
LSP-214-03	
LSP-214-05	
LSP-214-10	
LSP-214-15	
LSP-214-20	
LSP-214-25	
LSP-214-30	
LSP-214-40	
LSP-214-50	
LSP-214-75	
LSP-214-100	

1/4 to 1/4 12awg

PART #	
LSP-212-03	
LSP-212-05	
LSP-212-10	
LSP-212-15	
LSP-212-20	
LSP-212-25	
LSP-212-30	
LSP-212-40	
LSP-212-50	
LSP-212-75	
LSP-212-100	



Speaker Cables Banana to 1/4

Features our Torque high flex, high strand speaker cable and Switchcraft connectors.

BANANA to 1/4 16awg

PART #	
LSPB-216-03	
LSPB-216-05	
LSPB-216-10	
LSPB-216-15	
LSPB-216-20	
LSPB-216-25	
LSPB-216-30	
LSPB-216-40	
LSPB-216-50	
LSPB-216-75	
LSPB-216-100	

BANANA to 1/4 14awg

PART #	
LSPB-214-03	
LSPB-214-05	
LSPB-214-10	
LSPB-214-15	
LSPB-214-20	
LSPB-214-25	
LSPB-214-30	
LSPB-214-40	
LSPB-214-50	
LSPB-214-75	
LSPB-214-100	

BANANA to 1/4 12awg

PART #	
LSPB-212-03	
LSPB-212-05	
LSPB-212-10	
LSPB-212-15	
LSPB-212-20	
LSPB-212-25	
LSPB-212-30	
LSPB-212-40	
LSPB-212-50	
LSPB-212-75	
LSPB-212-100	



Speaker Cables Speakon NL4 to NL4 2/C

Features Neutrik NL4FX connectors and our Torque series speaker cable.

NL4FX to NL4FX 2C /16awg

PART #	
LSK-216-03	
LSK-216-05	
LSK-216-10	
LSK-216-15	
LSK-216-20	
LSK-216-25	
LSK-216-30	
LSK-216-40	
LSK-216-50	
LSK-216-75	
LSK-216-100	

NL4FX to NL4FX 2C /14awg

PART #	
LSK-214-03	
LSK-214-05	
LSK-214-10	
LSK-214-15	
LSK-214-20	
LSK-214-25	
LSK-214-30	
LSK-214-40	
LSK-214-50	
LSK-214-75	
LSK-214-100	

NL4FX to NL4FX 2C /12awg

PART #	
LSK-212-03	
LSK-212-05	
LSK-212-10	
LSK-212-15	
LSK-212-20	
LSK-212-25	
LSK-212-30	
LSK-212-40	
LSK-212-50	
LSK-212-75	
LSK-212-100	



3 CABLE ASSEMBLIES

SPEAKER CABLES

PART NUMBER: - -
SERIES LENGTH
 SPECIFICATION

LSB-Series Speaker Cables Speakon to Banana

Features Neutrik NL4FX to Banana connectors and our Torque series speaker cable.

Speakon - Banana 2C/14awg

PART #	
LSB-214-03	
LSB-214-05	
LSB-214-10	
LSB-214-15	
LSB-214-20	
LSB-214-25	
LSB-214-30	
LSB-214-40	
LSB-214-50	
LSB-214-75	
LSB-214-100	

Speakon - Banana 2C/12awg

PART #	
LSB-212-03	
LSB-212-05	
LSB-212-10	
LSB-212-15	
LSB-212-20	
LSB-212-25	
LSB-212-30	
LSB-212-40	
LSB-212-50	
LSB-212-75	
LSB-212-100	



LSP-Series Speaker Cables Speakon to 1/4

Features Neutrik NL4FX to 1/4 connectors and our Torque series speaker cable.

Speakon - 1/4" 2C/14awg

PART #	
LSP-214-03	
LSP-214-05	
LSP-214-10	
LSP-214-15	
LSP-214-20	
LSP-214-25	
LSP-214-30	
LSP-214-40	
LSP-214-50	
LSP-214-75	
LSP-214-100	

Speakon - 1/4" 2C/12awg

PART #	
LSP-212-03	
LSP-212-05	
LSP-212-10	
LSP-212-15	
LSP-212-20	
LSP-212-25	
LSP-212-30	
LSP-212-40	
LSP-212-50	
LSP-212-75	
LSP-212-100	



EP-Series Speaker Cables

Features Amphenol Metal EP connectors and our Torque series speaker cable.

EP4 to EP4 4C /12awg

PART #	
LEP-412-03	
LEP-412-05	
LEP-412-10	
LEP-412-15	
LEP-412-20	
LEP-412-25	
LEP-412-30	
LEP-412-40	
LEP-412-50	
LEP-412-75	
LEP-412-100	

EP6 to EP6 6C /12awg

PART #	
LEP-612-03	
LEP-612-05	
LEP-612-10	
LEP-612-15	
LEP-612-20	
LEP-612-25	
LEP-612-30	
LEP-612-40	
LEP-612-50	
LEP-612-75	
LEP-612-100	

EP8 to EP8 8C /12awg

PART #	
LEP-812-03	
LEP-812-05	
LEP-812-10	
LEP-812-15	
LEP-812-20	
LEP-812-25	
LEP-812-30	
LEP-812-40	
LEP-812-50	
LEP-812-75	
LEP-812-100	



3 CABLE ASSEMBLIES

SPEAKER CABLES

PART NUMBER: - -

SERIES LENGTH
SPECIFICATION

Speakon NL4FX 4C/12awg Speaker Cables

Features Neutrik NL4FX connectors and our Torque series LLSC-412 speaker cable.

Speakon NL4FX-NL4FX 4C/12awg

PART #	
LSK-412-03	
LSK-412-05	
LSK-412-10	
LSK-412-15	
LSK-412-20	
LSK-412-25	
LSK-412-30	
LSK-412-40	
LSK-412-50	
LSK-412-75	
LSK-412-100	

Speakon NL8FC 8C/12awg Speaker Cables

Features Neutrik NL8FC connectors and our Torque series LLSC-812 speaker cable.

Speakon NL8FC-NL8FC 8C/12awg

PART #	
LSK-812-03	
LSK-812-05	
LSK-812-10	
LSK-812-15	
LSK-812-20	
LSK-812-25	
LSK-812-30	
LSK-812-40	
LSK-812-50	
LSK-812-75	
LSK-812-100	



Did you know?

- You can custom label your cables
- Ask us about custom configurations
- Available with Speakon STX series connectors

3 CABLE ASSEMBLIES

Professional Broadcast Video Cable Assemblies

Cable Factory manufactures a full line of professional broadcast cables. All of our cable assemblies are manufactured with finest available broadcast quality video cable and video connectors. Cable Factory can also custom configure any of your special cable assemblies.

BNC to BNC CABLES

SERIES LENGTH
PART NUMBER: -

VBB-Series HD BNC-BNC Video Cables

Features HD ultra flexible Belden 1505F cable and 75ohm ADC BNC connectors.

BNC to BNC Video High Flex RG-59

PART #	
VBB-01	
VBB-1.5	
VBB-02	
VBB-03	
VBB-04	
VBB-05	
VBB-10	
VBB-15	
VBB-20	
VBB-25	
VBB-30	
VBB-50	
VBB-75	
VBB-100	

Features

- Belden 1505F
- ADC True 75 Ohm BNC-1 connectors
- High Flex and very durable PVC Jacket
- Please see page 46 for cable specifications



VBBD-Series BNC-BNC Digital Video Cables

Our VBBD series cables feature Belden 1694F cable and ADC BNC connectors

BNC to BNC Video High Def High Flex RG-59

PART #	
VBBD-01	
VBBD-1.5	
VBBD-02	
VBBD-03	
VBBD-04	
VBBD-05	
VBBD-10	
VBBD-15	
VBBD-20	
VBBD-25	
VBBD-30	
VBBD-50	
VBBD-75	
VBBD-100	

Features

- Belden High Flex 1694F HD rated cable
- ADC True 75 Ohm BNC-1 connectors
- Please see page 47 for cable specifications
- Can be ordered in custom lengths



3 CABLE ASSEMBLIES

RCA CABLES

SERIES LENGTH
PART NUMBER: -



VRR-Series RCA-RCA Video Cables

Features our ultra flexible Canare LV-61S cable and ADC 75ohm gold RCA connectors

PART #	PART #
VRR-01	VRR-15
VRR-1.5	VRR-20
VRR-02	VRR-25
VRR-03	VRR-30
VRR-04	VRR-50
VRR-05	VRR-75
VRR-10	VRR-100



VRB-Series RCA-BNC Video Cables

Same as our VRR series but with ADC 75 ohm BNC connector at one end.

PART #	PART #
VRB-01	VRB-15
VRB-1.5	VRB-20
VRB-02	VRB-25
VRB-03	VRB-30
VRB-04	VRB-50
VRB-05	VRB-75
VRB-10	VRB-100

WECO CABLES

VWW-Series Video Patch Bay Cables WECO to WECO

These cables are for broadcast patch bay's and feature Nickel plated plugs and ultra flexible braided cable.

ADC Broadcast Quality Video Patch Cables

PART #	
ADC-BK2VX	
ADC-BK3VX	
ADC-BK4VX	
ADC-BK6VX	

ADC High Def Video Patch Cables

PART #	
ADC-BK2V-ST5	
ADC-BK3V-ST5	
ADC-BK4V-ST5	
ADC-BK6VST5	



VWB-Series Video Patch Bay Cables WECO-BNC

These cables are similar to the VWW series but with a BNC on one end.

ADC Broadcast Quality Video Patch Cables

PART #	
ADC-BK2VX-B	
ADC-BK3VX-B	
ADC-BK4VX-B	
ADC-BK6VX-B	

ADC High Def Video Patch Cables

PART #	
ADC-BK2V-ST5-B	
ADC-BK3V-ST5-B	
ADC-BK4V-ST5-B	
ADC-BK6VST5-B	

3 CABLE ASSEMBLIES

RGBHV CABLES

VRGBBB Series HD 5 BNC to 5 BNC RGBHV

These RGB cables are high flex high Def rated RGBHV cables. ADC true 75 ohm BNC connectors and our VRGBHV-59 High Def cable. Please see page 48 for cable specifications.

PART #

VRGBBB-03
VRGBBB-06
VRGBBB-10
VRGBBB-15
VRGBBB-20
VRGBBB-25
VRGBBB-50
VRGBBB-75
VRGBBB-100



VRGBHDB-Series HD-15 D-Sub to 5 BNC

Features Belden 1522A cable and ADC true 75 Ohm BNC connectors. High flex cable and all metal shell VGA connectors. Please see page 47 for cable specifications.

PART #

VRGBHDB-03
VRGBHDB-06
VRGBHDB-10
VRGBHDB-15
VRGBHDB-20
VRGBHDB-25
VRGBHDB-50
VRGBHDB-75
VRGBHDB-100



HDMI to HDMI

SERIES PART NUMBER: - LENGTH

VHDMIMM - HDMI Cables High Def Cables

A must for connecting high definition equipment. Cables are v1.3b 1080P rated for cables up to 15ft. Cables that are longer 50, 75 & 100ft have built in equaliser for stable long length data transmission.

PART #

VHDMIMM-03
VHDMIMM-06
VHDMIMM-10
VHDMIMM-15
VHDMIMM-20
VHDMIMM-35
VHDMIMM-50
VHDMIMM-75
VHDMIMM-100

Features

- 3ft,6ft,10ft & 15ft cables are v1.3b certified.
- 50ft, 75ft & 100ft cables have built in equaliser.
- Double shielded with PVC Jacket



3 CABLE ASSEMBLIES

VGA CABLES

SERIES LENGTH
PART NUMBER: -

VRVGA-Series VGA Cables

These extreme low loss cables are made with Belden 1522A cable and heavy duty metal D-Sub connectors. Flexible jacket that is CMR fire rated. Please see page 47 for cable specifications.

PART #
VRVGA-06
VRVGA-10
VRVGA-15
VRVGA-20
VRVGA-25
VRVGA-50
VRVGA-75
VRVGA-100

Features

- Belden 1522A Cable
- Robust flexible PVC jacket
- Metal Amphenol connectors



COMPONENT CABLES

VCOMP-Component Video Cables

High Definition component video cables. Made with our HD VCOM3-59 cable and ADC true 75 Ohm Gold RCA connectors.

PART #
VCOMP-06
VCOMP-10
VCOMP-15
VCOMP-20
VCOMP-25
VCOMP-50
VCOMP-75
VCOMP-100

Features

- VCOMP3-59 High Def Cable
- Flexible Black Jacket
- ADC True 75 Ohm RCA Connectors



TRIAx CABLES

VTRIAx-38 RG-59 Series Triax Cables 3/8 Triax Cables

Made with low loss ultra flexible 20awg TPE jacket and Kings Triloc connectors.

PART #
VTRIAx-38-03
VTRIAx-38-05
VTRIAx-38-10
VTRIAx-38-15
VTRIAx-38-20
VTRIAx-38-25
VTRIAx-38-30
VTRIAx-38-50
VTRIAx-38-75
VTRIAx-38-100

Features

- Ultra Flexible & Durable TPE Jacket
- Stranded conductor
- Kings Broadcast Industry Standard Triloc Connectors
- RG-59 (3/8) type
- Custom Lengths Available



VTRIAx-12 Series Triax Cables 1/2 Triax Cables

Made with low loss ultra flexible 14awg TPE jacket cable and Kings Triloc connectors.

PART #	PART #
VTRIAx-12-03	VTRIAx-12-25
VTRIAx-12-05	VTRIAx-12-30
VTRIAx-12-10	VTRIAx-12-50
VTRIAx-12-15	VTRIAx-12-75
VTRIAx-12-20	VTRIAx-12-100

Features

- Ultra Flexible & Durable TPE Jacket
- Stranded Conductor
- Kings Broadcast Industry Standard Triloc Connectors
- RG-11 Cable (1/2) type
- Custom Lengths Available

4 LIGHTING CABLE ASSEMBLIES

LIGHTING CABLES

- Heavy Duty Socapex Torque Veam VSC Style 19 Pin Connectors
- Ultra Flexible UL/CSA rated cable

TORQUE

Extension Cable 19C/12awg

PART #
LS19-05
LS19-10
LS19-25
LS19-50
LS19-75
LS19-100

Features

- Super Flexible PVC Jacket
- Custom Lengths available
- Available in both 14C/12awg and also 19C/12awg
- High Copper Strand conductors
- Gold Contacts
- Removable Pins
- UL/CSA Cable & Connectors

Extension Cable 14C/12awg

PART #
LS14-05
LS14-10
LS14-25
LS14-50
LS14-75
LS14-100

Break-Outs Male Soca to Female U-Ground & Twistlock

Soca Breakout to 6 U-Ground Female 6ft 12awg

PART #
LSBUF-6

Soca Breakout to 6 Twist Lock F 20A/125v 6ft 12awg

PART #
LSBTF-6

Features

- Hubbell Hospital grade U-Grounds
- Hubbell Black Twist Lock Connectors
- Socapex Spyder Breakout 19 pin
- Rubber SJOOW Cable

Break-Ins Female Soca to Male U-Ground & Twistlock

Soca Break-In to 6 U-Ground Male 6ft 12awg

PART #
LSBUM-6

Soca Break-In to 6 Twist Lock M 20A/125v 6ft 12awg

PART #
LSBTM-6

Features

- Hubbell Hospital grade U-Grounds
- Hubbell Black Twist Lock Connectors
- Socapex Spyder Break-in 19 pin
- Rubber SJOOW Cable

Power Extension Cables U-Ground & Twistlock

- Hubbell black hospital grade connectors
- Rubber SJOOW UL/CSA Cable

- Hubbell Black Twist Lock Connector
- Rubber SJOOW UL/CSA Cable

U-Ground Extension Cables 3C/12awg

PART #
LG123MFU-05
LG123MFU-10
LG123MFU-15
LG123MFU-25
LG123MFU-50
LG123MFU-75
LG123MFU-100
LG123MFU-150

Twistlock Extension Cables 3C/12awg

PART #
LG123MFTL-05
LG123MFTL-10
LG123MFTL-15
LG123MFTL-25
LG123MFTL-50
LG123MFTL-75
LG123MFTL-100
LG123MFTL-150



4 LIGHTING CABLE ASSEMBLIES

SERIES _____ LENGTH _____
PART NUMBER: [] - []

DMX CABLES

DMX Cables - 3 Pin

- Neutrik 3 Pin XLR's
- Heavy Duty 3C/22awg Cable
- Braided Shield
- Accurate 120 ohm Data Transmission

PART #

LDMX3-03
LDMX3-05
LDMX3-10
LDMX3-15
LDMX3-20
LDMX3-25
LDMX3-50
LDMX3-75
LDMX3-100
LDMX3-125
LDMX3-150
LDMX3-200

DMX Cables - 5 Pin

- Neutrik 5 Pin XLR's
- Heavy Duty 4C/22awg Cable
- Braided Shield/ 2 Foil shielded pairs
- Accurate 120 ohm Data Transmission

PART #

LDMX5-03
LDMX5-05
LDMX5-10
LDMX5-15
LDMX5-20
LDMX5-25
LDMX5-50
LDMX5-75
LDMX5-100
LDMX5-125
LDMX5-150
LDMX5-200



CAT-5 Hi-Flex

CAT -5 Ethercon Cables

These cables are made for heavy duty CAT-5E applications. These are high flex cables made with Neutrik Ethercon connectors.

PART #

LCATF-03
LCATF-05
LCATF-10
LCATF-15
LCATF-20
LCATF-25
LCATF-50
LCATF-75
LCATF-100
LCATF-125
LCATF-150
LCATF-200

Features

- Heavy Duty/flexible TPE Jacket
- Rated for 100mt (328ft) data transmission
- Neutrik Ethercon Connectors
- 4 Channel version are also available



Scroller Cables

Scroller Cable

Scroller cables are made with Neutrik 4 Pin XLR's and a high flex PVC jacketed cable with DMX & Power.

PART #

LSCROL-03
LSCROL-05
LSCROL-10
LSCROL-15
LSCROL-20
LSCROL-25
LSCROL-50
LSCROL-75
LSCROL-100
LSCROL-125
LSCROL-150
LSCROL-200

Features

- High Flex Black PVC Jacket
- Single pair DMX and 2C/18awg for power
- Neutrik 4 Pin XLR connectors



BULK WIRE



5 BULK WIRE

MULTI-PAIR TOURING SERIES

Torque Series Multi-Pair Cable

Our Torque series cable is made for the abuses of touring. Highly flexible yet robust cable has the following specifications:

- 24awg Individually Jacketed and Numbered foil shielded pairs
- Ultra flexible black matte jacket
- 21pf/ft capacitance
- FT-4/CL-2 Fire Rated

Part #	# of Chan	Gauge & Stranding	OD	Jacket Thickness	Cap (pf/ft)
LLMB-02	2	24awg/7x32awg	0.295"	0.045"	21
LLMB-06	6	24awg/7x32awg	0.430"	0.045"	21
LLMB-09	9	24awg/7x32awg	0.500"	0.045"	21
LLMB-12	12	24awg/7x32awg	0.560"	0.045"	21
LLMB-16	16	24awg/7x32awg	0.635"	0.045"	21
LLMB-20	20	24awg/7x32awg	0.720"	0.045"	21
LLMB-28	28	24awg/7x32awg	0.845"	0.045"	21
LLMB-36	36	24awg/7x32awg	0.910"	0.045"	21
LLMB-42	42	24awg/7x32awg	0.995"	0.045"	21
LLMB-56	56	24awg/7x32awg	1.12"	0.045"	21

TORQUE



SPEAKER CABLE TOURING SERIES

LLSC-Series High Flex Speaker Cable

These high flex, high strand speakers are ideal for touring. Available in many configurations:

- Black Matte TPE Jacket
- Come in 1000ft Rolls
- Pure copper high strand conductors

Part #	# of Cond.	Gauge & Stranding	OD	Jacket Thickness
LLSC-216	2	16awg/26x30awg	0.300"	0.045"
LLSC-214	2	14awg/41x30awg	0.330"	0.045"
LLSC-212	2	12awg/26x65awg	0.365"	0.045"
LLSC-412	4	12awg/26x65awg	0.420"	0.045"
LLSC-812	8	12awg/26x65awg	0.545"	0.045"

TORQUE



GUITAR/INSTRUMENT CABLE TOURING SERIES

LGS-124-Series Guitar Cable

- High Flex Matte Jacket
- Carbon conductive PVC coated
- 1C/24awg conductor
- BC Served Copper shield 95%

Part #	# of Cond.	Gauge & Stranding	OD	Jacket Thickness	Cap (pf/ft)
LLGS-124-00	1	24/19x36	.225"	0.045"	20

TORQUE



LGT-120-Series Heavy Duty Guitar Cable

- High Flex Matte Jacket
- Carbon conductive PVC coated
- 1C/20awg conductor
- Braided Tinned Copper shield

Part #	# of Cond.	Gauge & Stranding	OD	Jacket Thickness	Cap (pf/ft)
LLGS-120-00	1	20/27x34awg	.237"	0.045"	46

TORQUE



5 BULK WIRE

MIC CABLE TOURING SERIES

LLMS-224-Series Microphone Cable

- High Flex Matte Jacket - 2C/24awg conductor - BC Served Copper shield

Part #	# of Cond.	Gauge & Stranding	OD	Jacket Thickness	Cap (pf/ft)
LLMS-224-00	2	24/19x36awg	0.225"	0.040"	22



- Standard Series Mic cable
- Spiral Shield
- Available in Black-00, Red-02, Blue-06, Yellow-

LLMT-224-Series Heavy Duty Microphone Cable

- High Flex Matte Jacket - 2C/24awg conductor - BC Braided Tinned Copper Shield

Part #	# of Cond.	Gauge & Stranding	OD	Jacket Thickness	Cap (pf/ft)
LLMT-224-00	2	24/42x40awg	0.240"	0.040"	19



- Super Flexible & Durable Mic Cable
- 95% Braided Shield
- High Strand Conductor
- Available in Black-00

LLMQ-424-Series Heavy Duty Quad Microphone Cable

- High Flex Matte Jacket - 4C/24awg conductor - BC Braided Tinned Copper Shield

Part #	# of Cond.	Gauge & Stranding	OD	Jacket Thickness	Cap (pf/ft)
LLMQ-424-00	4	24/42x40awg	0.245"	0.041"	36



- Electromagnetic Noise Canceling
- Quad Star Design
- High strand Conductor
- Available in Black-00

INSTALL AUDIO CABLE

LLAI-222 2C/22awg Audio Install Cable

- Gray PVC FT-4 Jacket - Comes in easy pull 1000ft Boxes

Part #	# of Cond.	Gauge & Stranding	OD	Jacket Thickness	Cap (pf/ft)
LLAI-222	2	22/7x30awg	0.135"	0.020"	34



Description & colours
- Gray Chrome Jacket
- Small Diameter Install

LLAI-422 2Pair/22awg Audio Install Cable

- Gray PVC FT-4 Jacket - Comes in easy pull 1000ft Boxes

Part #	# of Cond.	Gauge & Stranding	OD	Jacket Thickness	Cap (pf/ft)
LLAI-422	2 pairs	22/7x30awg	0.152"	0.020"	34



Description & colours
- 2 Pair with individually shielded pairs
- Foil Shield with Single drain wire
- Gray Chrome PVC Jacket

INSTALL SPEAKER CABLE

LLSCI-Series Install Speaker Cables

-PVC FT-4 Jacket - High strand tinned copper conductors
-Comes in easy pull 1000ft boxes - Note LLSCIS-218 has Foil Shield

Part #	# of Cond.	Gauge & Stranding	OD	Jacket Thickness	Wt
LLSCIS-218	2	18/16x30awg	0.195"	0.023"	26
LLSCI-216	2	16/26x30awg	0.226"	0.030"	34
LLSCI-214	2	14/41x30awg	0.336"	0.030"	65
LLSCI-212	2	12/65x30awg	0.400"	0.030"	95
LLSCI-414	4	14/41x30awg	0.392"	0.030"	108



Description & colours
- Come in easy Pull Boxes
- Pure Copper Speaker Cable
- High Strand Conductors
- FT-4/CL-2 Fire Rated
- Colors: 18awg=Gray, 16awg=Blue, 14awg=Green, 12awg=Yellow

5 BULK WIRE

Eliminator

RF REJECTION CABLE

Our Eliminator series cable was designed to give the best in RF Rejection and sound quality. Our 'Double Spiral Shield' is by far the best 100% shield coverage and has the best RF Rejection. We also used XLPE on the dielectric for low capacitance which gives you low loss in high frequencies. These ultra flexible analogue and Digital cables offer the best of cable design. Available in several configurations to fit your needs.

ANALOGUE MULTI-PAIR STUDIO SERIES

Eliminator Series Multi-Pair Cable

- Highly flexible yet robust cable has the following specifications:
- 24awg Individually Jacketed pairs with double copper spiral shield 100% Coverage. High strand pure copper.
 - Ultra flexible black matte jacket
 - 26pf/ft capacitance

Part #	# of Chan	Gauge & Stranding	OD	Jacket Thickness	Cap (pf/ft)
EM2P	2	24/25x38awg	0.20"	0.05"	26
EM4P	4	24/25x38awg	0.45"	0.05"	26
EM8P	8	24/25x38awg	0.60"	0.05"	26
EM12P	12	24/25x38awg	0.75"	0.05"	26
EM16P	16	24/25x38awg	0.80"	0.05"	26
EM24P	24	24/25x38awg	1.00"	0.05"	26



MIC CABLE STUDIO SERIES

EM2M 2C/24awg Double-shielded Series Microphone Cable

- High Flex Matte Jacket - 2C/24awg conductor - BC Double Served Copper shield
- High Strand Pure Copper - Noise Canceling Conductive PVC

Part #	# of Cond.	Gauge & Stranding	OD	Jacket Thickness	Cap (pf/ft)
EM2M	2	24/96x44awg	0.235"	0.20"	28



Description & colours
- Color=Black
- Super Quite Cable

EM3M 3C/24awg Double-shielded Series Microphone Cable

- High Flex Matte Jacket - 3C/24awg conductor - BC Double Served Copper Shield
- Super High Strand Pure Copper Conductors - Noise Canceling Conductive PVC

Part #	# of Cond.	Gauge & Stranding	OD	Jacket Thickness	Cap (pf/ft)
EM3M	3	24/96x44awg	0.245"	0.20"	42



Description & colours
- Color=Black
- Best RF Rejection cable on the market
- Third conductor is paired with shield

EMQM 4C/24awg Quad Double-shielded Series Microphone Cable

- High Flex Matte Jacket - 4C/24awg conductor - BC Double Spiral Copper Shield
- Quad Noise Canceling High Strand Conductors - EMI Canceling Quad Cable

Part #	# of Cond.	Gauge & Stranding	OD	Jacket Thickness	Cap (pf/ft)
EMQM	4	4/96x44awg	.250"	0.20"	16



Description & colours
- Color=Black
- Noise Canceling Quad Conductor Design

5 BULK WIRE

Eliminator

RF REJECTION CABLE

INSTALL AUDIO CABLE

EM2MR 2C/24awg Audio Install Cable

- Black PVC FT-4 Jacket - Comes in 1000ft Rolls - RF Double Spiral Pure Copper Shield - Great for Rack Wiring or High Noise Installations

Part #	# of Cond.	Gauge & Stranding	OD	Jacket Thickness	Cap (pf/ft)
EM2MR	2	24/25x38awg	.13"	.020"	17



Description & colours
- Color=Black
- Rack & Console Cable

EMQMR 4C/24awg Quad Audio Install Cable

- Black FT-4 Jacket - Comes in 1000ft Spool - Double Spiral 100% Shield with Quad EMI rejection design

Part #	# of Cond.	Gauge & Stranding	OD	Jacket Thickness	Cap (pf/ft)
EMQMR	4	24/25x38awg	0.14"	.020"	15



Description & colours
- Color=Black
- Quad EMI Rejection

GUITAR/INSTRUMENT CABLE STUDIO SERIES

EMGC 1C/20awg Series Guitar Cable

- High Flex Matte Jacket - Carbon conductive PVC coated
- 1C/20awg conductor - BC Double Served Copper shield

Part #	# of Cond.	Gauge & Stranding	OD	Jacket Thickness	Cap (pf/ft)
EMGC	1	96x41awg	.235"	.020"	39



Description & colours
- Color=Black
- High Strand Double Spiral Shield
- Ultra Low Noise

DIGITAL AES MULTI-PAIR STUDIO SERIES

Eliminator Series Multi-Pair Cable

High Flex AES Multipair
High Accuracy AES Stabilized 110 ohm Digital Audio Transmission
- 24awg Individually Jacketed, Double Spiral Shielded per channel
- FT-4/CL-2 Fire Rated - Color=Purple

Part #	# of Chan	Gauge & Stranding	OD	Jacket Thickness	Cap (pf/ft)
EM2PAES	2	24/18x38awg	0.30"	0.020"	12
EM4PAES	4	24/18x38awg	0.48"	0.020"	12
EM8PAES	8	24/18x38awg	0.55"	0.020"	12
EM12PAES	12	24/18x38awg	0.75"	0.020"	12



DIGITAL AUDIO CABLE

EMAES2MR 2C/24awg AES Audio Cable

- High Flex Purple jacket - High Accuracy 110 Ohm - FT-4 Fire Rated Jacket
- Double Spiral RF Shield - Comes 1000ft Spools

Part #	# of Cond.	Gauge & Stranding	OD	Jacket Thickness	Cap (pf/ft)
EMAES2M	2	24/18x38awg	.245"	.020"	12
EMAES2MR	2	24/18x38awg	.140"	0.014"	12



Description & colors
- Color=Purple
- High Accuracy 110 ohm Impedance

EMSPDIF 1C/22awg SPDIF Digital Audio Cable

-High Flex Black Jacket - Comes in easy pull 1000ft Boxes - 75 Ohm

Part #	# of Cond.	Gauge & Stranding	OD	Jacket Thickness	Cap (pf/ft)
EMSPDIF	1	22/7x29	0.242"	.020"	17

Description & colours
- Color=Black - 75 ohm/ Braided Shield

5 BULK WIRE

Professional Broadcast Video Cable

Cable Factory stocks many types of professional video cables for all types of applications. All of our cables are broadcast quality video cables available in install grade or high flex for portable situations.

VIDEO CABLE RG-6

VRG6I-Series RG-6U Cable 75 Ohm

- CATV 18awg Solid - Braided shield 40%/Foil Shield 100% - 1000ft rolls



Part #	Cond	OD	Insulation type	UL type	Shield Coverage	Imped	Return loss	Capac	Cond DCR per Mft/ Shield DCR per Mft	Vel. of Prop					
VRG6I	1	0.270"	CE	CMR	100%	75ohm	24dB	16.2	6.4	82%					
Atten. dB /100ft															
	1MHz	3.6MHz	10MHz	71.5MHz	100MHz	270MHz	360MHz	720MHz	1GHz	1.5GHz	2.25GHz	3GHz	4.5GHz		
	1	4	8	1.70	2.05	4.20	5.20	6.30	6.88	8.1	9.5	11.55	-		

VRG6HDI-Series High Def RG-6 Cable 75 Ohm

- Black PVC Jacket - Solid 18awg Conductor - HD 4.5GHz Swept - 100% Shield

Part #	Cond	OD	Insulation type	UL type	Shield Coverage	Imped	Return loss	Capac	Cond DCR per Mft/ Shield DCR per Mft	Vel. of Prop					
VRG6HDI	1	0.275"	CE	CMR	100%	75	23dB	16.2	6.4	82%					
Atten. dB /100ft															
	1MHz	3.6MHz	10MHz	71.5MHz	135MHz	270MHz	360MHz	720MHz	1GHz	1.5GHz	2.25GHz	3GHz	4.5GHz		
	.24	.45	.72	1.6	2.10	2.97	3.43	4.95	5.89	7.33	9.14	10.67	13.29		

Belden 1694A High Def RG-6 Cable 75 Ohm

- Black PVC Jacket - Solid 18awg conductor - HD 4.5GHz Swept - 100% Shield

Part #	Cond	OD	Insulation type	UL type	Shield Coverage	Imped	Return loss	Capac	Cond DCR per Mft/ Shield DCR per Mft	Vel. of Prop				
1694A	1	0.275"	FHDPE	CMR	100%	75	23dB	16.2	6.4	82%				
Atten. dB /100ft	1MHz		3.6MHz	10MHz	71.5MHz	135MHz	270MHz	360MHz	720MHz	1GHz	1.5GHz	2.25GHz	3GHz	4.5GHz
	24	45	72	1.6	2.10	2.97	3.43	4.95	5.89	7.33	9.14	10.67	13.29	

VIDEO CABLE RG-59

Canare LV-61S RG-59 High Flex Video

- High flex black matte jacket - Stranded 24awg conductor - Braided shield 95%



Part #	Cond	OD	Insulation type	UL type	Shield Coverage	Imped	Return loss	Capac	Cond DCR per Mft/ Shield DCR per Mft	Vel. of Prop					
LV61S	1	.240"	CP	-	95%	75	xx	28	25.9	66%					
Atten. dB /100ft															
	1MHz	3.6MHz	10MHz	50MHz	100MHz	150MHz	200MHz	400MHz	700MHz	900MHz	1.0GHz	3GHz	4.5GHz		
	-	-	1.3	2.7	4.1	5.0	5.7	8.1	10.7	12.1	12.8	-	-		

VRGHD-59F RG-59 High Flex HD Video Cable

- High flex black matte jacket - Stranded 22awg conductor -Braided shield 95%

Part #	Cond	OD	Insulation type	UL type	Shield Coverage	Imped	Return loss	Capac	Cond DCR per Mft/ Shield DCR per Mft	Vel. of Prop				
VRGHD-59F	1	.242"	FHDPE	CM	95%	75	15dB	17.0	12.2/2.4	80%				
Atten. dB /100ft		1MHz	3.6MHz	10MHz	71.5MHz	135MHz	270MHz	360MHz	720MHz	1GHz	1.5GHz	2.25GHz	3GHz	4.5GHz
		2	5	9	25	35	51	60	87	105	133	169	203	-

5 BULK WIRE

Belden 1505F High Def / High Flex Video Cable

- Black PVC Jacket - Stranded 22awg conductor - Foil/Braid Shield 100%



Part #	Cond	OD	Shield Coverage			Imped	Return loss	Capac	Cond DCR per Mft/ Shield DCR per Mft			Vel. of Prop				
1505F	1	22	CMR			75	15dB	17	12.2/2.4			80				
Atten. dB /100ft		1MHz	3.6MHz	10MHz	71.5MHz	135MHz	270MHz	360MHz	720MHz	1GHz	1.5GHz	2.25GHz	3GHz	4.5GHz		
		.2	.5	.9	2.5	3.5	5.1	6.0	8.7	10.5	13.3	16.9	20.3	-		

Belden 1505A High Def Video Cable

- PVC jacket - Solid 20awg conductor - Foil/ Braided shield 95% - Colors Available

Part #	Cond	OD	Insulation type	UL type	Shield Coverage	Imped	Return loss	Capac	Cond DCR per Mft/ Shield DCR per Mft	Vel. of Prop				
1505A	1	20	FHDPE	CMR	100%Foil/Braid	75	21	16.3	10.0/3.8	83%				
Atten. dB /100ft	1MHz	3.6MHz	10MHz	71.5MHz	135MHz	270MHz	360MHz	720MHz	1GHz	1.5GHz	2.25GHz	3GHz	4.5GHz	
	.3	.6	.9	2.1	2.7	3.8	4.4	6.4	7.6	9.3	11.6	13.4	16.4	

VIDEO CABLE VGA

Belden 1522A 5C/75ohm VGA Cable

- PVC black jacket - Stranded 30awg conductor - Braided/Foil Shield 100%



Part #	Cond	OD	Insulation type	UL type	Shield Coverage	Imped	Return loss	Capac	Cond DCR per Mft/ Shield DCR per Mft	Vel. of Prop			
1522A	5	.338	FHDPE	CMR	100%	75	25dB	17.3	100/9.5	78%			
Atten. dB /100ft	1MHz	5MHz	10MHz	50MHz	100MHz	200MHz	400MHz	700MHz	900GHz	1GHz	2.25GHz	3GHz	4.5GHz
	.80	1.5	2.2	5.4	8.2	12.5	18.9	26.5	30.8	32.8	-	-	-

VIDEO CABLE COMPONENT

VCOMP3-59 3C/RG-59 HD Cable 75 Ohm

- High flex black matte jacket - Solid 20awg conductor - Braided/Foil shield 100%



Part #	Cond	OD	Insulation type	UL type	Shield Coverage	Imped	Return loss	Capac	Cond DCR per Mft/ Shield DCR per Mft	Vel. of Prop				
VCOMP3-59	3	.625	FHDPE	CMR	100%	75	23dB	16.2	12.2/3.4	82%				
Atten. dB /100ft	1MHz	3.6MHz	10MHz	71.5MHz	135MHz	270MHz	360MHz	720MHz	1GHz	1.5GHz	2.25GHz	3GHz	4.5GHz	
	-	.48	.80	2.19	-	4.3	-	7.27	8.60	10.2	13.41	15.76	-	

Belden 7710A 3C/RG-6 HD Cable 75 Ohm

- PVC Jacket - Solid 18awg conductors - Braided & Foil shield 95%

Part #	Cond	OD	Insulation type	UL type	Shield Coverage	Imped	Return loss	Capac	Cond DCR per Mft/ Shield DCR per Mft	Vel. of Prop				
7710A	3	0.770	HDPE	CMR	95%	75	15dB	16.2	6.4/3.0	82%				
Atten. dB /100ft	1MHz	3.6MHz	10MHz	71.5MHz	135MHz	270MHz	360MHz	720MHz	1GHz	1.5GHz	2.25GHz	3GHz	4.5GHz	
	24	45	72	160	210	297	343	495	589	733	914	1067	-	

5 BULK WIRE

VIDEO CABLE RGBHV

VRGBHV-59 5C/75 ohm HD Cable RG-59

- High flex black matte jacket - Stranded 21awg conductor - Braided/Foil shield 95%



Part #	Cond	OD	Insulation type	UL type	Shield Coverage	Imped	Return loss	Capac	Cond DCR per Mft/ Shield DCR per Mft	Vel. of Prop					
VRGBHV-59	5	.754	HDPE	CMR	95%	75	23dB	16.2	12.2/3.4	82%					
Atten. dB /100ft			1MHz	3.6MHz	10MHz	71.5MHz	135MHz	270MHz	360MHz	720MHz	1GHz	1.5GHz	2.25GHz	3GHz	4.5GHz
			-	.48	.80	2.19	-	4.30	-	7.27	8.60	10.3	13.41	15.76	-

Belden 7712A 5C/75ohm HD Cable RG-6

- PVC jacket - Solid 18awg conductor - Braided/Foil shield 95%

Part #	Cond	OD	Insulation type	UL type	Shield Coverage	Imped	Return loss	Capac	Cond DCR per Mft/ Shield DCR per Mft	Vel. of Prop					
7712A	5	0.970"	FHDPE	CMR	95%	75	15dB	16.2	6.4/3.0	82%					
Atten. dB /100ft			1MHz	3.6MHz	10MHz	71.5MHz	135MHz	270MHz	360MHz	720MHz	1GHz	1.5GHz	2.25GHz	3GHz	4.5GHz
			.24	.45	.72	1.60	2.10	2.97	3.43	4.95	5.89	7.33	9.14	10.67	-

VIDEO CABLE SVHS

VSVHSF-2 2C/RG-59 SVHS Cable 75 Ohm

- High flex black matte jacket - Stranded 30awg conductor - Spiral shield 90%



Part #	Cond	OD	Insulation type	UL type	Shield Coverage	Imped	Return loss	Capac	Cond DCR per Mft/ Shield DCR per Mft	Vel. of Prop					
VSVHSF-2	2	.275	PE	-	90%	75	-	17.3	100/7.5	78%					
Atten. dB /100ft			1MHz	5MHz	10MHz	50MHz	100MHz	200MHz	400MHz	700MHz	900GHz	1.0GHz	2.25GHz	3GHz	4.5GHz
			.6	1.4	2.1	xx5.1	7.6	11.3	16.9	23.3	26.9	28.60	-	-	-

VIDEO CABLE TRIAX

VTRIAXF-59 Triax RG-59 Cable 75 Ohm 3/8" Type

- High flex black matte jacket- Stranded 22awg conductor - Double Braided shield



Part #	Cond	OD	Insulation type	UL type	Shield Coverage	Imped	Return loss	Capac	Cond DCR per Mft/ Shield DCR per Mft	Vel. of Prop					
VTRIAX-59	1	0.350	Gas Foam	-	98%	75	82%	16.5	12/2.6	78%					
Atten. dB /100ft			1MHz	3.6MHz	10MHz	100MHz	200MHz	400MHz	700MHz	900MHz	1GHz	1.5GHz	2.25GHz	3GHz	4.5GHz
			.28	-	.88	2.85	4.09	5.88	7.94	9.01	9.63	-	-	-	-

VTRIAXF-11 Triax RG-11 Cable 75 Ohm 1/2" Type

- High flex black matte jacket - Stranded 14awg conductor - Double Braided shield

Part #	Cond	OD	Insulation type	UL type	Shield Coverage	Imped	Return loss	Capac	Cond DCR per Mft/ Shield DCR per Mft	Vel. of Prop	Per/Ft	Per/Ft Roll			
VTRIAX-11	1	.515	Gas Foam	-	98%	75	82	17.3	1.4/1.5	78%	2.11	1.92			
Atten. dB /100ft			1MHz	3.6MHz	10MHz	100MHz	200MHz	400MHz	700MHz	900MHz	1GHz	1.5GHz	2.25GHz	3GHz	4.5GHz
			.14	-	.45	1.50	2.20	3.30	4.60	5.40	5.70	-	-	-	-

5 BULK WIRE

Ethernet Cable

LICAT5E-350 Cable

- PVC jacket - Solid 24awg -4 Pair - Unshielded Twisted Pairs - Non Plenum
-Nylon Ripcord - 1000ft Rolls



Part #	Conductors	OD	Insulation type	UL type	Imped	Capac	DCR	Prop skew				
LICAT5E-350	4 Pair	.19"	PE	CMR	100	300pf/100m	28.6	.45ns/100m				
Atten. dB /100mt	1MHz	4MHz	10MHz	16MHz	20MHz	25MHz	62.5MHz	100MHz	155MHz	200MHz	300MHz	350MHz
	2.0	4.1	6.5	8.20	9.30	10.50	-	-	-	-	-	-

LICAT6 Cable

-PVC Jacket - Solid 24awg / 4 pair - Unshielded Twisted Pair - Non Plenum
-Nylon Ripcord - 1000ft Rolls



Part #	Conductors	OD	Insulation type	UL type	Imped	Capac	DCR		Prop skew				
LICAT6	4 Pair	.25	PE	CMR	100	300pf/100m	28.6		xx				
Atten. dB /100mt	.150MHz	.772MHz	1MHz	4MHz	8MHz	10MHz	16MHz	100MHz	155MHz	200MHz	300MHz	350MHz	
	1.2	1.8	2.0	3.8	5.4	6.0	7.6	-	-	-	-	-	

LFCATF5E High Flex Rugged CAT-5E Cable

- High flex TPE jacket - Solid 24awg /4pair Conductors - 100MHz Bandwidth



Part #	Conductors	OD	Insulation type	UL type	Imped	Capac	DCR	Prop skew				
LICATF5E	4 Pair	.245	PE	-	100	17pf/ft	28.6	45ns/100m				
Atten. dB /100mt	.772MHz	1MHz	4MHz	8MHz	10MHz	16MHz	30MHz	25MHz	31.25MHz	62.5MHz	100MHz	350MHz
	1.8	2.0	4.1	5.8	6.5	8.2	9.3	10.4	11.7	17.0	22.0	-

LCATF5E-4C High Flex 4 Chan CAT-5E Snake

- High flex TPE matt jacket - Solid 24awg 4 pair Conductors - 100MHz Bandwidth



Part #	Conductors	OD	Insulation type	UL type	Imped	Capac	DCR			Prop skew		
LICAT5F5E-4C	4 Pair	0.700	PE	-	100	17pf/ft	28.60			45ns/100m		
Atten. dB /100mt	.772MHz	1MHz	4MHz	8MHz	10MHz	16MHz	30MHz	25MHz	31.25MHz	62.5MHz	100MHz	350MHz
	1.8	2.0	4.1	5.8	6.5	8.2	9.3	10.4	11.7	17.0	22.0	-

DMX 512 Control Cables

LDMX-224 3 Pin DMX Cable

- High Flex Matte Jacket- 24awg conductors - Heavy Duty Braid for Durability
-120 ohm Low Cap Conductors for true data transmission

Part #	# of Cond.	Gauge & Stranding	OD	Jacket Thickness	Cap (pf/ft)
LDMX-224	2	24/7x32awg	.245"	.020"	12



LDMX-424 5 Pin DMX Cable

- High Flex Matte Jacket - 2 Pair 24awg conductors - Overall Braid Shield with individual Foil shield pairs with drian wire - 120 ohm Low Cap Conductors for true data transmission

Part #	# of Cond.	Gauge & Stranding	OD	Jacket Thickness	Cap (pf/ft)
LDMX-424	2 Pair	24/7x32awg	0.270"	.020"	12



5 BULK WIRE

Lighting Cable

LG1412 - 14C/12awg High Flex Lighting Cable

- High flex lighting cable
- Black High Flex PVC Jacket
- High Strand Pure Copper Conductors
- UL FT-1 Fire Rated

Part #	# of Cond.	Gauge & Stranding	OD	Jacket Thickness
LG1412	14	12/65x30awg	0.795"	0.080"

LG1912 - 19C/12awg High Flex Lighting Cable

- High Flex Lighting or Speaker Cable
- Black High Flex PVC Jacket
- High Strand Pure Copper Conductors
- UL FT-1 Fire Rated

Part #	# of Cond.	Gauge & Stranding	OD	Jacket Thickness
LG1912	19	12/65x30awg	1.19"	0.080"



LG314 - 3C/14awg Power Extension Cable

- Black SJOOW Jacket Type
- Professional Grade Rubber Jacket

Part #	# of Cond.	Gauge & Stranding	OD	Jacket Thickness
LG314	3	14/41x30awg	0.390"	0.080"



LG312 - 3C/12awg Power Extension Cable

- Black SJOOW Jacket Type
- Professional Grade Rubber Jacket

Part #	# of Cond.	Gauge & Stranding	OD	Jacket Thickness
LG312	3	12/41x30awg	0.445"	0.080"

Did you know?

Cable Factory can custom make everything from any type of custom assembled cable to custom panel and boxes.

BULK CONNECTORS



6 BULK CONNECTORS

NEUTRIK CONNECTORS

XLR Cable Mount



Neutrik XLR Female FX Series
Nickel Plated/Silver Contacts
Gender: Female

Pins	Part #
3	NC3FX
4	NC4FX
5	NC5FX
6	NC6FX
7	NC7FX



Neutrik XLR Male MX Series
Nickel Plated/Silver Contacts
Gender: Male

Pins	Part #
3	NC3MX
4	NC4MX
5	NC5MX
6	NC6MX
7	NC7MX



Neutrik XLR Male FXX Series
Nickel Plated/Silver Contacts
Gender: Female

Pins	Part #
3	NC3FXX
4	NC4FXX
5	NC5FXX
6	NC6FXX
7	NC7FXX



Neutrik XLR Male MXX Series
Nickel Plated/Silver Contacts
Gender: Male

Pins	Part #
3	NC3MXX
4	NC4MXX
5	NC5MXX
6	NC6MXX
7	NC7MXX



Neutrik XLR Female FX Series
Black/Silver Contacts
Gender: Female

Pins	Part #
3	NC3FX-BAG
4	-
5	-
6	-
7	-



Neutrik XLR Male MX Series
Black/Silver Contacts
Gender: Male

Pins	Part #
3	NC3MX-BAG
4	-
5	-
6	-
7	-



Neutrik XLR Male FXX Series
Black/Silver Contacts
Gender: Female

Pins	Part #
3	NC3FXX-BAG
4	-
5	-
6	-
7	-



Neutrik XLR Male MXX Series
Black/Silver Contacts
Gender: Male

Pins	Part #
3	NC3MXX-BAG
4	-
5	-
6	-
7	-



Neutrik XLR Female FX Series
Black/Gold Contacts
Gender: Female

Pins	Part #
3	NC3FX-B
4	NC4FX-B
5	NC5FX-B
6	NC6FX-B
7	NC7FX-B



Neutrik XLR Male MX Series
Black/Gold Contacts
Gender: Male

Pins	Part #
3	NC3MX-B
4	NC4MX-B
5	NC5MX-B
6	NC6MX-B
7	NC7MX-B



Neutrik XLR Male FXX Series
Black/Gold Contacts
Gender: Female

Pins	Part #
3	NC3FXX-B
4	NC4FXX-B
5	NC5FXX-B
6	NC6FXX-B
7	NC7FXX-B



Neutrik XLR Male MXX Series
Black/Gold Contacts
Gender: Male

Pins	Part #
3	NC3MXX-B
4	NC4MXX-B
5	NC5MXX-B
6	NC6MXX-B
7	NC7MXX-B

BSX series colored boots available in several colors. BSX series are for FX & MX series XLR connectors.

Part #	List
BSX-**-	1.10
Replace ** with: 0-black, 1-brown, 2-red, 3-orange, 4-yellow, 5-green, 6-blue, 7-purple, 8-grey, 9-white	

BXX series colored boots available in several colors. BXX series are for FXX & MXX series XLR connectors.

Part #	List
BXX-**-	1.28
Replace ** with: 0-black, 1-brown, 2-red, 3-orange, 4-yellow, 5-green, 6-blue, 7-purple, 8-grey, 9-white	

6 BULK CONNECTORS

XLR Cable Mount



Amphenol XLR Female XLR
Nickel Plated/Silver Contacts
FI=IDC Termination

Pins	Part #
3	AC3F
3	AC3FI



Amphenol XLR Male XLR
Nickel Plated/Silver Contacts
MI=IDC Termination

Pins	Part #
3	AC3MM
3	AC3MI



Neutrik XLR Female FX Series
Nickel Plated/Silver Contacts
Gender: Female, RF Rejection

Pins	Part #
3	NC3FXX-EMC



Neutrik XLR Male FX Series
Nickel Plated/Silver Contacts
Gender: Male, RF Rejection

Pins	Part #
3	NC3MXX-EMC



Neutrik XLR Female FX Series
Nickel Plated/Silver Contacts
Gender: Female, Heavy Duty

Pins	Part #
3	NC3FXHD
3	NC3FXHD-B



Neutrik XLR Male FX Series
Nickel Plated/Silver Contacts
Gender: Male, Heavy Duty

Pins	Part #
3	NC3MXHD
3	NC3MXHD-B



Neutrik XLR Female Right Angle
Nickel Plated/Silver Contacts
Gender: Female

Pins	Part #
3	NC3FRX
4	NC4FRX
5	NC5FRX
6	NC6FRX
7	NC7FRX



Neutrik XLR Male Right Angle
Nickel Plated/Silver Contacts
Gender: Male

Pins	Part #
3	NC3MRX
4	NC4MRX
5	NC5MRX
6	NC6MRX
7	NC7MRX



Switchcraft Tiny QG Series XLR
Gender: Female

Pins	Part #
3	TA3F
4	TA4F
5	TA5F



Switchcraft Tiny QG Series XLR
Gender: Male

Pins	Part #
3	TA3M
4	TA4M
5	TA5M

Did you know that Cable Factory is one of North America's largest custom panel manufacturers. Having been involved in some of the largest panel projects like the Disney Theatre, we at Cable Factory can fabricate any custom panel you require. We also stock thousands of special connectors required for these plates. Please see www.customavpanels.com



6 BULK CONNECTORS

XLR Cable Mount (contd.)



Neutrik XLR Female Right Angle
Black/Silver Contacts
Gender: Female

Pins	Part #
3	NC3FRX-BAG
4	-
5	-
6	-
7	-



Neutrik XLR Male Right Angle
Black/Silver Contacts
Gender: Male

Pins	Part #
3	NC3MRX-BAG
4	-
5	-
6	-
7	-



Neutrik XLR Female Right Angle
Black/Gold Contacts
Gender: Female

Pins	Part #
3	NC3FRX-B
4	NC4FRX-B
5	NC5FRX-B
6	NC6FRX-B
7	NC7FRX-B



Neutrik XLR Male Right Angle
Black/gold Contacts
Gender: Male

Pins	Part #
3	NC3MRX-B
4	NC4MRX-B
5	NC5MRX-B
6	NC6MRX-B
7	NC7MRX-B

XLR Chassis Mount



Neutrik chassis mount XLR
*Non locking Version, **Switcraft pin out
D-Size version, Nickel/ Silver Contacts

Pins	Gender	Nickel body silver pins
3	Female	NC3FD-L-1
3	Female*	NC3FD-L-1-0
4	Female	NC4FD-L-1
5	Female	NC5FD-L-1
6	Female	NC6FD-L-1
6	Female**	NC6FSD-L-1
7	Female	NC7FD-L-1
3	Male	NC3MD-L-1
4	Male	NC4MD-L-1
5	Male	NC5MD-L-1
6	Male	NC6MD-L-1
6	Male**	NC6MSD-L-1
7	Male	NC7MD-L-1



Neutrik chassis mount XLR
*Non locking Version, **Switcraft pin out
D-Size version, Black/ Silver Contacts

Pins	Gender	Black body silver pins
3	Female	NC3FD-L-BAG-1
3	Female*	-
4	Female	NC4FD-L-BAG-1
5	Female	-
6	Female	-
6	Female**	-
7	Female	-
3	Male	NC3MD-L-BAG-1
4	Male	-
5	Male	-
6	Male	-
6	Male**	-
7	Male	-



Neutrik chassis mount XLR
*Non locking Version, **Switcraft pin out
D-Size version, Black/ gold Contacts

Pins	Gender	Black body gold pins
3	Female	NC3FD-L-B-1
3	Female*	-
4	Female	NC4FD-L-B-1
5	Female	NC5FD-L-B-1
6	Female	NC6FD-L-B-1
6	Female**	NC6FSD-L-B-1
7	Female	NC7FD-L-B-1
3	Male	NC3MD-L-B-1
4	Male	NC4MD-L-B-1
5	Male	NC5MD-L-B-1
6	Male	NC6MD-L-B-1
6	Male**	NC6FSD-L-B-1
7	Male	NC7MD-L-B-1



Amphenol D-Size XLR chassis
mount. Nickel/Silver contacts
Gender: Female

Pins	Part #
3	AC3FDZ



Amphenol D-Size XLR chassis
mount. Nickel/Silver contacts
Gender: Male

Pins	Part #
3	AC3MDZ

Cable Factory stocks many thousands of connectors not listed in the catalogue. Please contact our sales office for a complete listing.

Do you need a custom panel with all the connectors loaded? Check out our custom metal work at www.customavpanels.com

6 BULK CONNECTORS

1/4 Mono Male Cable Mount

NEUTRIK



Neutrik 1/4 Mono chuck type strain relief.
BAG=Black/Silver, B=Black Shell Gold contact
Silent Plug offers no noise when plugging or unplugging

Part #	Description
NP2C	Nickel Shell
NP2C-BAG	Black Shell
NP2C-AU-Silent	Red Shell/Silent Plug
NP2X	Nickel Shell Slim Body
NP2X-BAG	Black Shell Slim Body
NP2X-B	Black/Gold Slim Body

SWITCHCRAFT



Switchcraft industry standard 1/4 mono connectors.
Available in different size cable openings.
Nickel Body and contact

Part #	Description
280	Nickel Body 0.297" Cable OD
285L	Nickel Body Large 0.375 Cable OD
184L	Nickel Body Large 0.475 Cable OD

AMPHENOL



Amphenol 1/4 mono with jaws strain relief.
Nickel body and nickel contact

Part #	Description
TM2P	Nickel Body Jaws Cable Clamp

CABLE FACTORY



Switchcraft style 1/4 economical plug. Nickel body and contact.

Part #	Description
C-280	Nickel Body 0.297" Cable OD

Right Angle 1/4 Mono Cable

NEUTRIK



Neutrik right angle 1/4 mono with chuck type strain relief.
Nickel body and contact.

Part #	Description
NP2RCS	Slim Nickel Body

SWITCHCRAFT



Switchcraft 1/4 mono right angle with clamp type strain relief.
Nickel body and contact

Part #	Description
226	Narrow Nickel Body

CABLE FACTORY



Switchcraft style 1/4 mono right angle with clamp type strain relief.
Nickel body and contact.

Part #	Description
C-226	Narrow Nickel Body

Need a custom cable assembly?

Cable Factory specializes in custom Audio & Video cable assemblies!

6 BULK CONNECTORS

1/4 TRS Stereo Cable Mount

NEUTRIK



Neutrik TRS connector with chuck type strain relief. Available in BAG=black/Nickel or B=Black/Gold. 3X series offers slim body.

Part #	Description
NP3C	Nickel Shell Chuck Strain Relief
NP3C-BAG	Black Shell Chuck Strain Relief
NP3X	Nickel Shell Slim Body Chuck Strain Relief
NP3X-BAG	Black Shell Slim Body Chuck Strain Relief
NP3X-B	Black/Gold Slim Body Chuck Strain Relief

SWITCHCRAFT



Switchcraft TRS plug is an industry standard. Slim body with clamp style strain relief. Nickel body and contact.

Part #
297

AMPHENOL



Amphenol TRS plug with Jaws type strain relief. Nickel body and contact.

Part #
TS3P

CABLE FACTORY



Switchcraft type economical plug with clamp style strain relief. Nickel body and strain relief.

Part #
C-297

1/4 TRS Stereo Right Angle Cable Mount

NEUTRIK



Neutrik 1/4 TRS right angle. Chuck type strain relief with slim style body, nickel contact.

Part #	Description
NP3RCS	Slim Nickel Body

SWITCHCRAFT



Switchcraft 1/4 TRS right angle plug. Slim style body with clamp type strain relief. Nickel body and contact.

Part #	Description
236	Narrow Nickel Body

CABLE FACTORY



Switchcraft style right angle 1/4 TRS plug. Economical connector with all the same features.

Part #	Description
C-236	Narrow Nickel Body

1/4 Stereo Female Cable Mount

NEUTRIK



Neutrik Female locking cable mount TRS connector. Available in both nick and black(BAG) style body. Chuck type strain relief.

Part #
NJ3FC6
NJ3FC6-BAG

SWITCHCRAFT



Switchcraft female TRS cable mount TRS connectors. Nickel body with clamp style strain relief.

Part #
131

1/4 Mono & Stereo Chassis Jacks

NEUTRIK



Neutrik female locking chassis mount TRS jack in D-Style mount. Available in both nickel or black(BAG) style body or (B) Black/gold.

Part #
NJ3FP6C
NJ3FP6C-BAG
NJ3FP6C-B

SWITCHCRAFT



Switchcraft chassis mount 1/4 jacks. Available in both Mono (11 & L11) or TRS type (12 & 12B). "L" signifies longer shaft

Part #
11
L11
12

6 BULK CONNECTORS

Longframe Connectors

NEUTRIK



Neutrik Longframe plug with chuck style strain relief. Available in both Black or Red body. Nickel contacts.

Part #	Description
NP3TB-B	Longframe Plug Black Body Nickel Shaft
NP3TB-R	Longframe Plug Red Body Nickel Shaft

Bantam Connectors

NEUTRIK



Neutrik Bantam plug with RG-58 crimp cable grip. Requires RG-58 crimp tool. Nickel contacts. Available in black & red.

Part #	Description
NP3TT-P-B	Bantam Plug RG-58 Crimp Black/Nickel
NP3TT-P-R	Bantam Plug RG-58 Crimp Red/Nickel

NEUTRIK SPEAKON CONNECTORS

SPX Series 50Amp Cable Mount

NEUTRIK



Speakon connector with 40 amp rating. Can be converted to right angle. Available with several colored bushings.

Part #	Description
NL4FX	4 Pole Black Bushing
NI4FX-2	4 Pole Red Bushing
NL4FX-4	4 Pole Yellow Bushing
NL4FX-5	4 Pole Green Bushing
NL4FX-9	4 Pole White Bushing
NL4FRX	4 Pole Right Angle With Chuck & Boot

Speakon FC Series

NEUTRIK



Neutrik Standard Speakon connector. Available in 2, 4 & 8 pole. Four pole is available with gold contacts.

Part #	Description
NL2FC	2 Pole Standard
NL4FC	4 Pole Standard
NL4FC-B	4 Pole Standard Gold Contacts
NL8FC	8 Pole Standard

Neutrik Panel Mount Speakon

NEUTRIK



Neutrik chassis mount Speakon connector. Available in several configurations.

Part #	Description
NL2MP	2 Pole D-Size
NL4MP	4 Pole D-Size
NL4MP-B	4 Pole D-Size Gold contacts
NL4MP-ST	4 Pole D-Size Screw Terminals
NL4MP-UC	4 Pole D-Size 1/4" Faston Terminals
NL4MP-M3	4 Pole D-Size M3 Thread
NL4MPR	4 Pole Round EP Style
NL8MPR	8 Pole Round
NL8MPR-BAG	8 Pole Nickel Square Flange
NLJ2MD-V	Speakon & 1/4 Combo Receptical

Speakon Adapters & Accessories

NEUTRIK



Neutrik Speakon accessories and adapters.

Part #	Description
NL4MMX	Speakon 2/4 Pole Coupler
NL8MM	Speakon 8 Pole Coupler
LRX	Right Angle Conversion Kit for SPX
NA4LJX	NL4FC to 1/4 Jack
BSL	Colored Boot for FC Series

6 BULK CONNECTORS

Speakon Metal Cable Mount

NEUTRIK



Neutrik Speakon cable mount with full metal body, designed to withstand the rigors of touring.

Part #	Description
NLT4FX	4 Pole Female Nickel Body
NLT4FX-BAG	4 Pole Female Black Body
NLT4MX	4 Pole Male Nickel
NLT4MX-BAG	4 Pole Male Black Body
NLT8FX	8 Pole Female Nickel Body
NLT8FX-BAG	8 Pole Female Black Body

Speakon Metal Chassis Mount

NEUTRIK



Neutrik metal chassis connectors. Available in several configurations.

Part #	Description
NLT4FP	4 Pole Female Nickel Body
NLT4FP-BAG	4 Pole Female Black Body
NLT4MP	4 Pole Male Nickel Body
NLT4MP-BAG	4 Pole Male Black Body
NLT8MP-BAG	8 Pole Male Black Body

Powercon Cable Mount

NEUTRIK



Neutrik Speakon cable mount with full metal body, designed to withstand the rigors of touring.

Part #	Description
NAC3FCA	3 Pole Inline AC Power In Blue
NAC3FCB	3 Pole Inline Power Out Grey
NAC3FC-HC	3 Pole Inline AC High Current 32 Amp
NAC3MM	Powercon Inline Adapter

Powercon Chassis Mount

NEUTRIK



Neutrik metal chassis connectors. Available in several configurations.

Part #	Description
NAC3MPA	3 Pole Chassis AC Power In Blue
NAC3MPB	3 Pole Chassis AC Power Out Grey
NAC3MP-HC	3 Pole Chassis High Current 32 Amp

Banana Plugs



Banana plugs, available in both black and red. Made to take up 12awg cable.

Part #	Description
CBANB	Double Banana Plug Black
CBANR	Double Banana Plug Red

RCA Plugs



Neutrik & Cable Factory RCA plugs. Made to take up 0.250" (6mm) cable. Gold contacts metal body.

Part #	Description
NYS373-**	Neutrik Black/Gold Plug 0.236" OD
CRCAGM	Cable Factory Black/Gold Plug 0.240" OD
CRCAGF	Cable Factory Black/Gold Jack 0.240" OD

RCA Chassis Mount



RCA Jacks in both Neutrik D-Size & 3/8 hole. Available in both solder and pass through.

Part #	Description
NF2D-**	Neutrik D-Size RCA Jack Nickel Gold Iso
NF2D-B-**	Neutrik D-Size RCA Jack Black/Gold
NYS367-**	Neutrik Chassis Gold Isolated
CRCAGFF-**	Cable Factory Fem to Fem Chassis Gold

Note: ** is for color selection, please see below.
Black-00, Red-02, Yellow-04, Green-05, Blue-06

3.5 Mini Plugs & Jacks



Neutrik & Switchcraft can take 0.250" (6mm) cable. Chassis mount is isolated.

Part #	Description
NTP3RC	Neutrik R/A 3.5 Mini TRS Nickel Plug
NTP3RC-B	Neutrik R/A 3.5 Mini TRS Black Plug
CMINCH	Cable Factory 3.5 Mini Chassis ISO
CMINCM	Cable Factory 3.5 Mini Female Cable
35HDBAU	Switchcraft Black/Gold TRS Plug

6 BULK CONNECTORS

Network Connectors

CAT-5/6 Chassis Mount Connectors



Neutrik chassis mount CAT-5/6 connectors. Available in both punch down and pass through, Nickel or Black.

Part #	Description
NE8FDP	Neutrik Pass Through Receptacle Nickel
NE8FDP-B	Neutrik Pass Through Receptacle Black
NE8FDV-Y110	Neutrik D-Size Punch Down Nickel
NE8FDV-Y110-B	Neutrik D-Size Punch Down Black
NE8FF	Neutrik CAT-5 Coupler

CAT-5/6 Cable Mount Connectors



Neutrik inline Cat-5/6 housing plug. Available with nickel or black body. CAT-5 plug not included.

Part #	Description
NE8MC	Neutrik CAT-5 Housing Chuck Boot
NE8MC-1	Neutrik CAT-5 Housing X Series Boot
NE8MC-B	Neutrik CAT-5 Housing Black Body
NE8MC-B-1	Neutrik CAT-5 Housing X Boot Black

USB Chassis Mount



Neutrik D-Size USB chassis mount jack. Reversible for front or rear connection.

Part #	Description
NAUSB	Neutrik USB Chassis Nickel
NAUSB-B	Neutrik USB Chassis Black

Firewire Chassis Mount



Neutrik Firewire chassis connector. Equipped with IEEE 1395 6 pin.

Part #	Description
NA1394-6	Neutrik Fire Wire Chassis Nickel
NA1394-6-B	Neutrik Fire Wire Chassis Black

Video Connectors

Video BNC Cable Plugs



ADC crimp type BNC plug. True 75 Ohm plug with gold pin.

Part #	Description
BNC-1	ADC BNC Plug 1505A
BNC-4	ADC BNC Plug 8281
BNC-8	ADC BNC Plug 1694A
BNC-RA-1T	ADC BNC Plug Right Angle 1505A

Video BNC Chassis



Neutrik D-Size chassis recessed 75 ohm BNC pass through connector. Available in Nickel or Black.

Part #	Description
NBB75DFI	Neutrik D-Size BNC Nickel ISO
NBB75DFIB	Neutrik Chassis BNC Black ISO

SVHS



SVHS Plug & Chassis mount. Plug is all metal body with gold contacts. SVHS chassis mount is pass through.

Part #	Description
CSVHSM	SVHS Plug Black Gold
CSVHSC	SVHS Chassis Mount Gold Pass Through

Video RCA Plugs



ADC crimp type true 75 ohm RCA plug. Gold contacts.

Part #	Description
CRCA1	ADC Crimp RCA 1505A
CRCA8	ADC Crimp RCA 1694A
CRCA13	ADC Crimp RCA 1855A/1865A

6 BULK CONNECTORS

Video Triax Connectors

Kings Tri-lock Male Cable Plug



Kings Triax camera connector male. These are recognized as the industry standard.

Part #	Cable group
7705-1	Kings Standard Plug Belden 8233
7705-2	Kings Standard Plug Belden 9267
7705-3	Kings Standard Plug Belden 9232
7705-4	Kings Standard Plug Belden 88232
7705-9	Kings Standard Plug Belden 8232
Part #	Cable group / Retro Kit
7703-1	Retro kit for 7705-1
7708-2	Retro Kit for 7705-2
7708-3	Retro Kit for 7705-3
7708-2	Retro Kit for 7705-4
7708-2	Retro Kit for 7705-9

Kings Tri-lock Female Cable Plug



Kings Female triax connector. Below connector group is retro fit kit for each type of connector

Part #	Cable group
7703-1	Kings Standard Recept Belden 8233
7703-2	Kings Standard Recept Belden 9267
7703-3	Kings Standard Recept Belden 9232
7703-6	Kings Standard Recept Belden 88232
7703-9	Kings Standard Recept Belden 8232
Part #	Cable group / Retro Kit
7708-4	Retro Kit for 7703-1
7708-5	Retro Kit for 7703-2
7708-6	Retro Kit for 7703-3
7708-5	Retro Kit for 7703-6
7708-5	Retro Kit for 7703-9

Kings R/Angle Male Plug

Male Right Angle plug:
-7706-1 for 9267, 1856A, 1857A
-7706-2 for 9232

Part #
7706-1
7706-2

Kings R/Angle Fem Jack

Female Right Angle plug:
-7703-4 for 9267, 1856A, 1857A
-7703-5 for 9232

Part #
7703-4
7703-5

Kings Jack Front Mount

-7702-4 for 8233
-7702-5 for 9267, 1856A, 1857A
-7702-6 for 9232

Part #
7702-4
7702-5
7702-6

Kings Plug Front Mount

-7702-1 for 8233
-7702-2 for 9267, 1856A, 1857A
-7702-3 for 9232

Part #
7702-1
7702-2
7702-3

Multi-pin Connectors

Canon DL



Zero Insertion multi-pin connector. Used primarily in recording studio applications.

Part #	Description
DL-2-96P	DL 96 Pin Plug
DL-2-96R	DL 96 Pin Receptacle
DL-Cover	DL 96 PinMetal Shell
DL-Pin	DL Gold Pin
DL-HNDL	DL Handle
DL-Crimp	DL Crimp Tool
DL-EXT	DL Extraction Tool

D-Sub Connectors



D-SUB Connectors. Solder type connectors and full metal hoods. Gender Changers are for panels.

Part #	Cable group
DSUBM-9	Male Solder DSUB Plug 9 Pin
DSUBM-15	Male Solder DSUB Plug 15 Pin
DSUBM-HD15	Male Solder DSUB Plug HD15 Pin
DSUBM-25	Male Solder DSUB Plug 25 Pin
DSUBF-9	Female Solder DSUB Plug 9 Pin
DSUBF-15	Female Solder DSUB Plug 15 Pin
DSUBF-HD15	Female Solder DSUB Plug HD15 Pin
DSUBF-25	Female Solder DSUB Plug 25 Pin
DSUBMC-9	Metal DSUB Cover 9 Pin/HD15
DSUBMC-15	Metal DSUB Cover 15 Pin
DSUBMC-25	Metal DSUB Cover 25 Pin
DSUBGCFF-9	Gender Changer F-F 9 pin
DSUBGCFF-HD15	Gender Changer F-F HD-15
DSUBGCFF-15	Gender Changer F-F 15 Pin
DSUBGCFF-25	Gender Changer F-F 25 Pin

6 BULK CONNECTORS

Touring Multi-pin Connectors

Touring Industry standard Multi-Pin connectors. All of our Multi-Pins are both Veam and MASS compatible and are manufactured with the highest standards to withstand the rigors of touring.

Torque Soca 19-pin



Lighting Soca connector. Equivalent to Veam VSC Series. UL & CSA approved.

Part #	Description
VTN19FI	19 Soca Fem Cable
VTN19MI	19 Soca Male Cable
VTN19LFI	19 Soca F Breakout
VTN19MI	19 Soca M Breakout
VTN19FC	19 Fem Chassis
VTN19MC	19 Male Chassis

Torque 25-pin



Used for 8 Channels snakes and are Veam compatible. Black body with gold contacts.

Part #	Description
VTN25FI	25 Female Cable
VTN25MI	25 Male Cable
VTN25FC	25 Female Chassis
VTN25MC	25 Male Chassis
VTN25DCF	25 Fem Dust Cover
VTN25DCM	25 Male Dust Cover

Torque 37-pin



Use for 12 Channel snakes and are Veam compatible. Black body with gold contacts.

Part #	Description
VTN37FI	37 Female Cable
VTN37MI	37 Male Cable
VTN37FC	37 Female Chassis
VTN37MC	37 Male Chassis
VTN37DCF	37 Fem Dust Cover
VTN37DCM	37 Male Dust cover

Torque 54-pin



Used for 16 Channels snakes and are Veam compatible. Black body with gold contacts.

Part #	Description
VTN54FI	54 Female Cable
VTN54MI	54 Male Cable
VTN54FC	54 Female Chassis
VTN54MC	54 Male Chassis
VTN54DCF	54 FemDust Cover
VTN54DCM	54 Male Dust Cover

Torque 72-pin



Used for 24 Channel snakes and are Veam compatible. Black body with gold contacts. Slim style body.

Part #	Description
VTN72FI	72 Female Cable
VTN72MI	72 Male Cable
VTN72FC	72 Female Chassis
VTN72MC	72 Male Chassis
VTN72DCF	72 Fem Dust Cover
VTN72DCM	72 Male Dust Cover

Torque 85-pin



Used for 28 Channel snakes and Veam compatible. Black body with gold contacts.

Part #	Description
VTN85FI	85 Female Cable
VTN85MI	85 Male Cable
VTN85FC	85 Female Chassis
VTN85MC	85 Male Chassis
VTN85DCF	85 Fem Dust Cover
VTN85DCM	85 Male Dust Cover

Torque 150-pin



Used for 50 Channels snakes and are Veam compatible. Black body and gold contacts.

Part #	Description
VTN150FI	150 Female Cable
VTN150MI	150 Male Cable
VTN150FC	150 Fem Chassis
VTN150MC	150 Male Chassis
VTN150DCF	Fem Dust cover
VTN150DCM	Male Dust Cover

Torque Mass 122-pin



MASS 40 channels multi-pin connector. MASS compatible solder pins. Comes with cap.

Part #	Description
VTN122I	MASS 122 Cable
VTN122C	MASS 122 Chassis

Torque Mass 176-pin



MASS 58 Channel Multi-pin connector. MASS compatible, solder pins. Comes with cap.

Part #	Description
VTN176I	MASS 176 Cable
VTN176C	MASS 176 Chassis

LUNDAHL TRANSFORMERS

Lundahl has been manufacturing the finest transformers in the world for the past 40 years. Started by Lars Lundahl these transformers can be found in the finest audio equipment in the world. **CABLE FACTORY** is proud to be part of such great transformers and are featured in many of the products that we manufacture.



LUNDAHL

7 LUNDAHL TRANSFORMERS

PROBLEM SOLVERS

TYPE	T / RATIO	LEVEL (50 HZ)	USAGE
LL6810-PHMPHM	1 : 1	+15 dBu	ISOLATION TRANSFORMER UNIT. PHONO - PHONO W. 6 FT CABLE
LL156X-3FX3MX	1 : 1	+24 dBu	XLR INLINE INPUT TRANSFORMER UNIT. XLR FEMALE - XLR MALE
LL156X-3FXPHM	1 : 1	+24 dBu	XLR INLINE INPUT TRANSFORMER UNIT. XLR FEMALE - PHONO MALE
LL156X-3FXNP2C	1 : 1	+24 dBu	XLR INLINE INPUT TRANSFORMER UNIT. XLR FEMALE - 1/4"POLE
LL156X-PHF3MX	1 : 1	+24 dBu	XLR INLINE INPUT TRANSFORMER UNIT. PHONO FEMALE - XLR MALE
LL1584-3FX3MX	1 : 1	+16 dBu	XLR INLINE 600 ohms ISOLATION UNIT . XLR FEMALE - XLR MALE ALSO AVAILABLE AS 3FXPHM AND 3FXNP2C
LL2615-3FXPHM	1 : 1.05	+15 dBu	BALANCED TO UNBALANCED ISOLATION UNIT FEMALE XLR- RCA
LL2616-3MXPHM	1.05 : 1	+15 dBu	BALANCED TO UNBALANCED ISOLATION UNIT MALE XLR - RCA

7 LUNDAHL TRANSFORMERS

GENERAL PURPOSE TRANSFORMERS MIC ISOLATION AND SPLITTING

TYPE	T / RATIO	LEVEL (50 HZ)	USAGE
LL1527	1+1:1+1	+16 dBu	SPLIT 1:1 DIRECT + 1 ISOLATED.GROUND ISOLATION
LL1527A	1+1:1+1	+16 dBu	SPLIT 1:1 DIRECT + 1 ISOLATED.GROUND ISOLATION
LL1527XL	1+1:1+1	+19 dBu	SPLIT 1:1 DIRECT + 1 ISOLATED.GROUND ISOLATION
LL1532	1+1:2	+10 dBu	MIC INPUT.GROUND ISOLATION
LL1570	1+1:1+1	+16 dBu	SPLIT 1:1 DIRECT + 1 ISOLATED.GROUND ISOLATION
LL1570XL	1+1:1+1	+19 dBu	SPLIT 1:1 DIRECT + 1 ISOLATED.GROUND ISOLATION
LL1581XL	1:1+1	+13 dBu	SPLITTING 1:1 DIRECT + 2 ISOLATED
LL1583	1:1+1	+8 dBu	SPLITTING 1:1 DIRECT + 2 ISOLATED.SMALL SIZE
LL7902	1+1+1+1:1+1+1+1	+28 dBu	FOR HIGH LEVEL APPLICATIONS,INPUT AND OUTPUT
LL7904	1:1+1	+23 dBu	HIGH LEVEL SPLITTING 1:1 DIRECT + 2 ISOLATED

LINE INPUT TRANSFORMERS

TYPE	T / RATIO	LEVEL (50 HZ)	USAGE
LL1531	1+1:1+1	+20 dBu	LINE INPUT.SMALL SIZE
LL1540	1+1:1+1	+30 dBu	HIGH LEVEL LINE INPUT
LL1544A	1+1+1+1:2+2	+20 dBu	LINE INPUT. AMORPHOUS CORE
LL1545A	1+1+1+1:2+2	+24 dBu	LINE INPUT
LL6404	1:1	N/A (High!)	ZERO FIELD LINE INPUT
LL7101	1+1:1.37	N/A (High!)	ZERO FIELD LINE INPUT
LL7901	1+1+1+1:1+1+1+1	+34 dBu	VERY HIGH LEVEL LINE INPUT

LINE OUTPUT TRANSFORMERS

TYPE	T / RATIO	LEVEL (50 HZ)	USAGE
LL1517	1+1,CT:1+1	+28 dBu	WITH FARADAY SHIELDS. GENERAL PURPOSE.
LL1524	1+:1+1	+28 dBu	BALANCED DRIVE. VERY LOW LEAKAGE INDUCTANCE
LL1539	2:1+1	+31 dBu	BALANCED DRIVE.
LL1555	1+1+1+1:2+2	+27 dBu	BALANCED DRIVE.
LL1560	2+2:1+1+1+1	+26 dBu each secondary	BALANCED DRIVE. 4 OUTPUT ACTIVE SPLIT.
LL1582	1+1:1+1	+30 dBu	WITH FARADAY SHIELDS. GENERAL PURPOSE. SIZE OPTIMIZED FOR EUROBOARD
LL1585	1+1:1+1	+31 dBu	WITH FARADAY SHIELDS. GENERAL PURPOSE.
LL2811	1+1:1+1	+30 dBu	BALANCED DRIVE. VERY LOW LEAKAGE INDUCTANCE. SIZE OPTIMIZED FOR EUROBOARD
LL5402	2:1+1	+22 dBu	UNBALANCED DRIVE
LL7401	1+1:1+1	+24 dBu	BALANCED DRIVE.

MICROPHONE INPUT TRANSFORMERS


TYPE	T / RATIO	LEVEL (50 HZ)	USAGE
LL1528	1 + 1:2.5+2.5	+10 dBu	MIC INPUT 2 COIL WITH FARADY SHIELD
LL1530	1 + 1:3.5+3.5	+10 dBu	DI BOX TRANSFORMER HIGH IMPEDANCE SOURCE TO MIC INPUT
LL1538*	1 + 1:5	+10 dBu	HIGH END MIC INPUT HIGH PERMIABILITY MU METAL CORE
LL1538XL*	1 + 1:5	+13 dBu	SAME AS LL1538 BUT WITH 45% LARGER CORE
LL1550	1 + 1+1+1:4+4	+6 dBu	2 COIL TRANSFORMER WITH SEVERAL CONFIGURATION OPTION
LL1571	1 + 1:1.75+1.75	+10 dBu	MIC INPUT TWO COIL HIGH PERMIABILITY MU METAL CORE
LL1576	1 + 1:7	+10 dBu	MIC INPUT HIGH PERMIABILITY HIGH FREQUENCY COILS
LL1577*	1 + 1:14	+4 dBu	SAME AS LL1576 BUT WITH HIGH TURNS RATIO
LL1578*	1 + 1:10	+4 dBu	HIGH PERFORMANCE MIC INPUT/LINE BOX TRANSFORMER
LL1578XL*	1 + 1:10	+7 dBu	SAME AS LL1578 BUT WITH LARGER CORE FOR HIGHER INPUT
LL1587	1 + 1:4	+0 dBu	SMALL SIZE MIC INPUT WITH HIGH FREQUENCY PERMIABILITY
LL1636	1+1+1+1:10+10	-2 dBu	HIGH TURNS RATIO MIC INPUT TRANSFORMER
LL7903	1+1+1+1:2+2+2+2	+28 dBu	LARGE HIGH LEVEL HIGH PERFORMANCE AUDIO TRANSFORMER

MISCELLANEOUS TRANSFORMERS

TYPE	T / RATIO	LEVEL (50 HZ)	USAGE
LL1572	110:110 ohms	N/A	DIGITAL AUDIO
LL1574	110:75 ohms	N/A	DIGITAL AUDIO AES/EBU: SPDIF INTERFACE
LL1575	1:1		COMPOSITE VIDEO ISOLATION
LL6702	N/A	N/A	TELEPHONE HYBRID TRANSFORMER

This is a link to the website for data sheets

PATCH BAYS



8 ADC PATCH BAYS

Cable factory stocks many configurations not listed. Please contact our sales department for a complete listing. Cable Factory can also custom wire patch bays for your studio or broadcast facility.

Bantam Patch Bays

TYPE	DESCRIPTION
ADC-PPB1	ADC 96 Point Bantam Patch Bay 1U HW
ADC-PPB1-14MKIIEHN	ADC 96 Point Bantam Patch Bay Edac
ADC-PPB1-14MKIIHN	ADC 96 Point Bantam Patch PD RB
ADC-BJF403-4MKIVSN	ADC 96 Point Bantam Patch 4ft Punch Down

Longframe Patch Bays

TYPE	DESCRIPTION
ADC-PPA1	ADC 48 Point Longframe Hardwire
ADC-PPA1-14MKII24EHN	ADC 48 Point Longframe to Edac
ADC-PPA1-14MKIVHN	ADC 48 Point to Punch Down Rack Box
ADC-BJF203-4MKIVSN	ADC 48 Point Longframe to PD 4ft

Video Patch Bays

TYPE	DESCRIPTION
ADC-PPI224RS-75N	ADC Video Patch Bay

FIBER OPTICS

9 FIBER OPTICS

Toss Link Fiber Optic Cables

An standard for transmitting audio over fiber.
These Light Pipe cables give low loss and high durability.

- 6mm Fiber
- Gold Metal Connectors
- Protective cap

TYPE	DESCRIPTION
FTL-03	Fiber Optic Toss Link 3ft
FTL-06	Fiber Optic Toss Link 6ft
FTL-10	Fiber Optic Toss Link 10ft
FTL-15	Fiber Optic Toss Link 15ft
FTL-25	Fiber Optic Toss Link 25ft
FTL-50	Fiber Optic Toss Link 50ft

Cable factory stocks many configurations not listed. Please contact our sales department for a complete listing.



METAL WORK

10 METAL WORK

We at Cable Factory are very proud of our custom manufacturing shop. The latest in CNC technology gives the ability to manufacture custom plates with absolute precision. Panels can be custom ordered and shipped within a couple of days. All panels can be ordered engraved and loaded for easy installation.

Standard Stainless Steel Wall Plates

- Loaded with either Neutrik or Switchcraft
- Custom engraving available
- Fit standard electrical boxes
- All connectors come isolated from plate

TYPE	DESCRIPTION
LLSGWB	Single Gang Wall Plate Blank
LLDGWB	Double Gang Wall Plate Blank
LLTGWB	Triple Gang Wall Plate Blank
LLQGWB	Quad Gang Wall Plate Blank
LLSGW1D	Single Gang Wall Plate 1 D Hole
LLSGW2D	Single Gang Wall Plate 2 D Hole
LLDGW1D	Double Gang Wall Plate 1 D Hole
LLDGW2D	Double Gang Wall Plate 2 D Hole
LLDGW4D	Double Gang Wall Plate 4 D Hole
LLTGW6D	Triple Gang Wall Plate 6 D Hole
LLQGW8D	Quad Gang Wall Plate 8 D Hole
LLSGW1XF	Single Gang Wall Plate 1 XLR Fem
LLSGW2XF	Single Gang Wall Plate 2 XLR Fem
LLSGW1XM	Single Gang Wall Plate 1 XLR Male
LLSGW2XM	Single Gang Wall Plate 2 XLR Male
LLDGW1XF	Double Gang Wall Plate 1 XLR Fem
LLDGW1XM	Double Gang Wall Plate 1 XLR Male
LLDGW2XF	Double Gang Wall Plate 2 XLR Fem
LLDGW2XM	Double Gang Wall Plate 2 XLR Male
LLDGW4XF	Double Gang Wall Plate 4 XLR Fem
LLDW4XM	Double Gang Wall Plate 4 XLR Male
LLTGW6XF	Triple Gang Wall Plate 6 XLR Fem
LLTGW6XM	Triple Gang Wall Plate 6 XLR Male
LLSGW1P	Single Gang Wall Plate 1 Lock 1/4
LLSGW2P	Single Gang Wall Plate 2 Lock 1/4
LLSGW4P	Double Gang Wall Plate 4 Lock 1/4
LLSGW6P	Triple Gang Wall Plate 6 Lock 1/4



Did you know that Cable Factory is one of North America's largest custom panel manufacturers. Having been involved in some of the largest panel projects like the Disney Theatre, we at Cable Factory can fabricate any custom panel you require. We also stock thousands of special connectors required for these plates. Please see www.customavpanels.com

Floor Pockets

- For mounting permanently in stage floor
- Custom plates available
- Black heavy duty steel

TYPE	DESCRIPTION
LLFP-12	Floor Pocket 12-D Size Holes



Cable Reels

- Easy setup
- Very Durable
- Custom configurations available
- Reel plates come unloaded

TYPE	DESCRIPTION
LLCRB-084	Cable Reel 8x4
LLCRB-124	Cable Reel 12x4
LLCRB-164	Cable Reel 16x4
LLCRB-244	Cable Reel 24x4



10 METAL WORK

Standard Snake Boxes Unloaded

- Come in standard configurations
- Custom plates available
- Heavy duty box with black anodized brushed aluminum plate
- Price does not include cable grip or connectors

TYPE	DESCRIPTION
LLBSB-06	Snake Box 6 Channels
LLBSB-08	Snake Box 8 Channels
LLBSB-12	Snake Box 12 Channels
LLBSB-16	Snake Box 16 Channels
LLBSB-24	Snake Box 24 Channels
LLBSB-28	Snake Box 28 Channels
LLBSB-36	Snake Box 36 Channels
LLBSB-42	Snake Box 42 Channels
LLBSB-52	Snake Box 52 Channels



Rack Panels

- Standard flanged rack panels
- Come in both Steel and Brushed Aluminum
- Custom configurations available

TYPE	DESCRIPTION
LL1USFB	Rack Panel 1 U Steel Flanged
LL2USFB	Rack Panel 2 U Steel Flanged
LL3USFB	Rack Panel 3 U Steel Flanged
LL4USFB	Rack Panel 4 U Steel Flanged
LL1UAFB	Rack Panel 1U Aluminum Flanged
LL2UAFB	Rack Panel 2U Aluminum Flanged
LL3UAFB	Rack Panel 3U Aluminum Flanged
LL4UAFB	Rack Panel 4U Aluminum Flanged
LL5UAFB	Rack Panel 5U Aluminum Flanged
LL6UAFB	Rack Panel 6U Aluminum Flanged



EBRA-Electrical Box Bulk Head Adapters

These bulkhead adapters are great for adapting 24" x 24" or 12" x 24" electrical boxes into rack mount bulk head panels. Rack panels can be custom ordered.

TYPE	DESCRIPTION
EBRA-2412	Electrical Box Rack Adapter 24" x 12"
EBRA-2614	Electrical Box Rack Adapter 26" x 14"
EBRA-2424	Electrical Box Rack Adapter 24" x 24"
EBRA-2626	Electrical Box Rack Adapter 26" x 26"



Example of EBRA-2424 loaded with panels and connectors

ACCESSORIES

A close-up photograph of industrial cable accessories. In the foreground, a braided steel cable is threaded through a metal fitting. The fitting has a knurled section with the word "HUB" embossed on it. Below this, another fitting is visible with the number "1.25" and a logo. The background is blurred, showing more of the same components.

11 ACCESSORIES

Sumitumo Heatshrink

Colors Replace XX with Color Code Black-00, Red-02, Yellow-04, Green-05, Blue-06, White-09, Clear-10

PART #	DESCRIPTION
SUMB2-364-XX	SUMITUMO HEAT SHRINK 3/64" ROLL SIZE 1000 FT
SUMB2-116-XX	SUMITUMO HEAT SHRINK 1/16" ROLL SIZE 1000FT
SUMB2-332-XX	SUMITUMO HEAT SHRINK 3/32" ROLL SIZE 500 FT
SUMB2 -18-XX	SUMITUMO HEAT SHRINK 1/8" ROLL SIZE 500 FT
SUMB2-316-XX	SUMITUMO HEAT SHRINK 3/16" ROLL SIZE 200 FT
SUMB2 -14-XX	SUMITUMO HEAT SHRINK 1/4" ROLL SIZE 200 FT
SUMB2 -38-XX	SUMITUMO HEAT SHRINK 3/8" ROLL SIZE 200 FT
SUMB2 -12-XX	SUMITUMO HEAT SHRINK 1/2" ROLL SIZE 200 FT
SUMB2 -58-XX	SUMITUMO HEAT SHRINK 5/8" ROLL SIZE 200 FT
SUMB2 -34-XX	SUMITUMO HEAT SHRINK 3/4" ROLL SIZE 200 FT
SUMB2-100-XX	SUMITUMO HEAT SHRINK 1" ROLL SIZE 200 FT
SUMB2-114-XX	SUMITUMO HEAT SHRINK 1.25" ROLL SIZE 200 FT
SUMB2-150-XX	SUMITUMO HEAT SHRINK 1.5" ROLL SIZE 200 FT
SUMB2-200-XX	SUMITUMO HEAT SHRINK 2" ROLL SIZE 200 FT
SUMB2-300-XX	SUMITUMO HEAT SHRINK 3" ROLL SIZE 200 FT
SUMB2-400-XX	SUMITUMO HEAT SHRINK 4" ROLL SIZE 200 FT



Custom Printed Shrink

- Custom label all your cables
- Pick the overall diameter and length

PART NUMBER: **SM12** - - **LENGTH (inches)**

COLOR CODE: BLACK -00
RED -02
YELLOW -04
GREEN -05
BLUE -06
WHITE -09

SIZE (Please see sizes in list below)

PART #	DESCRIPTION
SM12-364-XX	SUMITUMO CUSTOM PRINTED HEATSHRINK 3/64" OD
SM12-116-XX	SUMITUMO CUSTOM PRINTED HEATSHRINK 1/16 OD
SM12-332-XX	SUMITUMO CUSTOM PRINTED HEATSHRINK 3/32 OD
SM12 -18-XX	SUMITUMO CUSTOM PRINTED HEATSHRINK 1/8" OD
SM12-316-XX	SUMITUMO CUSTOM PRINTED HEATSHRINK 3/16" OD
SM12 -14-XX	SUMITUMO CUSTOM PRINTED HEATSHRINK 1/4 OD
SM12 -38-XX	SUMITUMO CUSTOM PRINTED HEATSHRINK 3/8" OD
SM12 -12-XX	SUMITUMO CUSTOM PRINTED HEATSHRINK 1/2" OD
SM12 -34-XX	SUMITUMO CUSTOM PRINTED HEATSHRINK 3/4" OD
SM12-100-XX	SUMITUMO CUSTOM PRINTED HEATSHRINK 1" OD
SM12-150-XX	SUMITUMO CUSTOM PRINTED HEATSHRINK 1.5" OD
SM12-200-XX	SUMITUMO CUSTOM PRINTED HEATSHRINK 2.0" OD



Cable Strain Relief

- Heavy duty metal strain relief
- Available for Fan & box

PART #	DESCRIPTION
STRB-6	Box Strain relief for 0.35"-.53"
STRB-16	Box Strain Relief for 0.53"-.75"
STRB-36	Box Strain Relief for 0.75"-0.85"
STRB-56	Box Strain Relief for 0.85"-1.25"
STRF-6	Fan Strain relief for 0.35"-.53"
STRF-16	Fan Strain Relief for 0.53"-.75"
STRF-36	Fan Strain Relief for 0.75"-0.85"
STRF-56	Fan Strain Relief for 0.85"-1.25"



